



LABORATORY GLASSWARE

Dedicated Towards Science



PRICE LIST
2024 - 25




**National Accreditation Board for
Testing and Calibration Laboratories**
(A Constituent Board of Quality Council of India)



CERTIFICATE OF ACCREDITATION

JAIN SCIENTIFIC GLASS WORKS

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

14 INDUSTRIAL AREA, AMBALA CANTT, HARYANA, INDIA

in the field of

CALIBRATION

Certificate Number: CC-2014

Issue Date: 28/03/2019

Valid Until: 27/03/2021

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)




Anil Relia
Chief Executive Officer

MECHANICAL CALIBRATION

CHEMICAL TESTING




**National Accreditation Board for
Testing and Calibration Laboratories**
(A Constituent Board of Quality Council of India)



CERTIFICATE OF ACCREDITATION

TEST LAB, JAIN SCIENTIFIC GLASS WORKS

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

14 HSIDC INDUSTRIAL ESTATE, AMBALA CANTT, HARYANA, INDIA

in the field of

TESTING


Certificate Number: TC-8310

Issue Date: 27/01/2019

Valid Until: 26/01/2021

In view of the transition deadline for ISO/IEC 17025:2017, the validity of this accreditation certificate will cease on 30.11.2020.
This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)




Anil Relia
Chief Executive Officer



An ISO 9001:2015 Certified

LABORATORY GLASSWARE & EQUIPMENT

ADDRESS

14, HSIIDC, Industrial Estate,
Jagadhari Road,
Ambala Cantt. - 133 001
Haryana - INDIA



E-mail

info@jsgw.com
sales@jsgw.com
Web : www.jsgw.com



GST No.

06AACFJ4661N1Z3



PHONES

91-171-2698184
91-171-2698185



JAIN SCIENTIFIC GLASS WORKS

Complete Source of Laboratory Glassware & Equipment

14, HSIIDC, Industrial Estate, Jagadhari Road, Ambala Cantt. - 133 001 Haryana - INDIA

Foreword

Very humbly, we present herewith our latest **2024** Catalogue-cum-Price List. "JSGW" mouth blown Laboratory Glassware's are fabricated from low alkali borosilicate type 3.3 glass, having Chemical Composition Si O₂ :81%, B₂ O₃ :13%, Na₂ O / K₂O: 4% Al₂ O₃ :2% approx. by weight.

The Thermal Properties of Glass are Coefficient of Linear Expansion $32.5 \times 10^{-7} / ^\circ\text{C}$, Strain Point :515°C, Annealing Point :565°C, Softening Point :820°C, Specific Heat: 0.2 and Thermal Conductivity (Cal/cm³ /°C/Sec):0.0027:

It has been mentioned, in our catalogue where any other type of glass is used, Viz. Quartz, Silica, Borosilicate Neutral or Soda Glass etc.

This Catalogue-cum-Price list covers a wide range of apparatuses required for Colleges, Universities, Pharmaceuticals Industries, Research & Development Organizations.

To give you a clear indication of what is being offered we have tried to maximize the use of illustrations and figures.

We are in this line of mouth blown glassware for more than six decades.

Our workshop is very well equipped with modern and latest plant, machinery, equipment and experienced staff.

Quality is controlled by our experts at every step of manufacturing to maintain accuracy and perfectness. We can really offer you high class mouth blown products, equivalent to those manufactured anywhere in the developed countries.

We are having **NABL** accreditation in two disciplines, viz Chemicals Testing (To determine the Chemical Composition of glass) and Mechanical Calibration (Volume for glassware & Thermal for Thermometers).

We are registered with N.S.I.C. New Delhi, and MSME as a Small Scale Unit.

We have **ISI mark** for Volumetric Flasks, Measuring Cylinders, Pipettes, Burettes, Beakers and Flasks etc.

We also undertake to custom manufacturing of new apparatus according to customers specifications. All enquiries for research are dealt with promptly.

While placing your valued order, please mention our catalogue numbers, minimum Qty/Pack along with a short description.

In the end, we sincerely thank all patrons and clients, old and new, for their indulgent co-operation in the past.

We fully assure you that all your enquiries and valued orders will receive our best and prompt attention, as usual.

Management
Jain Scientific Glass Works

A

INDEX

ADAPTERS			BOTTLES		
	Cat.No.	Page No.		Cat.No.	Page No.
Adapters, Reduction	213	62	Bottles Reagent, Screw Cap GL45	566A	110
Adapters, Expansion	214	62	Bottles Reagent, Screw Cap, Amber	566B	111
Adapters, Multiple	216-218	63	Bottles Reagent, Extra WM,	567	111
Adapters, Swan Neck	219	63	Screw Cap, GL 80		
Adapters, Receiver	220	63	Bottles Reagent, Extra WM,	567A	111
Adapters, Receiver, Bend with Vent	222	64	Screw Cap, Amber GL 80		
Adapters, Receiver, Bend, Vacuum	223	64	Reagent Bottle, High Recovery	568	112
Adapters, Receiver, Multiple, Pig	225	64	Reagent Bottle, Multi-Neck	569	112
Still Head, Recovery Bend (Elbow)	231	65	Bottles, Dropping	570	112
Still Head, Recovery Bend (Vertical)	232	65	Bottles, Dropping, Amber	570A	112
Recovery Head	233	65	Bottles, Aspirator, with STPK	571	112
Claisen Head	234	65	Bottles, Aspirator, with Tubulation	571A	112
			Bottles, Woulf	573	113
			Bottles, Mac-Cartney	574	113
			Bottles, BOD	575	113
			Bottle, Roux	576	113
			Bottles, Gas Washing	692	120
			Bottles, Gas Washing, with	694	120
			Sintered Disc		
			Bottles, Wash, I/C	845	123
ARSENIC APPRATUS			BURETTES		
	Cat.No.	Page No.		Cat.No.	Page No.
Arsenic App. - Gutzeit	905	131	Burette Pich Cork	1	1
Arsenic App. - BP	902	131	Burette, Glass Stpk, Class A	2	1
Arsenic App. - Silver Diethyldithio	903	131	Burette, Glass Stpk, NABL	2N	1
Arsenic App. For Ferrous Alloys	904	131	Burette, Glass Stpk, Amber Class A	2A	1
Arsenic App.- USP 211	906	131	Burette, Glass Stpk, Class B	3	2
Arsenic App.- IP	907	131	Burette, PTFE Needle Valve, Class A	4	2
Arsenic App.- JP	908	131	Burette, PTFE Needle Valve, NABL	4N	2
Arsenic App.- EP	909	131	Burette, PTFE Needle Valve, Class B	5	3
			Burette, PTFE Stpk, Class A	6	3
			Burette, PTFE Stpk, NABL	6N	3
			Burette, PTFE Stpk, Amber Class A	6A	3
			Burette, PTFE Stpk, Class B	7	4
			Burette, Double Oblique Bore	10, 11	4
			Burette, Three Way Bore Needle Valve	12,13	4-5
			Burette, Double Oblique Bore	14	5
			Burette, Over Flow Cup,Glass Stpk	15,16	5
			Burette, Over Flow Cup,Needle Valve	17,18	5
			Burette, Over Flow Cup,PTFE Stpk	19	6
			Burette, Micro, Auto Filling	20,21	6
			Burette, Auto., Glass Stpk, Class A	22	6
			Burette, Auto., Glass Stpk, NABL	22N	6
			Burette, Auto., Glass Stpk, Amber	22A	7
			Class A		
			Burette, Auto., Glass Stpk, Amber,	22AN	7
			NABL		
			Burette, Auto., Glass Stpk, Class B	23	7
			Burette, Auto., Needle Valve, Class A	24	7
			Burette, Auto., Needle Valve, NABL	24N	7
			Burette, Auto., Needle Valve,	24A	8
			Amber, Class A		
BEAKERS					
	Cat.No.	Page No.			
Beakers, With Plastic Handle	547	106			
Beakers, Low Form with Spout	548	106			
Beakers, Amber, Low Form	548A	106			
Beakers, Tall Form with Spout	549	106			
Beakers, Tall Form without Spout	549A	106			
Beakers, Philips, with Spout	550	107			
Beaker, Tong	550A	107			
Beaker, Brush	550B	107			
BOTTLES					
	Cat.No.	Page No.			
Bottles, Weighing	551	107			
Bottles, Weighing, Amber	552	107			
Bottles, Weighing, Cap Type	553-554	107			
Bottles, Weighing, Suba Seal	555	108			
Bottle, Lunges	556	108			
Bottles, Specific Gravity, Class A	557	108			
Bottles, Specific Gravity, NABL	557N	108			
Bottles, Specific Gravity	558	108			
Bottles, Specific Gravity, Pkynometer	559A	108			
Bottles, Specific Gravity, Weld	560	109			
Bottles, Specific Gravity, Hubbard	561	109			
Bottles, Reagent, Glass Stopper	563	109			
Bottles, Reagent, Glass Stopper, Amber	563A	109			
Bottles, Reagent, WM, Glass Stopper	564	110			
Bottles Reagent, NM, Screw Cap	565	110			
Bottles Reagent, WM, Screw Cap	566	110			

B

B

INDEX

BURETTES			CLAMPS & STANDS		
	Cat.No.	Page No.		Cat.No.	Page No.
Burette, Auto., Needle Valve, Class B	25	8	Boss Head	1260-1262	160
Burette, Automatic, PTFE Stpk, Class A	26	8	Stand Rectangular	1264	160
Burette, Automatic, PTFE Stpk, NABL	26N	8	Stand Tripod	1265-1267	160-161
Burette, Auto., PTFE Stpk, Amber, Class A	26A	8	Stand - A Shape	1266	161
Burette, Auto., PTFE Stpk, Amber, NABL	26AN	9	Retort Ring	1268	161
Burette, Karl Fisher, Class A	27	9	Crucible Tongs	1269-1271	161
Burette, Spare Bellow	30	9	CLINICAL LABORTORY GLASSWARE		
Burette, Cleaning Brush	31	9		Cat.No.	Page No.
Burette, Stand & Clamp	32	9	Albuinometer	580	113
BURNERS			Ureometer Doremus	581	113
	Cat.No.	Page No.	Blood Sugar Tube	583	113
Bunsen Burner	1272	161	Wintrobe Tube	585	113
Bunsen Burner - Needle Valve	1272/2	161	E.S.R. Tube	587	113
Bunsen Burner - Electric	1272/3	161	Wasserman Tube	590	113
Burner - Mecker	1273	161	Agglutination Tube	591	113
Burner Teclu	1274	161	Durham Tube	592	114
CARBON SULPHUR GLASSWARE			Widal Tube	594	114
	Cat.No.	Page No.	Melting Point Tube	595	114
Absorption Vessel for KOH	911	131	Micro Capillary Pipettes	595A-595B	114
Carbon Burette	912	131	End To End Capillary Pipette	595C	114
Sulphur Burette	915	131	Haematocrit Capillaries	595D	115
Cooling Condenser	918	131	Micro Slides	597	115
Automatic Pippete	919-920	131	Micro Concavity Slides	597A	115
Titration Vassel	921	131	V.D.R.L. Slides	597B	115
View Bulb	925	131	Counting Chamber	599	115
COLUMNS			Haemocytometer	600	115
	Cat.No.	Page No.	R.B.C. Pipette	601	115
Columns, Fractionating	301-304	76	W.B.C. Pipette	602	115
Columns, Packing	305-306	76	Spreader	603B	116
Columns, Chromatography with Disc, Plain	449	93	CONDENSERS		
Columns, Chromatography with Disc, Stopcock	450-452	93-94		Cat.No.	Page No.
Columns, Chromatography, Plain, with Stpk	454-456	94-95	Condensers, Air	125	41
Columns, Chromatography, with Reservoir	460-460C	96-97	Condensers, Liebig	126	41
Chromatography Sprayer	880	128	Condensers, Coil, Coil Distillate	127	41
CLAMPS & STANDS			Condensers, Coil, Jacket Distillate	128	42
	Cat.No.	Page No.	Condensers, Coil, Reversible	129	42
Laboratory Jack	1249	159	Condensers, Double Coil	130	42
Burette Clamps	1251	159	Condensers, Double Surface	131	42
Universal Clamps	1252-1253	159	Condensers, Jacketed Coil	132	43
Finger Clamps (Condenser)	1254	159	Condensers, Inland Revenue	133	43
Jumbo Clamps (Condenser)	1255	159	Condensers, Allihn (Bulb)	134	43
3 Fingers Clamp Condenser with Silicon Sleeves	1256-1257	160	Condensers, Friedrich	135	43
Retort Clamps	1258	160	Condensers, Ether	136	43
			Condenser, Cold Finger	137	43
			Condenser, Bulb Shape	145	43
			CONES		
				Cat.No.	Page No.
			Cone, Imhoff, Sharp Tip	93	36
			Cone, Imhoff, Blunt Tip	94	36
			Stand for Imhoff Cone	94A	36

INDEX

CYLINDERS	Cat.No.	Page No.	DISSOLUTION BOWL	Cat.No.	Page No.
Cylinders, Gradauted, Class A	76	31	Dissolution Bowl - Plain	825	123
Cylinders, Gradauted, Class A, QR Code	76Q	31	Dissolution Bowl - Amber	826	123
Cylinders, Gradauted, NABL	76N	31	DISTILLATION APPRATUS	Cat.No.	Page No.
Cylinders, Gradauted, AMBER	76A	31	Water Distillation, Automatic Cabinet	422	86
Cylinders, Gradauted, AMBER-NABL	76AN	32	Water Distillation, NPL Design	425	87
Cylinders, Gradauted, USP, Class A	76U	32	Water Distillation, Single Stage	426	88
Cylinders, Gradauted, Class B	77	32	Water Distillation, Double Stage	427	89
Cylinders Stopper, Gradauted, Class A	78	32	Water Distillation, Double Stage Horizontal	428A	90
Cylinders Stopper, Gradauted, NABL	78N	33	Water Still	420	84
Cylinders Stopper, Gradauted, Amber	78A	33	Water Still, with Silica Heater, Borosilicate	421	85
Cylinders Stopper, Gradauted, Amber, NABL	78AN	33	Water Still, with Silica Heater, Quartz	428	91
Cylinders Stopper, Gradauted, Class B	79	33	Water Still, Manesty Type	1209	155
Cylinders, Gradauted, Class A-ISI	80	34	Water Softener	429	91
Cylinders, Gradauted, R.Base, Class A	81	34	Water Chiller	430	91
Cylinders, Gradauted, R.Base, Class B	82	34	DEWAR FLASK	Cat.No.	Page No.
Cylinders Stopper, Gradauted, R.Base, Class A	83	34	Dewar Flask, Unsilvered	873	127
Cylinders Stopper, Gradauted, R.Base, Class B	84	35	E		
Cylinder, Rain Measuring	85	35	EXTRACTORS	Cat.No.	Page No.
Cylinders, Nessler	86-87	35	Soxhlet Extraction	431	92
Cylinders Stopper, Nessler	86A	35	Soxhlet Extraction - with Flange	437	92
Crow Reciever	88-89	35-36	Soxhlet Extraction - Globular Type	438	92
Crow Reciever, Stopper	88A-89A	35-36	Soxhlet Extraction - Aspirator Type	439	92
Cylinder, Sedimentation of Sand	90	36	Soxhlet Extraction - Heating Unit	1195	150
Cylinders, Safety Rider, PP	91	36	ELECTRODES	Cat.No.	Page No.
Cylinder, Stand, Nessler	1283A	163	Hoffman's Voltameter	770	122
	1283B		Platinum Electrodes Pair	772	122
			Calomel Electrodes	791	122
			Hoffman's Screw Clip	1277	162
D			ELECTROPHORESIS	Cat.No.	Page No.
DAIRY & MILK TESTING	Cat.No.	Page No.	Paper Electrophorsis App.	1301	165
Butyrometer	951-955	132	Immuno Electrophorsis App.	1302	165
Mojjonier Flask	957	132	Polyacrylamide Gel Electro. App.	1303	165
Reichert Wollney's App.	958	132	Vertical Slab Gel Electro. App.	1304	165
Polenske's App.(RM Value)	960	132	Digital Power Supply Gel Electro.	1305	165
Lactometer	1011	137	Paper Electrophorsis	1306	165
DESSICATORS	Cat.No.	Page No.	Submarine Gel Electro. App.	1307	165
Dessicator Plain	881	128	ESSENTIAL OIL DETERMINATION UNIT	Cat.No.	Page No.
Dessicator Plain Amber	881A	129	Essential Oil Det. Unit (Clevenger)	475	101
Dessicator Vaccum	882	129	Clevenger Assembly,	476	101
DISHES	Cat.No.	Page No.	Lighter than Water		
Dishes, Crystallizing	834	123	Clevenger Assembly,	477	101
Dishes, Evaporating	835	123	Heavier than Water		
Dishes, Petriplate	603	115			
Dishes, Petriplate - Amber	603-A	116			
Drying Trays	891	130			

F

INDEX

FLASK BOILING	Cat.No.	Page No.	FUNNELS	Cat.No.	Page No.
Flask, Reaction	161	44	Funnel Separating, Glass Stpk	280A	70
Flask, Reaction, Lid	162	44	Funnel Separating, Glass Stpk, Amber	280B	70
Flask, Reaction, SS Clip	163	44	Funnel Separating, Rotaflow Stpk	281	70
Flask, Reaction, Teflon Gasket	164	44	Funnel Separating, PTFE Stpk	282	71
Flasks, Boiling Round Bottom	188	57	Funnel Separating, PTFE Stpk, Amber	282A	71
Flasks, Boiling Round Bottom, Amber	188A	57	Funnel Separating, Globe Shape	283-285	71-72
Flasks, Boiling Flat Bottom	189	57	Funnel Dropping	286-291	72-73
Flasks, Boiling Flat Bottom, Amber	189A	58	Funnel Separating, Globe Shape, with Cone	292-293	73
Flasks, Boiling Round Bottom, I/C Joint, Amber	165A	44	Funnel Pressure Equalising	296-299	74-75
Flasks, Boiling Flat Bottom, I/C Joint, Amber	165B	44	Funnel Filtering 60° Stem	868	127
Flasks, Boiling Round Bottom, I/C Joint	165	45	Funnel Powder	868A	127
Flasks, Boiling Flat Bottom, I/C Joint	165F	46	Funnel Powder with Cone	868B	127
Flasks, Boiling Round Bottom, Parallel, 2 Neck	166P	47	Funnel Thistle	870	127
Flasks, Boiling Round Bottom, Angle, 2 Neck	166A	48			
Flasks, Boiling Round Bottom, Angle, 3 Neck	167P	49			
Flasks, Boiling Round Bottom, Parallel, 3 Neck	167A	50			
Flasks, Boiling Round Bottom, Angle, 4 Neck	167B	51			
Flasks, Boiling Round Bottom, Parallel, 4 Neck	167C	52			
Flasks, Rotary Evaporators	168A				
FLASK CONICAL	Cat.No.	Page No.	GLASSWARE FOR GASES	Cat.No.	Page No.
Flask Conical, Graduated	183	56	Gas Desorber	661	117
Flask Conical, Graduated, Amber	183A	56	Impinger	662-664	117-118
Flask Conical, Screw Cap	180	55	Calcium Chloride Tube	671-674	118
Flask, Conical, I/C Joint	168	52	Calcium Chloride Tower	678	118
Flask, Conical, I/C, Stoppered	181	55	Tupwiler Gas Burette	679	118
Flask, Conical, I/C, Stoppered, Amber	181A	55	Bunte Gas Burette	680	118
Flask, Iodine	182	55	Hample Gas Burette	681	118
Flask, Filtering, Bolt Neck	179	54	Gas Collecting Tubes	688-691	119
Flask, Filtering, Bolt Neck, I/C Joint	169	53	Gas Washing Bottle	692-695	120
Flask, Kjeldahl, Plain	184	56	Gas Jar	696	120
Flask, Kjeldahl, I/C Joint	170	53	Gas Generator - Kipp's	697	120
Flask, Pear Shape	171-173	53	Oxygen Deter. App.	700	120
Flask, Pear Shape, Vigreus	174-175	54			
Flask, Pear Shape, Distillation	176-177	54			
Flask, Distillation, with Side Tube	178	54			
Flask, Conical, Long Neck	185	56			
Flask, Conical, Wide Mouth	186	56			
Flask, Haffkine, Culture	190	58			
Flask, Cleaning Brush	191	58			
Micro Combustion Flask (Oxygen Flask)	831	123			
			ORSAT GAS ANALYSIS	Cat.No.	Page No.
			Orsat Gas Analysis - 3 Pipettes	705-707	121
			Orsat Gas Analysis - 4 Pipettes	711-713	121
			Orsat Gas Analysis - 5 Pipettes	714-716	121
			Orsat Gas Analysis - Spares	720	121
			H		
			HYDROMETERS	Cat.No.	Page No.
			Hydrometers, Specific Gravity	1001	136
			Hydrometers, Universal	1002	136
			Hydrometers, Beaume	1003-1005	136
			Hydrometers, Brix	1006-1007	136-137
			Hydrometers, Ske's	1008	137
			Hydrometers, Twaddle	1009	137
			Hydrometers, Density	1015	137

INDEX

INTERCHANGEABLE GLASS ASSEMBLIES	Cat.No.	Page No.	LABORATORY INSTRUMENTS	Cat.No.	Page No.
Phenol Distillation App.	341	81	Rotary Vacuum Evaporator	1187-1188	148
Ammonia Distillation App.	344	81	Heating Mantles	1196	151
Reflux Assemblies	345-349	81	Hot Plates	1197	152
Reaction Assemblies	350-351	81	Laboratory Stirrer	1198	152
Alcohol Distillation Unit	354	82	Magnetic Stirrer	1199	152
Preparation Assemblies	356	82	Water Bath Serological	1200	152
Kjeldahl Distillation Asmb.	358-359	82	Water Bath Double Walled	1201	153
Steam Distillation Asmb.	363-365	82	Precision Water Bath	1201A	153
Sublimation Distillation Asmb.	366	82	Water Bath Incubator Shaker	1201B	153
Solvent Recovery Asmb.	369-372	83	Water Bath Universal	1203	153
Fractionation Assembly	373-375	83	Cylindrical Oil Bath	1205	154
Mercury Distillation Asmb.	386	83	Melting Point App.	1206	154
Carbaryl Content Det. App.	393	83	Oven Universal	1210	155
Cyanide Dist. App.	395	84	Incubator Universal	1224	156
Mancozeb Content App.	396	84	B.O.D. Incubator	1225	156
Sulfur Dioxide Asmb.	397	84	Autoclave Vertical	1226	157
Congeaing Temp. App.	398T	84	Vortex Shaker	1228	157
Hydroxypropoxy Det. App.	399	84	V.D.R.L. Shaker	1229	157
Methoxy Det. Asmb.	400	84	C.O.D. Digestion App.	1230	157
Utility Sets	401-403	84	Rotary Shaker	1231	157
			Ultrasonic Cleaner (Sonicator)	1236	158
			Muffle Furnance	1240D	158
			Vacuum Oven	1241	158
			Centrifuge Machine	1245	158

J

JARS	Cat.No.	Page No.
Jar, Specimel	883	129
Jar, Rectangular - Boro3.3	889	130
Jar, Rectangular - Neutral Glass	890	130
Jar, SS Lid	890A	130
Jar, Anaerobic Culcture	1141-1146	144

K

KJELDHAL APPARTUS	Cat.No.	Page No.
Combined - Digestion & Distillation	1190	149
Kjeldhal Digestion Unit	1191-1192	149-150
Kjeldhal Distillation Unit	1194	150

L

LIQUID HANDLING	Cat.No.	Page No.
Micropipettes, Variable	1401	170
Micropipettes, Variable, NABL	1401N	170
Micropipette Fixed Volume	1402	171
Micropipette, Multichannel	1403	171
Micropipette, Tips	1404	171
Micropipette, Stand	1405	171
Bottle Top Dispensers	1411	172

M

MOISTURE DETERMINATION	Cat.No.	Page No.
Moisture Determination Unit with STPK	465	99
Moisture Determination Unit with STPK, NABL	465N	99
Moisture Determination Unit	466	99
Moisture Determination Unit, NABL	466N	99
Soil Moisture Gauge	469	100

N

NITROGEN DETERMINATION ASSEMBLIES	Cat.No.	Page No.
Macro Kjeldahl Distillation	481	102
Micro Nitrogen Distillation (Lourquin App.)	483	102
Semi Micro Kjeldahl Unit	484	102
Micro Kjeldahl Nitrogen Dist. Unit	485	102
Markham Semi Micro Dist. Unit	489	102
Nitrogen Distillation Asmb.	490	102

P

INDEX

PIPETTES			PTFE LABWARE		
	Cat.No.	Page No.		Cat.No.	Page No.
Pipettes, Transfer Volumetric-ISI	35	10	PTFE, Stopper	1151	145
Pipettes, Transfer Volumetric-Class A	36	10	PTFE, Stirring Bar	1152	145
Pipettes, Transfer Volumetric-NABL	36N	10	PTFE, Stirring Bar - Oval Shape	1152A	145
Pipettes, Transfer Volumetric-QR Code	36Q	11	PTFE, Beaker	1153	145
Pipettes, Transfer Volumetric-Amber	36A	11	PTFE, Beaker, Lids	1154	145
Pipettes, Transfer Volumetric-Amber-NABL	36AN	11	PTFE, Bottle	1155	146
Pipettes, Transfer Volumetric-Class B	37	11	PTFE, Centrifuge Tube	1156	146
Pipettes, Transfer Volumetric-USP	38	12	PTFE, Reduction Adapter	1160	146
Pipettes, Transfer Volumetric-USP-QR	38Q	12	PTFE, Expansion Adapter	1161	146
Pipettes, Measuring, Serological-Class A	39	12	PTFE, Magnet Retriever	1162	146
Pipettes, Measuring, Serological-NABL	39N	13	PTFE, Stirrer Rod	1163	146
Pipettes, Measuring, Serological-Amber Class A	39A	13	PTFE, Stirrer Scraper	1165	146
Pipettes, Measuring, Serological-Amber-NABL	39AN	13	PTFE, Stuffing Box Gland	1166	146
Pipettes, Measuring, Serological-USP	39U	13	Q		
Pipettes, Measuring, Serological-Class B	40	14			
Pipettes, Measuring, Mohr Type-Class A	41	14	QUARTZ LABWARE		
Pipettes, Measuring, Mohr Type-NABL	41N	14		Cat.No.	Page No.
Pipettes, Measuring, Mohr Type-Amber-NABL	41AN	15	Quartz, Beaker	1071	140
Pipettes, Measuring, Mohr Type-Class B	42	15	Quartz, Boiling Flask	1072	140
Pipettes, Automatic	45-48	15-16	Quartz, Conical Flask	1073	141
Pipettes, Milk Testing	49-51	16	Quartz, Volumetric Flask	1074	141
Pipette, Alcohol	52	16	Quartz, Measuring Cylinder	1075	141
Pipette, E.S.R	53	16	Quartz, Pipettes Transfer Volumetric	1076	141
Pipette, Drum Sampling	54	16	Quartz, Cuvette	1077	141
Pipette, Mechanical	56	17	Quartz, Basins	1079	141
Pipette, Artificial Insemination	57	17	Quartz, Test Tube	1080	141
Pipette, Pasteur	58	17	Quartz, Combustion Boat	1081	142
Pipette, Silicon Filler (Bulb)	59	17	Quartz, Reagent Bottle	1083	142
Pipette, Can	1285	164	Quartz, Crucible	1085	142
Pipette Washer, Automatic	1207	155	Quartz, Crucible Lid	1085L	142
PLANT PHYSIOLOGY			Quartz, Gooch Type Crucible	1086	142
Root Pressure App.	1120	144	Quartz, Funnel Filtering	1087	142
High Pressure Manometer	1121	144	R		
Osmotic Pressure App.	1122	144			
Potometer	1124	144	RUBBER & SILICON LABWARE		
Respirometer	1129	144		Cat.No.	Page No.
Fermentation Vessel	1130	144	Rubber Cone	1328	168
Willmout Bubbler	1133	144	Rubber Corks	1329	168
PORCELAIN WARE			Rubber Pipette Bulb	1335	169
Agate Motor & Pestle	1061	139	Rubber Sheets	1345	169
Porcelain, Buchner Funnel	1062	139	Rubber Teat	1338	169
Porcelain, Crucible	1063	140	Rubber Tubing- High Pressure	1322	166
Pocelain, Evaporatin Dish	1064	140	Rubber Tubing- Soft	1320	166
Alumina, Crucible	1065	140	Rubber-Vacuum Tube	1324V	166
			Silicon Flask Stand	1343	169
			Silicon Pipette Bulb	1344	169
			Silicon Pipette Filler (Propitor)	1339	169
			Silicon- Police man	1330	169
			Silicon Rubber Cork	1325	167
			Silicon Rubber Cork for Filter Flask	1346	169
			Silicon Rubber Tubing	1324	166
			Silicon Spreader	1342	169
			Turn Over Flange - For Sockets	1326A	167
			Turn Over Flange - For Test Tubes	1326	167

S

INDEX

SILICA LABWARE			THERMOMETERS		
	Cat.No.	Page No.		Cat.No.	Page No.
Silica Curcible With Lid	1091	143	Thermometers, Mercury Filled	971	133
Silica Curcible Without Lid	1092	143	Thermometers, NABL	971N	133
Silica Basin	1093	143	Thermometers, Red spirit Filled	971A	133
SINTERED GLASSWARE			Thermometers, Red spirit Filled, NABL	971AN	133
	Cat.No.	Page No.	PTFE Cone for Thermometers	972	133
Filter App., Witts	325	77	Precesion Thermometers	973	133
Sintered, Crucible Gooch	328	77	Precesion Thermometers, NABL	973N	134
Sintered, Buchner Funnel	329-330	78	Thermometers with Cone	974	134
Membrane Filters Holder, Std. Fitting	331	78	Thermometers with Cone, NABL	974N	134
Membrane Filters Holder,	332	79	Immersion Thermometers	975	134
Rubber Fitting			Immersion Thermometers, NABL	975N	134
Membrane Filters Holder,	332A	79	Low Temp. Thermometers	976	135
Stainless Steel			Oven/Incubator Thermometers	977	135
Sintered, Tube Sealed	333	80	Oven/Incubator Thermometers, NABL	977N	135
Sintered, Conical Filter	334	80	Wall Thermometer	983	135
Sintered, Glass Filter Tube	335	80	Clinical Thermometer	987	135
SPATULA			Soil Thermometer	990	135
	Cat.No.	Page No.	TISSUE HOMOGENISERS		
Spatula - Flat & Spoon	1279	162		Cat.No.	Page No.
Spatula Wire Type	1279A	162	Tissue Grinders- Ten Broeck Type	631	116
Forceps - Fine Point	1279F	162	Tissue Grinders	632	116
STIRRERS			Tissue Homog. with PTFE Pestle	633	116
	Cat.No.	Page No.	Spare Glass Vessel	634	116
Stirrer, Plain	260	68	TUBES		
Stirrer, Teflon Bladed	261	68		Cat.No.	Page No.
Stirrer, Link	262	69	Tubes, Culture Media, Round Bottom	95	37
Stirrer, Collapsible Paddle	263	69	Tubes, Culture Media, Round Bottom,	95A	37
Stirrer, Fixed Paddle	264	69	Amber		
Stirrer, Semi Micro	267	69	Tubes, Culture Media, Flat Bottom	97	37
Stirrer, Guides	268	69	Tubes, Culture Media, Flat Bottom,	97A	37
Gland, Mercury Seal	269	69	Amber		
Gland, Mercury Seal, Cap	270	69	Tubes, Leighton	100-101	37
Gland, Stuffing Box, Brass Pulley	271	69	Tubes, Centrifuge, Graduated	102	38
Gland, Simple with Cap	272	69	Tubes, Centrifuge, Plain	103	38
STOPCOCKS			Tubes, Centrifuge, Screw Cap	104	38
	Cat.No.	Page No.	Tubes, Centrifuge, Screw Cap, Grad.	105	38
Stopcock Glass Key	501-511	103	Tubes, Centrifuge, Stoppered	106	38
Stopcock Screw Type Two Limbs	517	104	Tubes, Centrifuge, Stoppered, Grad.	107	38
Stopcock PTFE Key	525-531	104	Tubes, Centrifuge, Round Bottom, Grad.	108	39
Stopcock High Vacuume	536-545	105	Tubes, Centrifuge, Oil, Graduated	110-112	39
STOPPERS			Test Tubes, Stoppered, Graduated	114	39
	Cat.No.	Page No.	Test Tubes, Stoppered	115	39
Stoppers, Polypropylene	207	60	Test Tubes, With Rim, Borosilicate Glass	116	40
Stoppers, Hollow	210	61	Test Tubes, Rimless, Borosilicate Glass	116A	40
Stoppers, Hollow Amber	210A	61	Test Tubes, Graduated	117	40
Stoppers, Solid Penny Head	211	61	Test Tube, Rubber Cork	118	40
Stoppers, Flat Head	211A	61	Test Tube, Stands, Aluminium	1282	163
Stoppers, Flat Head Amber	212	62	Test Tube, Stands, Stainless Steal	1282 SS	163
TAPS			Test Tube, Stands, Wire	1282 W	163
	Cat.No.	Page No.	Tubes, Polarimeter	871-872	127
Swan Neck Tap	1280	162			
Gas Tap	1281	163			

T

V

INDEX

VIALS	Cat.No.	Page No.	VOLUMETRIC FLASK	Cat.No.	Page No.
Vials, Screw Cap, Clear Glass	461	98	Flask, Volumetric, PTFE Stopper Class A	62P	19
Vials, Screw Cap, Amber Glass	461A	98	Flask, Volumetric, PTFE Stopper Class A, Amber Colour	62AP	20
Vials, WRS, Screw Cap, Amber Glass	461B	98	Flask, Volumetric, PTFE Stopper USP, Class A	63ASTM	24
Vials, Crimp Neck, Clear Glass	462	98	Flask, Volumetric, PTFE Stopper USP, Class A, Amber Colour	63ASTMA	26
Vials, Crimp Neck, Amber Glass	462A	98	Flask, Volumetric, Wide Mouth-Colour Coded	63WC	27
Vial, Crimping Tool	463	99	Flask, Volumetric, Wide Mouth- Amber	63WA	27
Vial, Decrimping Tool	463A	99	Flask, Volumetric , Wide Mouth- Amber-Colour Coded	63WAC	27
Vials, HPLC	464	99	Flask, Volumetric , Class B	64	28
Vials, Storage Cabinet	461C	98	Flask, Volumetric, Wide Mouth - USP - Class A	65UW	28
VISCOMETERS			Flask, Volumetric, Wide Mouth - USP Amber- Class A	65UWA	29
Viscometer, Ostwald	850	124	Flask, Sugar Estimation	66-67	29
Viscometer, U- Tube	850A	124	Flasks, Kohlraush (Mud Flask)	68-69	29
Viscometer, Suspended Level	850B	124	Flask, Saybolt Viscosity	70	29
Viscometer, U-Tube Reverse Flow	850C	124	Flask, Cassia	71	29
Viscometer, Canon -Fenske, Direct	850D	125	Flask, Lechatelier	72-73	29
Viscometer, Canon -Fenske, Reverse	850F	125	Flask, Sulphonation	74	29
Viscometer, Ubbelohde	850G	125	Flask, Jar, Petroleum	75	29
VOLUMETRIC FLASK			Flask, Weight Rings	75A	30
Flask, Volumetric , ISI Marked	61	18	Flask, Silicon Safety Riders	75B	30
Flask, Volumetric , Class A	62	18	Flask, Cleaning Brush	75C	30
Flask, Volumetric, NABL	62N	19	W		
Flask, Volumetric, QR Code	62Q	19	WEIGHT BOX		
Flask, Volumetric, Colour Coded	62C	20	Weight Box - Analytical	1290	164
Flask, Volumetric, QR Code + Colour Coded	62QC	20	Weight Box - Physical	1292	164
Flask, Volumetric, Amber-Class A	62A	21	Weights Analytical Fractional	1294	164
Flask, Volumetric, Amber-NABL	62AN	21			
Flask, Volumetric, Amber-QR Code	62AQ	22			
Flask, Volumetric, Amber-Colour Coded	62AC	22			
Flask, Volumetric, Amber- QR Code + Colour Coded	62AQC	22			
Flask, Volumetric, USP - Class A	63U	23			
Flask, Volumetric, USP - QR Code	63UQ	23			
Flask, Volumetric, USP - Colour Coded	63UC	23			
Flask, Volumetric, USP- QR Code + Colour Coded	63UQC	24			
Flask, Volumetric, USP - Amber	63UA	24			
Flask, Volumetric, USP - Amber-QR Code	63UAQ	25			
Flask, Volumetric, USP - Amber-Colour Coded	63UAC	25			
Flask, Volumetric, USP - Amber-QR Code + Colour Code	63UAQC	25			
Flask, Volumetric, Wide Mouth - Class A	63W	26			
Flask, Volumetric, Wide Mouth - NABL	63WN	26			

TERMS OF BUSINESS

- PRICES** : All the prices in the list are Ex-works Ambala and subject to market fluctuation and alteration without notice.
- PACKING & FORWARDING** : Packing, Forwarding, Freight, Insurance and Other Incidental Charges extra.
- BREAKAGE** : Every possible care is taken in packing. The company is not liable for any breakage, shortage and damage in transit. All the goods are supplied at purchaser's risk.
- INSURANCE** : Since goods are Fragile in nature, transit insurance may be made at an extra cost.
- GST** : GST will be charged extra as applicable.
- PAYMENTS** : R.R./G.R./Docket and our bill will be sent through any scheduled bank or on COD basis New customers are requested to send draft for 25% amount of the estimated value of order as an advance.
- ORDERS** : All order must accompany with full instructions for despatch, viz. the name and address of the Bank/Cargo through which the documents are to be sent. Please always mention our catalogues, number with brief description while placing your value order.
- DELIVERY** : Whereever possible we shall effet immediate delivery, otherwise 4-8 weeks time will be required to execute the order. In case of unavoidable circumstances, company is not bound to execute the order.
- DISPUTES** : All disputes are subject to Ambala Jurisdiction.

THIS CANCELS OUR ALL PREVIOUS PRICE LISTS.

NABL Certified Thermometers

VOLUMETRIC & GRADUATED GLASSWARE

Burettes
Measuring Pipettes
Graduated Pipettes
Volumetric Flask
Measuring Cylinders

CALIBRATION LABORATORY
JAIN SCIENTIFIC GLASS WORKS
14, Industrial Estate, Ambala Cantt. - 133 006 (INDIA)
Tel : 91-171-288818/1895 - Fax : 91-171-2888190
e-mail : info@jsgw.com - Website : www.jsgw.com

CALIBRATION CERTIFICATE
DATE OF ISSUE : 12.01.2021

CERTIFICATE NO. : 19346
NAME OF CUSTOMER : *****

SAMPLE DESCRIPTION : LIQUID IN GLASS THERMOMETER, RANGE: 5°C TO 100°C, L.C. 0.1°C
DATE OF RECEIPT : 04.01.2021
DATE OF CALIBRATION : 10.01.2021
IDENTIFICATION NO. OF THE SAMPLE : ST0000121
CALIBRATION ORDER NO. : 183
ENVIRONMENT CONDITIONS : RELATIVE HUMIDITY : (55±2)% TEMPERATURE : (25±0.1)°C
CALIBRATION METHOD REFERENCE : QP - 125
ULR NO. CC30421000000107

EQUIPMENT USED FOR CALIBRATION TRACEABLE TO NATIONAL/INTERNATIONAL STANDARDS
AS FOLLOWS:

Sr. No.	PARTICULAR OF EQUIPMENT	CERTIFICATE NO.	DATE OF CALIBRATION
01	TEMPERATURE INDICATOR WITH THERMAL SENSOR (ACCURACY CLASS 0.1 DIN)	302010310000125453	20.12.2021

CALIBRATION RESULTS

Sr. No.	SET VALUE ON SOURCE °C	TEMPERATURE °C	REFERENCE TEMPERATURE °C	CORRECTION	EXPANDED UNCERTAINTY 95% °C
01	25	24.9	24.9	-0.09	±0.8
02	75	74.2	74.4	-0.84	±0.8

The reported accuracy is at coverage factor k=2 which corresponds to a coverage probability of approximately 95%.

The calibration results in this Certificate are valid at the time of and under the stated conditions of measurements.

RESULTS PRESENTED IN THIS REPORT RELATE ONLY TO THE ITEMS MENTIONED AND CALIBRATED AT CALIBRATION LABORATORY (JSGW). THE REPORT SHOULD NOT BE REPRODUCED EXCEPT IN FULL WITHOUT OUR PRIOR PERMISSION IN WRITING.

APPROVED BY : *[Signature]*
Q.A. Manager

CALIBRATION LABORATORY
JAIN SCIENTIFIC GLASS WORKS
14, Industrial Estate, Ambala Cantt. - 133 006 (INDIA)
Tel : 91-171-288818/1895 - Fax : 91-171-2888190
e-mail : info@jsgw.com - Website : www.jsgw.com

CALIBRATION CERTIFICATE
DATE OF ISSUE : 18.04.2021

CERTIFICATE NO. : 2014
NAME OF CUSTOMER : XXXXXXXX

SAMPLE DESCRIPTION : GRADUATED MEASURING CYLINDER, (100 ml)
DATE OF RECEIPT : 06.04.2021
DATE OF CALIBRATION : 18.04.2021
IDENTIFICATION NO. OF THE SAMPLE : (0.3000138)
CALIBRATION ORDER NO. : 1740
REFERENCE TEMPERATURE : 27°C
ENVIRONMENT CONDITIONS : RELATIVE HUMIDITY : (55±2)% TEMPERATURE : (24±0.1)°C
CALIBRATION METHOD REFERENCE : 18350 - 4705 - 2910
ULR NO. CC30421000000117

EQUIPMENT USED FOR CALIBRATION TRACEABLE TO NABL AS FOLLOWS:

Sr. No.	PARTICULAR OF EQUIPMENT	CERTIFICATE NO.	DATE OF CALIBRATION
01	WEIGHING BALANCE (METTLER ME 3032) ML	3020103100000000	14.01.2021
02	THERMOMETER	CERT NO. LC-3031-41703	07.01.2021

CALIBRATION RESULTS

Sr. No.	PARAMETER	NOMINAL VALUE / REQUIRED	MEASURED / OBSERVED	MEASUREMENT OF UNCERTAINTY
01	VOLUME	100 ml	99.10 ml	±0.15 ml

The reported accuracy is at coverage factor k=2 which corresponds to a coverage probability of approximately 95%.

The above sample has been calibrated with distilled water.

The calibration results in this Certificate are valid at the time of and under the stated conditions of measurements.

RESULTS PRESENTED IN THIS REPORT RELATE ONLY TO THE ITEMS MENTIONED AND CALIBRATED AT CALIBRATION LABORATORY (JSGW). THE REPORT SHOULD NOT BE REPRODUCED EXCEPT IN FULL WITHOUT OUR PRIOR PERMISSION IN WRITING.

APPROVED BY : *[Signature]*
Q.A. Manager

Jain Scientific Glass Works
14, Industrial Estate, Ambala Cantt. - 133 006 (INDIA)
Website : www.jsgw.com

Class "A"

Certificate No. : 2021/23083
Date : 18-03-2021

We, hereby certify that below mentioned product has been tested and found to conform to the accuracy for Class "A", at 27°C.

Test Method : Gravimetric Method
Product : Flask Vol. with VC Stopper
Product No. : 0221H1851
Cat. No. : 627
Nominal Capacity : 100.000 ml.
Measured Capacity : 100.010 ml.
Tolerance : ± 0.100 ml.
Delivery Time : N/A
Tested By : S.K.

The product has been calibrated with the following devices, traceable to NPL, India/International Standards.

Weighing Balance : Mettler J.M 8016017004, Range: 0-22kg, L.C. 0.1mg
Thermometer : MHA-CC-3201-41703, Range: -60°C-330°C, L.C. 0.1°C
Stop Watch : NA
Environment Conditions : Temperature : 23.6°C RH : 66%

Q.A. Manager
Jain Scientific Glass Works

Scan for Online IQAA

Volumetric / Graduated Glassware - BURETTES

- 1 Burettes with Pinch Cock "JSGW", Rubber tubing and glass jet. Accuracy as per Class 'B'.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
1/1	**10	0.05	0.05	10	310.00
1/2	25	0.1	0.1	10	285.00
1/3	50	0.1	0.1	10	290.00
1/4	100	0.2	0.2	10	295.00

- 2 Burettes with Straight Bore Glass Key, with Screw Thread, O-Ring Stopcock "JSGW", Accuracy as per Class 'A', with Individual works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
2/1	**1	0.01	0.006	4	1610.00
2/2	**2	0.01	0.01	4	1610.00
2/3	**5	0.02	0.01	4	1440.00
2/4	**10	0.05	0.03	4	1450.00
2/5	25	0.1	0.05	4	1075.00
2/5 	25	0.1	0.05	4	1690.00
2/5-1	25	0.05	0.03	2	1310.00
2/6	50	0.1	0.05	4	1095.00
2/6 	50	0.1	0.05	4	1855.00
2/7	100	0.2	0.1	4	1120.00



- 2 N Burettes with Straight Bore Glass Key, with Screw Thread, O-Ring Stopcock "JSGW", Accuracy as per Class 'A', with NABL works certificate.


Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
2N/1	**1	0.01	0.006	2	2510.00
2N/2	**2	0.01	0.01	2	2510.00
2N/3	**5	0.02	0.01	2	2510.00
2N/4	**10	0.05	0.03	2	2395.00
2N/5	25	0.1	0.05	2	2330.00
2N/6	50	0.1	0.05	2	2395.00
2N/7	100	0.2	0.1	2	2385.00

- 2A Amber Colour Burettes, "JSGW", with Screw Thread, O-Ring Stopcock Accuracy as per Class 'A', with Individual works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
2A/1	*1	0.01	0.006	4	1915.00
2A/2	*2	0.01	0.01	4	1915.00
2A/3	*5	0.02	0.01	4	1915.00
2A/4	*10	0.05	0.03	4	1915.00
2A/5	25	0.1	0.05	4	1740.00
2A/6	50	0.1	0.05	4	1765.00
2A/7	100	0.2	0.1	4	1825.00

** With Cup Top





2AN Amber Colour Burettes, "JSGW", with Screw Thread, O-Ring Stopcock
Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
2AN/1	*1	0.01	0.006	2	2780.00
2AN/2	*2	0.01	0.01	2	2780.00
2AN/3	*5	0.02	0.01	2	2780.00
2AN/4	*10	0.05	0.03	2	2780.00
2AN/5	25	0.1	0.05	2	2470.00
2AN/6	50	0.1	0.05	2	2535.00
2AN/7	100	0.2	0.1	2	2525.00

3 Burettes with Straight Bore Glass Key Stopcock "JSGW", Accuracy as per **Class 'B'**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
3/1	**1	0.01	0.01	6	1040.00
3/2	**2	0.01	0.02	6	1040.00
3/3	**5	0.02	0.02	6	900.00
3/4	**10	0.05	0.05	6	660.00
3/5	25	0.1	0.1	10	500.00
3/6	50	0.1	0.1	10	515.00
3/7	100	0.2	0.2	6	625.00

4 Burettes with Screw Type PTFE Needle Valve Stopcock "JSGW", Accuracy as per **Class 'A'**, with Individual works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
4/1	**1	0.01	0.006	2	1830.00
4/2	**2	0.01	0.01	2	1830.00
4/3	**5	0.02	0.01	2	1640.00
4/4	**10	0.05	0.03	2	1450.00
4/5	25	0.1	0.05	2	1040.00
4/5 	25	0.1	0.05	2	1690.00
4/5-1	25	0.05	0.03	1	1285.00
4/6	50	0.1	0.05	2	1070.00
4/6 	50	0.1	0.05	2	1855.00
4/7	100	0.2	0.1	2	1090.00

4 N Burettes with Screw Type PTFE Needle Valve Stopcock "JSGW", Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
4N/1	**1	0.01	0.006	2	2510.00
4N/2	**2	0.01	0.01	2	2510.00
4N/3	**5	0.02	0.01	2	2510.00
4N/4	**10	0.05	0.03	2	2395.00
4N/5	25	0.1	0.05	2	2330.00
4N/6	50	0.1	0.05	2	2395.00
4N/7	100	0.2	0.1	2	2385.00

** With Cup Top

5 Burettes with Screw Type PTFE Needle Valve Stopcock "JSGW", Accuracy as per Class 'B'.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
5/1	**1	0.01	0.01	6	1040.00
5/2	**2	0.01	0.02	6	1040.00
5/3	**5	0.02	0.02	6	1040.00
5/4	**10	0.05	0.05	6	670.00
5/5	25	0.1	0.1	10	500.00
5/6	50	0.1	0.1	10	515.00
5/7	100	0.2	0.2	6	625.00

6 Burettes with Straight Bore PTFE key Stopcock "JSGW", Accuracy as per Class 'A', with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
6/1	**1	0.01	0.006	4	2130.00
6/2	**2	0.01	0.01	4	2130.00
6/3	**5	0.02	0.01	4	1945.00
6/4	**10	0.05	0.03	4	1685.00
6/5	25	0.1	0.05	4	1290.00
6/5-1	25	0.05	0.03	2	1515.00
6/6	50	0.1	0.05	4	1300.00
6/7	100	0.2	0.1	4	1325.00


6 N Burettes with Straight Bore PTFE key Stopcock "JSGW", Accuracy as per Class 'A' with NABL works certificate.


Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
6N/1	**1	0.01	0.006	2	2805.00
6N/2	**2	0.01	0.01	2	2805.00
6N/3	**5	0.02	0.01	2	2805.00
6N/4	**10	0.05	0.03	2	2680.00
6N/5	25	0.1	0.05	2	2680.00
6N/6	50	0.1	0.05	2	2680.00
6N/7	100	0.2	0.1	2	2805.00

6A Amber Colour Burettes, "JSGW", with Straight Bore PTFE Key Stopcock, Accuracy as per Class 'A', with Individual works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
6A/1	*1	0.01	0.006	2	2040.00
6A/2	*2	0.01	0.01	2	2095.00
6A/3	*5	0.02	0.01	2	2095.00
6A/4	*10	0.05	0.03	2	2095.00
6A/5	25	0.1	0.05	2	1940.00
6A/6	50	0.1	0.05	2	2055.00
6A/7	100	0.2	0.1	2	2255.00

** With Cup Top





- 6AN** Amber Colour Burettes, "JSGW", with Straight Bore PTFE Key Stopcock. Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
6AN/1	*1	0.01	0.006	2	3090.00
6AN/2	*2	0.01	0.01	2	3090.00
6AN/3	*5	0.02	0.01	2	3090.00
6AN/4	*10	0.05	0.03	2	3090.00
6AN/5	25	0.1	0.05	2	2820.00
6AN/6	50	0.1	0.05	2	2820.00
6AN/7	100	0.2	0.1	2	2945.00

- 7** Burettes with Straight Bore PTFE Key Stopcock "JSGW", Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
7/1	**1	0.01	0.01	6	1325.00
7/2	**2	0.01	0.02	6	1325.00
7/3	**5	0.02	0.02	6	1325.00
7/4	**10	0.05	0.05	6	1070.00
7/5	25	0.1	0.1	10	815.00
7/6	50	0.1	0.1	10	820.00
7/7	100	0.2	0.2	6	950.00

- 10** Burettes, Double Oblique Bore Glass Key Stopcock, 3-way,"JSGW", Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
10/1	10	0.05	0.02	2	1355.00
10/2	25	0.1	0.05	2	1210.00
10/3	50	0.1	0.05	2	1230.00
10/4	100	0.2	0.01	2	1285.00

- 11** Burettes, Double Oblique Bore Glass Key Stopcock, 3-way,"JSGW", Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
11/1	10	0.05	0.05	2	725.00
11/2	25	0.1	0.1	2	680.00
11/3	50	0.1	0.1	2	685.00
11/4	100	0.2	0.2	2	785.00

- 12** Burettes, Three Way Bore Screw type PTFE Needle Valve Stopcock, "JSGW" Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
12/1	10	0.05	0.02	2	1410.00
12/2	25	0.1	0.05	2	1375.00
12/3	50	0.1	0.05	2	1410.00
12/4	100	0.2	0.1	2	1505.00

Note : 1 ml., 2 ml. & 5 ml. Burettes corresponding to Cat. Nos. 10 to 12 can also be supplied at the prices of 10 ml. Burettes in respective Cat. Nos.

- 13 Burettes, Three Way Bore Screw type PTFE Needle Valve Stopcock, "JSGW" Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
13/1	10	0.05	0.05	2	940.00
13/2	25	0.1	0.1	2	880.00
13/3	50	0.1	0.1	2	940.00
13/4	100	0.2	0.2	2	1075.00

- 14 Burettes, Double Oblique Bore PTFE Key Stopcock, 3-way,"JSGW", Accuracy as per **Class 'A'**, with works certificates.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
14/1	10	0.05	0.02	2	2015.00
14/2	25	0.1	0.05	2	2015.00
14/3	50	0.1	0.05	2	2055.00
14/4	100	0.2	0.1	2	2120.00

- 15 Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore Glasskey Stopcock, 3-way, "JSGW", Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
15/1	10	0.05	0.02	2	2065.00
15/2	25	0.1	0.05	2	2065.00
15/3	50	0.1	0.05	2	2105.00
15/4	100	0.2	0.1	2	2260.00

- 16 Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore Glasskey Stopcock, 3-way, "JSGW", Accuracy as per **Class 'B'**.


Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
16/1	10	0.05	0.05	2	1330.00
16/2	25	0.1	0.1	2	1330.00
16/3	50	0.1	0.1	2	1420.00
16/4	100	0.2	0.2	2	1500.00


- 17 Burettes, Over Flow Cup, Automatic Zero, 3 ways Screw type PTFE Needle Valve Stopcock, "JSGW", Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
17/1	10	0.05	0.02	2	1965.00
17/2	25	0.1	0.05	2	1965.00
17/3	50	0.1	0.05	2	2005.00
17/4	100	0.2	0.1	2	2160.00

- 18 Burettes, Over Flow Cup, Automatic Zero, 3 ways Screw type PTFE Needle Valve Stopcock, "JSGW", Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
18/1	10	0.05	0.05	2	1315.00
18/2	25	0.1	0.1	2	1315.00
18/3	50	0.1	0.1	2	1350.00
18/4	100	0.2	0.2	2	1485.00





- 19 Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore PTFE Key Stopcock, 3-way, "JSGW", Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
19/1	10	0.05	0.02	2	2945.00
19/2	25	0.1	0.05	2	2945.00
19/3	50	0.1	0.05	2	2995.00
19/4	100	0.2	0.1	2	3050.00

- 20 Burettes, Micro, Automatic Filling Device with Reservoir, "JSGW", Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
20/1	1	0.01	0.006	2	2310.00
20/2	2	0.02	0.01	2	2310.00
20/3	5	0.02	0.01	2	2310.00
20/4	10	0.05	0.02	2	2310.00

- 21 Burettes, Micro, Automatic Filling Device with Reservoir, "JSGW", Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
21/1	1	0.01	0.01	2	1720.00
21/2	2	0.02	0.02	2	1720.00
21/3	5	0.02	0.02	2	1720.00
21/4	10	0.05	0.05	2	1720.00

- 22 Burettes, Automatic Zero, Glass Key Stopcock, "JSGW" mounted on Reservoir, with Rubber bellow, Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
22/1	10	0.05	0.02	1	7190.00
22/2	25	0.1	0.05	1	8295.00
22/2-1	25	0.05	0.03	1	10570.00
22/3	50	0.1	0.05	1	9020.00
22/4	100	0.2	0.1	1	9440.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 22 N Burettes, Automatic Zero, Glass Key Stopcock, "JSGW" mounted on Reservoir, with Rubber bellow, Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
22N/1	10	0.05	0.02	1	9180.00
22N/2	25	0.1	0.05	1	11115.00
22N/3	50	0.1	0.05	1	11435.00
22N/4	100	0.2	0.1	1	12080.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 22A** Amber Colour Burettes, "JSGW", Automatic zero, with Glass Key Stopcock mounted on reservoir, with rubber bellow, accuracy as per **Class 'A'**, with work Certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
22A/1	10	0.05	0.02	1	10005.00
22A/2	25	0.1	0.05	1	10570.00
22A/3	50	0.1	0.05	1	12120.00
22A/4	100	0.2	0.1	1	12540.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 22AN** Amber Colour Burettes, "JSGW", Automatic zero, with Glass Key Stopcock mounted on reservoir, with rubber bellow, accuracy as per **Class 'A'** with **NABL** Certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
22AN/1	10	0.05	0.02	1	12560.00
22AN/2	25	0.1	0.05	1	13205.00
22AN/3	50	0.1	0.05	1	14815.00
22AN/4	100	0.2	0.1	1	15620.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 23** Burettes, Automatic Zero Glass Key Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
23/1	10	0.05	0.05	1	6215.00
23/2	25	0.1	0.1	1	7295.00
23/3	50	0.1	0.1	1	7455.00
23/4	100	0.2	0.2	1	7985.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 24** Burettes, Automatic Zero Screw type PTFE Needle Valve Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'A'**, with works certificate.


Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
24/1	10	0.05	0.02	1	7930.00
24/2	25	0.1	0.05	1	8055.00
24/3	50	0.1	0.05	1	9020.00
24/4	100	0.2	0.1	1	9440.00


Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 24N** Burettes, Automatic Zero Screw type PTFE Needle Valve Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'A'** with **NABL**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
24N/1	10	0.05	0.02	1	9180.00
24N/2	25	0.1	0.05	1	11115.00
24N/3	50	0.1	0.05	1	11435.00
24N/4	100	0.2	0.1	1	12080.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.





- 24A** Amber Colour Burettes, "JSGW", Automatic zero, Screw type PTFE Needle Valve Stopcock mounted on reservoir, with rubber bellow, accuracy as per **Class 'A'**, with work Certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
24A/1	10	0.05	0.02	1	10005.00
24A/2	25	0.1	0.05	1	10570.00
24A/3	50	0.1	0.05	1	12120.00
24A/4	100	0.2	0.1	1	12540.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 25** Burettes, Automatic Zero Screw type PTFE Needle Valve Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
25/1	10	0.05	0.05	1	6215.00
25/2	25	0.1	0.1	1	7280.00
25/3	50	0.1	0.1	1	7455.00
25/4	100	0.2	0.2	1	7985.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 26** Burettes, Automatic Zero with PTFE Key Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
26/1	10	0.05	0.02	1	8480.00
26/2	25	0.1	0.05	1	8920.00
26/3	50	0.1	0.05	1	9440.00
26/4	100	0.2	0.1	1	9865.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 26N** Burettes, Automatic Zero with PTFE Key Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
26N/1	10	0.05	0.02	1	9985.00
26N/2	25	0.1	0.05	1	11595.00
26N/3	50	0.1	0.05	1	11915.00
26N/4	100	0.2	0.1	1	12400.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 26A** Amber Colour Burettes, "JSGW", Automatic zero, with PTFE Key Stopcock mounted on reservoir, Accuracy as per **Class 'A'** with rubber bellow.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ml.	Minimum Qty/Pack	Price/Piece (₹)
26A/1	10	0.05	0.02	1	10430.00
26A/2	25	0.1	0.05	1	11135.00
26A/3	50	0.1	0.05	1	12680.00
26A/4	100	0.2	0.1	1	13105.00

Note : Reservoir capacity 500 ml. for 10 ml. burette and 2000 ml. for 25, 50 and 100 ml. Burettes

- 26 AN Amber Colour Burettes, Automatic Zero with PTFE Key Stopcock, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per Class 'A', with NABL works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ml.	Minimum Qty/Pack	Price/Piece (₹)
26AN/1	10	0.05	0.02	1	13045.00
26AN/2	25	0.1	0.05	1	13690.00
26AN/3	50	0.1	0.05	1	15300.00
26AN/4	100	0.2	0.1	1	16105.00

Note : Reservoir Capacity for 10ml Burette is 500ml and for 25ml, 50ml & 100ml Burettes is 2000ml.

- 27 Burettes, Automatic Zero with PTFE Key Stopcock, for Karl Fisher Apparatus, "JSGW", mounted on Reservoir, Rubber bellow, Accuracy as per Class 'A', with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
27/1	10	0.05	0.02	1	8455.00
27/2	25	0.1	0.05	1	9725.00


Note : Reservoir Capacity 500 ml.

		Minimum Qty/Pack	Price/Piece (₹)
30	Spare rubber bellow with cotton net for automatic burettes.	2	510.00

		Minimum Qty/Pack	Price/Per Pack (₹)
31	Burette cleaning Brush, 30" long, Nylon.	10	1325.00

- 32 Burette Stand with clamp, made of heavy duty steel alloy with rubber lining for stability.

Base size 8"x5", Rod length 24"	1	2375.00
---------------------------------	---	---------



PIPETTES

- 35 Pipettes Transfer Volumetric, "JSGW", with one mark,  marked **Class 'A'** of IS 1117 : 1975, with works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
35/2	2	0.01	10	410.00
35/3	5	0.015	10	475.00
35/4	10	0.02	10	550.00
35/5	20	0.03	10	640.00
35/6	25	0.03	10	685.00
35/7	50	0.05	10	870.00
35/8	100	0.08	10	1240.00


- 36 Pipettes Transfer Volumetric, "JSGW", with one mark, Accuracy as per **Class 'A'** with works certificate. Supplied with Colour Code.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
36/1	1	0.006	10	270.00
36/2	2	0.01	10	270.00
36/2-3	*3	0.01	10	270.00
36/2-4	*4	0.01	10	270.00
36/3	5	0.015	10	277.00
36/3-6	*6	0.015	10	277.00
36/3-7	*7	0.015	10	277.00
36/3-8	*8	0.02	10	277.00
36/3-9	*9	0.02	10	277.00
36/4	10	0.02	10	277.00
36/4-15	*15	0.02	10	335.00
36/5	20	0.03	10	335.00
36/6	25	0.03	10	340.00
36/7	50	0.05	10	440.00
36/8	100	0.08	10	610.00

- 36 N Pipettes Transfer Volumetric, "JSGW", with one mark, Accuracy as per **Class 'A'**, with **NABL** works certificate. Supplied with Colour Code.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
36N/1	1	0.006	10	655.00
36N/2	2	0.01	10	655.00
36N/2-3	*3	0.01	10	655.00
36N/2-4	*4	0.01	10	655.00
36N/3	5	0.015	10	655.00
36N/3-6	*6	0.015	10	655.00
36N/3-7	*7	0.015	10	655.00
36N/3-8	*8	0.02	10	655.00
36N/3-9	*9	0.02	10	655.00
36N/4	10	0.02	10	655.00
36N/4-15	*15	0.02	10	670.00
36N/5	20	0.03	10	685.00
36N/6	25	0.03	10	685.00
36N/7	50	0.05	10	730.00
36N/8	100	0.08	10	810.00

Note : * Not covered under IS. Pipettes with Safety Bulb 10% extra.



- 36Q** Pipettes Transfer Volumetric, "JSGW", with one mark, QR Code Accuracy as per Class 'A' with works certificate. Supplied with Colour Code.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
36Q/3	5	0.015	10	340.00
36Q/3-6	*6	0.015	10	340.00
36Q/3-7	*7	0.015	10	340.00
36Q/3-8	*8	0.02	10	340.00
36Q/3-9	*9	0.02	10	340.00
36Q/4	10	0.02	10	340.00
36Q/4-15	*15	0.02	10	395.00
36Q/5	20	0.03	10	395.00
36Q/6	25	0.03	10	400.00
36Q/7	50	0.05	10	505.00
36Q/8	100	0.08	10	665.00

- 36A** Amber Colour Pipettes Transfer Volumetric, "JSGW", with one mark, Accuracy as per Class 'A', with works certificate.


Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
36A/1	1	0.006	5	360.00
36A/2	2	0.01	5	360.00
36A/3	5	0.015	5	360.00
36A/4	10	0.02	5	392.00
36A/5	20	0.03	5	440.00
36A/6	25	0.03	5	440.00
36A/7	50	0.05	5	575.00
36A/8	100	0.08	5	725.00

- 36 AN** Amber Colour Pipettes Transfer Volumetric, "JSGW", with one mark, Accuracy as per Class 'A' with NABL works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
36AN/1	1	0.006	2	805.00
36AN/2	2	0.01	2	805.00
36AN/3	5	0.015	2	805.00
36AN/4	10	0.02	2	820.00
36AN/5	20	0.03	2	860.00
36AN/6	25	0.03	2	860.00
36AN/7	50	0.05	2	955.00
36AN/8	100	0.08	2	1030.00

- 37** Pipettes Transfer, Volumetric, "JSGW", with one mark. Accuracy as per Class 'B'

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
37/1	1	0.015	10	160.00
37/2	2	0.02	10	155.00
37/3	5	0.03	10	155.00
37/4	10	0.04	10	165.00
37/5	20	0.06	10	190.00
37/6	25	0.06	10	190.00
37/7	50	0.1	10	270.00
37/8	100	1.16	10	360.00



Calibrated at
20°C
USP



38

Calibrated at
20°C
USP

QR
Code with
Ind. COA



38Q



39

38 Pipettes, Transfer, Volumetric, "JSGW" accuracy as per Class 'A' of ASTM (USP) Standards E969 - 02, with Certificate. With Colour Code.

Cat. No.	Capacity ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
38/1	1	0.006	10	277.00
38/2	2	0.006	10	275.00
38/3	3	0.01	10	277.00
38/4	4	0.01	10	277.00
38/5	5	0.01	10	285.00
38/6	6	0.01	10	290.00
38/7	7	0.01	10	295.00
38/8	8	0.02	10	310.00
38/9	9	0.02	10	310.00
38/10	10	0.02	10	320.00
38/11	15	0.03	10	335.00
38/12	20	0.03	10	380.00
38/13	25	0.03	10	382.00
38/14	30	0.03	10	390.00
38/15	40	0.05	10	510.00
38/16	50	0.05	10	545.00
38/17	100	0.08	10	670.00

38Q Pipettes, Transfer, Volumetric, "JSGW" with QR Code accuracy as per Class 'A' of ASTM Standards E969 - 02, with Certificate. With Colour Code.

Cat. No.	Capacity ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
38Q/5	5	0.01	10	347.00
38Q/6	6	0.01	10	355.00
38Q/7	7	0.01	10	360.00
38Q/8	8	0.02	10	375.00
38Q/9	9	0.02	10	375.00
38Q/10	10	0.02	10	380.00
38Q/11	15	0.03	10	380.00
38Q/12	20	0.03	10	440.00
38Q/13	25	0.03	10	450.00
38Q/14	30	0.03	10	455.00
38Q/15	40	0.05	10	575.00
38Q/16	50	0.05	10	610.00
38Q/17	100	0.08	10	740.00

39 Pipettes, Measuring, Graduated, Serological, "JSGW" Accuracy as per Class 'A' with works certificate. Colour coded. (These pipettes are calibrated to deliver from any graduation line down to zero at the jet, with the last drop expelled by blowing).

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
39/1	0.1	0.01	0.006	10	325.00
39/2	0.2	0.01	0.006	10	325.00
39/3	0.5	0.01	0.006	10	325.00
39/4	1	0.01	0.007	10	325.00
39/5	1	0.1	0.007	10	325.00
39/6	2	0.02	0.01	10	325.00
39/7	2	0.1	0.01	10	325.00
39/8	5	0.05	0.03	10	325.00
39/9	5	0.1	0.03	10	325.00
39/10	10	0.1	0.05	10	325.00
39/11	25	0.2	0.1	10	455.00

- 39 N** Pipettes, Measuring, Graduated, Serological, "JSGW" Accuracy as per Class 'A' with NABL works certificate. Colour coded.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
39N/1	0.1	0.01	0.006	10	725.00
39N/2	0.2	0.01	0.006	10	725.00
39N/3	0.5	0.01	0.006	10	725.00
39N/4	1	0.01	0.007	10	725.00
39N/5	1	0.1	0.007	10	725.00
39N/6	2	0.02	0.01	10	725.00
39N/7	2	0.1	0.01	10	725.00
39N/8	5	0.05	0.03	10	725.00
39N/9	5	0.1	0.03	10	725.00
39N/10	10	0.1	0.05	10	725.00
39N/11	25	0.2	0.1	10	765.00

- 39A** Amber Colour Pipettes, Graduated, Serological "JSGW", Accuracy as per 'Class A'.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ml.	Minimum Qty/Pack	Price/Piece (₹)
39A/1	0.1	0.01	0.006	5	450.00
39A/2	0.2	0.01	0.006	5	450.00
39A/3	0.5	0.01	0.006	5	450.00
39A/4	1.0	0.01	0.006	5	450.00
39A/5	1.0	0.1	0.006	5	450.00
39A/6	2.0	0.02	0.01	5	450.00
39A/7	2.0	0.1	0.01	5	450.00
39A/8	5.0	0.05	0.03	5	450.00
39A/9	5.0	0.1	0.03	5	450.00
39A/10	10.0	0.1	0.05	5	450.00
39A/11	25.0	0.2	0.1	5	527.00


- 39 AN** Amber Colour Pipettes, Graduated, Serological "JSGW", Accuracy as per 'Class A' with NABL work Certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ml.	Minimum Qty/Pack	Price/Piece (₹)
39AN/1	0.1	0.01	0.006	2	840.00
39AN/2	0.2	0.01	0.006	2	840.00
39AN/3	0.5	0.01	0.006	2	840.00
39AN/4	1.0	0.01	0.006	2	840.00
39AN/5	1.0	0.1	0.006	2	840.00
39AN/6	2.0	0.02	0.01	2	840.00
39AN/7	2.0	0.1	0.01	2	840.00
39AN/8	5.0	0.05	0.03	2	840.00
39AN/9	5.0	0.1	0.03	2	840.00
39AN/10	10.0	0.1	0.05	2	845.00
39AN/11	25.0	0.2	0.1	2	870.00

- 39 U** Pipettes, Measuring, Graduated, Serological, "JSGW" Accuracy as per Class 'A' with works certificate. Colour coded. As per ASTM 1293 - 02.

(These pipettes are calibrated to deliver from any graduation line down to zero at the jet, with the last drop expelled by blowing).

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
39U/4	1	0.01	0.01	10	420.00
39U/5	1	0.1	0.01	10	420.00
39U/7	2	0.1	0.01	10	440.00
39U/9	5	0.1	0.02	10	460.00
39U/10	10	0.1	0.03	10	500.00
39U/11	25	0.2	0.05	10	535.00



39 N



39A



39AN

Calibrated at
20°C
USP



39U



40

40

Pipettes, Measuring, Graduated, Serological, "JSGW". Accuracy as per **Class 'B'** Colour coded. These Pipettes are graduated to tip and deliver their total capacity when last drop is blown out.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
40/1	0.1	0.01	0.01	10	190.00
40/2	0.2	0.01	0.01	10	190.00
40/3	0.5	0.01	0.01	10	190.00
40/4	1	0.01	0.01	10	190.00
40/5	1	0.1	0.01	10	190.00
40/6	2	0.02	0.02	10	190.00
40/7	2	0.1	0.02	10	190.00
40/8	5	0.05	0.05	10	190.00
40/9	5	0.1	0.05	10	190.00
40/10	10	0.1	0.1	10	195.00
40/11	25	0.2	0.2	10	225.00



41

41

Pipettes, Measuring, Graduated, Mohr type, "JSGW". Accuracy as per **Class 'A'** with works certificate. Colour coded. *(These Pipettes are graduated for the delivery from zero mark at top to the last graduation mark.)*

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
41/1*	0.1	0.01	0.006	10	325.00
41/2*	0.2	0.01	0.006	10	325.00
41/3*	0.5	0.01	0.006	10	325.00
41/4	1	0.01	0.007	10	325.00
41/5	1	0.1	0.007	10	325.00
41/6	2	0.02	0.01	10	325.00
41/7*	2	0.1	0.01	10	325.00
41/8	5	0.05	0.03	10	325.00
41/9	5	0.1	0.03	10	325.00
41/10	10	0.1	0.05	10	325.00
41/11	25	0.2	0.1	10	455.00

41 N

Pipettes, Measuring, Graduated, Mohr type, "JSGW". Accuracy as per **Class 'A'** with **NABL** works certificate. Colour coded. *(These Pipettes are graduated for the delivery from zero mark at top to the last graduation mark.)*

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
41N/1*	0.1	0.01	0.006	10	725.00
41N/2*	0.2	0.01	0.006	10	725.00
41N/3*	0.5	0.01	0.006	10	725.00
41N/4	1	0.01	0.007	10	725.00
41N/5	1	0.1	0.007	10	725.00
41N/6	2	0.02	0.01	10	725.00
41N/7*	2	0.1	0.01	10	725.00
41N/8	5	0.05	0.03	10	725.00
41N/9	5	0.1	0.03	10	725.00
41N/10	10	0.1	0.05	10	725.00
41N/11	25	0.2	0.1	10	765.00



41 N

NABL

- 41 AN** Amber Colour Pipettes, Measuring, Graduated, Mohr type, "JSGW". Accuracy as per **Class 'A'** with **NABL** works certificate. Colour coded.
(These Pipettes are graduated for the delivery from zero mark at top to the last graduation mark.)

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
41AN/1*	0.1	0.01	0.006	10	840.00
41AN/2*	0.2	0.01	0.006	10	840.00
41AN/3*	0.5	0.01	0.006	10	840.00
41AN/4	1	0.01	0.007	10	840.00
41AN/5	1	0.1	0.007	10	840.00
41AN/6	2	0.02	0.01	10	840.00
41AN/7*	2	0.1	0.01	10	840.00
41AN/8	5	0.05	0.03	10	840.00
41AN/9	5	0.1	0.03	10	840.00
41AN/10	10	0.1	0.05	10	845.00
41AN/11	25	0.2	0.1	10	870.00

- 42** Pipettes, Measuring, Graduated, Mohr type, "JSGW". Accuracy as per **Class 'B'** Colour coded. (These Pipettes are graduated for delivery from zero mark at top to the last graduation mark.)


Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
42/1*	0.1	0.01	0.01	10	190.00
42/2*	0.2	0.01	0.01	10	190.00
42/3*	0.5	0.01	0.01	10	190.00
42/4	1	0.01	0.01	10	190.00
42/5*	1	0.1	0.01	10	190.00
42/6	2	0.02	0.02	10	190.00
42/7*	2	0.1	0.02	10	190.00
42/8	5	0.05	0.05	10	190.00
42/9	5	0.1	0.05	10	190.00
42/10	10	0.1	0.1	10	195.00
42/11	25	0.2	0.2	10	225.00


- 45** Automatic Pipettes "JSGW" with Overflow Cup, **Class 'A'** with works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Price/Piece (₹)
45/1	5	0.06	725.00
45/2	10	0.08	725.00
45/3	20	0.1	770.00
45/4	25	0.12	770.00
45/5	50	0.15	830.00
45/6	100	0.25	915.00

- 46** Automatic Pipettes "JSGW" with Overflow Cup.

Cat. No.	Capacity ml.	Price/Piece (₹)
46/1	5	535.00
46/2	10	535.00
46/3	20	550.00
46/4	25	550.00
46/5	50	610.00
46/6	100	675.00





- 47 **Pipettes Automatic "JSGW"** Quick acting for rapid work of approximate accuracy (Tilt Measure) complete with Conical Flask, interchangeable joint fitting.

Cat. No.	Capacity ml.	Reservoir Cap. ml.	Minimum Qty/Pack	Price/Piece (₹)
47/1	1	100	2	810.00
47/2	2	100	2	810.00
47/3	5	250	2	865.00
47/4	10	250	2	865.00
47/5	20	500	2	905.00
47/6	25	500	2	905.00

- 48 **Pipettes Automatic "JSGW"** Quick acting for rapid work of approximate accuracy (Tilt Measure) complete with Conical Flask and Screw Cap fitted replaceable head.

Cat. No.	Capacity ml.	Reservoir Cap. ml.	Minimum Qty/Pack	Price/Piece (₹)
48/1	5	250	2	975.00
48/2	10	250	2	975.00
48/3	20	500	2	1070.00
48/4	25	500	2	1070.00

- 49 **Pipettes for Milk Testing "JSGW"** 10.75 ml. Minimum Qty/Pack 10 Price/Piece (₹) 165.00
- 50 -do- **Class 'A'** with works certificate, "JSGW" Minimum Qty/Pack 10 Price/Piece (₹) 230.00
- 50N -do- **Class 'A'** with NABL works certificate, "JSGW" Minimum Qty/Pack 1 Price/Piece (₹) 675.00

- 51 **Pipette for Milk Test "JSGW"**, Bacteriological, Graduated.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
51/1	1.1	0.5, 1 & 1.1	0.025	10	217.00
51/2	2.2	1.0, 2.0, 2.1 & 2.2	0.04	10	230.00
52	Pipette Alcohol, "JSGW" 1 ml., one mark.			10	79.00
53	Pipette E.S.R. "JSGW" 200 mm. graduation, 300 mm long			10	102.00
54	Drum Sampling Tube Length 1000 mm, dia 19mm Heavy wall			1	825.00

56 Mechanical Pipette, "JSGW" with 2 stopcocks

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
56/1	10	2	840.00
56/2	20	2	860.00
56/3	25	2	865.00

57 Pipette, Artificial Insemination, Cattle, Taper Tip. Borosilicate Glass, 450 mm. long.


10 102.00

58 Pipette, Pasteur, Disposable, Borosilicate Glass.

58/1	Length 145 mm.	100	20.00
58/2	Length 230 mm.	100	23.00

59 Silicon Pipette Filler (Bulb)

Cat. No.	Size	Capacity (ml)	Minimum Qty/Pack	Price/Piece (₹)
59/1	Small	5	10	72.00
59/2	Medium	10	10	91.00
59/3	Large	15	10	115.00
59/4	X. Large	20	10	135.00
59/5	Oval Shape	25	10	216.00
59/6	XX. Large	50	5	417.00
59/7	XXX. Large	100	5	565.00




56



57



58



59


MEASURING / VOLUMETRIC - FLASKS



61

- 61 Flask Volumetric (Measuring) "JSGW" with interchangeable stopper,  marked Class 'A' of IS 915 : 2012, ISO 1042 : 1998, with works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
61/1	25	0.04	10/19	2	685.00
61/2	50	0.06	12/21	2	720.00
61/3	100	0.1	14/23	2	745.00
61/4	250	0.15	14/23	2	990.00



- 62 Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, Accuracy as per Class 'A', with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62/1	1	0.025	10/19	10	560.00
62/2	2	0.025	10/19	10	560.00
62/3	5	0.025	10/19*	10	550.00
62/4	10	0.025	10/19*	10	550.00
62/5-1	20	0.04	10/19	10	480.00
62/5	25	0.04	10/19	10	490.00
62/6	50	0.06	12/21	10	485.00
62/7	100	0.10	14/23	10	495.00
62/8	200	0.15	14/23	6	685.00
62/9	250	0.15	14/23	6	690.00
62/10	500	0.25	19/26	5	1105.00
62/11	1000	0.40	24/29	4	1605.00
62/12	2000	0.60	29/32	2	2780.00
62/13	5000	1.20	34/35	1	13155.00
62/14	15 [#]	0.025	10/19*	10	560.00
62/15	30 [#]	0.04	10/19*	10	495.00
62/16	75 [#]	0.06	14/23*	10	510.00
62/17	150 [#]	0.10	14/23*	10	690.00
62/18	300 [#]	0.15	14/23*	6	890.00
62/19	1500 [#]	0.60	29/32*	2	2605.00


Note : # Not covered in standard.

* Stopper size not covered in standard.

For spare stopper refer Cat. No. 211A.


62 N Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper accuracy as per **Class 'A'**, with **NABL** serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62N/1	1	0.025	10/19	2	860.00
62N/2	2	0.025	10/19	2	860.00
62N/3	5	0.025	10/19	2	865.00
62N/4	10	0.025	10/19	2	890.00
62N/5-1	20	0.04	10/19	2	840.00
62N/5	25	0.04	10/19	2	810.00
62N/6	50	0.06	12/21	2	780.00
62N/7	100	0.10	14/23	2	755.00
62N/8	200	0.15	14/23	2	1065.00
62N/9	250	0.15	14/23	2	1070.00
62N/10	500	0.25	19/26	2	1370.00
62N/11	1000	0.40	24/29	2	2010.00
62N/12	2000	0.60	29/32	2	3265.00




62 P **NEW** Flask Volumetric "JSGW" with interchangeable PTFE Knob Stopper, Accuracy as per **Class 'A'**, with serialized individual works certificate.


Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62P/1	1	0.025	10/19*	10	660.00
62P/2	2	0.025	10/19*	10	660.00
62P/3	5	0.025	10/19*	10	650.00
62P/4	10	0.025	10/19*	10	650.00
62P/5-1	20	0.04	10/19	10	575.00
62P/5	25	0.04	10/19	10	585.00
62P/6	50	0.06	12/21	10	620.00
62P/7	100	0.10	14/23	10	665.00
62P/8	200	0.15	14/23	6	860.00
62P/9	250	0.15	14/23	6	865.00
62P/10	500	0.25	19/26	5	1385.00
62P/11	1000	0.40	24/29	4	2010.00
62P/12	2000	0.60	29/32	2	3310.00




62 Q Flask Volumetric "JSGW" with I/C Glass Penny Head Solid Stopper, with **QR Code**, Accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62Q/3	5	0.025	10/19*	10	615.00
62Q/4	10	0.025	10/19*	10	610.00
62Q/5-1	20	0.04	10/19	10	545.00
62Q/5	25	0.04	10/19	10	550.00
62Q/6	50	0.06	12/21	10	545.00
62Q/7	100	0.10	14/23	10	555.00
62Q/8	200	0.15	14/23	6	745.00
62Q/9	250	0.15	14/23	6	750.00
62Q/10	500	0.25	19/26	5	1165.00
62Q/11	1000	0.40	24/29	4	1675.00
62Q/12	2000	0.60	29/32	2	2930.00






62 C (5-20 ml) **62 C** (25-2000 ml)



62 QC (5-20 ml) **62 QC** (25-2000 ml)



62 AP (5-20 ml) **62 AP** (25-2000 ml)

62 C Flask Volumetric "JSGW" with Glass Penny Head Solid Stopper, **Colour Coded**, Accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
62C/3	5	0.025	10/19*	Yellow	10	615.00
62C/4	10	0.025	10/19*	Red	10	610.00
62C/5-1	20	0.04	10/19	Orange	10	545.00
62C/5	25	0.04	10/19	Blue	10	550.00
62C/6	50	0.06	12/21	Black	10	545.00
62C/7	100	0.10	14/23	Green	10	555.00
62C/8	200	0.15	14/23	Brown	6	745.00
62C/9	250	0.15	14/23	White	6	750.00
62C/10	500	0.25	19/26	Yellow	5	1165.00
62C/11	1000	0.40	24/29	Red	4	1675.00
62C/12	2000	0.60	29/32	Brown	2	2930.00

62 QC Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, with **QR Code and Colour Coded**, Accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
62QC/3	5	0.025	10/19*	Yellow	10	645.00
62QC/4	10	0.025	10/19*	Red	10	645.00
62QC/5-1	20	0.04	10/19	Orange	10	575.00
62QC/5	25	0.04	10/19	Blue	10	580.00
62QC/6	50	0.06	12/21	Black	10	575.00
62QC/7	100	0.10	14/23	Green	10	585.00
62QC/8	200	0.15	14/23	Brown	6	775.00
62QC/9	250	0.15	14/23	White	6	785.00
62QC/10	500	0.25	19/26	Yellow	5	1195.00
62QC/11	1000	0.40	24/29	Red	4	1700.00
62QC/12	2000	0.60	29/32	Brown	2	2955.00

62 AP **NEW** Amber Colour Flask Volumetric "JSGW" with interchangeable PTFE Knob Stopper, Accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62AP/1	1	0.025	10/19*	10	780.00
62AP/2	2	0.025	10/19*	10	780.00
62AP/3	5	0.025	10/19*	10	780.00
62AP/4	10	0.025	10/19*	10	790.00
62AP/5-1	20	0.04	10/19	10	745.00
62AP/5	25	0.04	10/19	10	750.00
62AP/6	50	0.06	12/21	10	775.00
62AP/7	100	0.10	14/23	10	665.00
62AP/8	200	0.15	14/23	6	860.00
62AP/9	250	0.15	14/23	6	865.00
62AP/10	500	0.25	19/26	5	1385.00
62AP/11	1000	0.40	24/29	4	2010.00
62AP/12	2000	0.60	29/32	2	4170.00

62 A Amber Colour, Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, Accuracy as per Class 'A', with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62A/1	1	0.025	10/19	10	650.00
62A/2	2	0.025	10/19	10	650.00
62A/3	5	0.025	10/19*	10	685.00
62A/4	10	0.025	10/19*	10	695.00
62A/5-1	20	0.04	10/19	10	655.00
62A/5	25	0.04	10/19	10	660.00
62A/6	50	0.06	12/21	10	645.00
62A/7	100	0.10	14/23	10	670.00
62A/8	200	0.15	14/23	6	910.00
62A/9	250	0.15	14/23	6	895.00
62A/10	500	0.25	19/26	5	1350.00
62A/11	1000	0.40	24/29	4	2015.00
62A/12	2000	0.60	29/32	2	3655.00
62A/13	5000	1.20	34/35	1	21520.00
62A/14	15 [#]	0.025	10/19*	10	700.00
62A/15	30 [#]	0.04	10/19*	10	740.00
62A/16	75 [#]	0.06	14/23*	10	705.00
62A/17	150 [#]	0.10	14/23*	10	755.00
62A/18	300 [#]	0.15	14/23*	6	885.00
62A/19	1500 [#]	0.60	29/32*	2	4170.00



Note : # Not covered in standard.


* Stopper size not covered in standard.

For spare stopper refer Cat. No. 211A.

62 AN Amber Colour, Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, accuracy as per Class 'A', with NABL serialized individual works certificate.


Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62AN/1	1	0.025	10/19	2	895.00
62AN/2	2	0.025	10/19	2	895.00
62AN/3	5	0.025	10/19	2	895.00
62AN/4	10	0.025	10/19	2	895.00
62AN/5-1	20	0.04	10/19	2	955.00
62AN/5	25	0.04	10/19	2	955.00
62AN/6	50	0.06	12/21	2	1035.00
62AN/7	100	0.10	14/23	2	1105.00
62AN/8	200	0.15	14/23	2	1315.00
62AN/9	250	0.15	14/23	2	1315.00
62AN/10	500	0.25	19/26	2	1915.00
62AN/11	1000	0.40	24/29	2	2645.00
62AN/12	2000	0.60	29/32	2	4650.00






62 AQ Amber Colour, Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, with **QR Code**, accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
62AQ/3	5	0.025	10/19	10	745.00
62AQ/4	10	0.025	10/19	10	755.00
62AQ/5-1	20	0.04	10/19	10	715.00
62AQ/5	25	0.04	10/19	10	720.00
62AQ/6	50	0.06	12/21	10	700.00
62AQ/7	100	0.10	14/23	10	745.00
62AQ/8	200	0.15	14/23	6	955.00
62AQ/9	250	0.15	14/23	6	960.00
62AQ/10	500	0.25	19/26	5	1410.00
62AQ/11	1000	0.40	24/29	4	2075.00
62AQ/12	2000	0.60	29/32	2	3825.00



62 AC Amber Colour, Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, **Colour Coded** accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
62AC/3	5	0.025	10/19*	Yellow	10	745.00
62AC/4	10	0.025	10/19*	Red	10	755.00
62AC/5-1	20	0.04	10/19	Orange	10	715.00
62AC/5	25	0.04	10/19	Blue	10	720.00
62AC/6	50	0.06	12/21	Black	10	700.00
62AC/7	100	0.10	14/23	Green	10	745.00
62AC/8	200	0.15	14/23	Brown	6	955.00
62AC/9	250	0.15	14/23	White	6	960.00
62AC/10	500	0.25	19/26	Yellow	5	1410.00
62AC/11	1000	0.40	24/29	Red	4	2075.00
62AC/12	2000	0.60	29/32	Brown	2	3825.00




62 AQC Amber Colour, Flask Volumetric "JSGW" with interchangeable Glass Penny Head Solid Stopper, with **QR Code and Colour Coded**, Accuracy as per **Class 'A'**, with serialized individual works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
62AQC/3	5	0.025	10/19*	Yellow	10	775.00
62AQC/4	10	0.025	10/19*	Red	10	790.00
62AQC/5-1	20	0.04	10/19	Orange	10	745.00
62AQC/5	25	0.04	10/19	Blue	10	750.00
62AQC/6	50	0.06	12/21	Black	10	730.00
62AQC/7	100	0.10	14/23	Green	10	775.00
62AQC/8	200	0.15	14/23	Brown	6	985.00
62AQC/9	250	0.15	14/23	White	6	990.00
62AQC/10	500	0.25	19/26	Yellow	5	1435.00
62AQC/11	1000	0.40	24/29	Red	4	2105.00
62AQC/12	2000	0.60	29/32	Brown	2	3855.00


63 U Flask Volumetric "JSGW" with Glass Solid Stopper, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63U/1	1	0.02	10/19	10	660.00
63U/2	2	0.02	10/19	10	660.00
63U/3	5	0.02	10/19	10	650.00
63U/4	10	0.02	10/19	10	550.00
63U/5-1	20	0.03	10/19	10	520.00
63U/5	25	0.03	10/19	10	520.00
63U/6	50	0.05	12/21	10	540.00
63U/7	100	0.08	14/23	10	550.00
63U/8	200	0.10	14/23	6	740.00
63U/9	250	0.12	14/23	6	745.00
63U/10	500	0.20	19/26	5	1190.00
63U/11	1000	0.30	19/26	4	1655.00
63U/12	2000	0.50	29/32	4	3105.00




63 UQ Flask Volumetric "JSGW" with Glass Solid Stopper, with **QR Code**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.


Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63UQ/3	5	0.02	10/19	10	705.00
63UQ/4	10	0.02	10/19	10	735.00
63UQ/5-1	20	0.03	10/19	10	580.00
63UQ/5	25	0.03	10/19	10	580.00
63UQ/6	50	0.05	12/21	10	605.00
63UQ/7	100	0.08	14/23	10	615.00
63UQ/8	200	0.10	14/23	6	805.00
63UQ/9	250	0.12	14/23	6	810.00
63UQ/10	500	0.20	19/26	5	1250.00
63UQ/11	1000	0.30	19/26	4	1715.00
63UQ/12	2000	0.50	29/32	4	3165.00



63 UC Flask Volumetric "JSGW" with Glass Solid Stopper, with **Colour Coded**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63UC/3	5	0.02	10/19	Yellow	10	705.00
63UC/4	10	0.02	10/19	Red	10	735.00
63UC/5-1	20	0.03	10/19	Orange	10	580.00
63UC/5	25	0.03	10/19	Blue	10	580.00
63UC/6	50	0.05	12/21	Black	10	605.00
63UC/7	100	0.08	14/23	Green	10	615.00
63UC/8	200	0.10	14/23	Brown	6	805.00
63UC/9	250	0.12	14/23	White	6	810.00
63UC/10	500	0.20	19/26	Yellow	5	1250.00
63UC/11	1000	0.30	24/29	Red	4	1715.00
63UC/12	2000	0.50	29/32	Brown	2	3165.00






63 UQC Flask Volumetric "JSGW" with Glass Solid Stopper, with **QR Code & Colour Coded**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63UQC/3	5	0.02	10/19	Yellow	10	735.00
63UQC/4	10	0.02	10/19	Red	10	765.00
63UQC/5-1	20	0.03	10/19	Orange	10	615.00
63UQC/5	25	0.03	10/19	Blue	10	615.00
63UQC/6	50	0.05	12/21	Black	10	635.00
63UQC/7	100	0.08	14/23	Green	10	645.00
63UQC/8	200	0.10	14/23	Brown	6	830.00
63UQC/9	250	0.12	14/23	White	6	840.00
63UQC/10	500	0.20	19/26	Yellow	5	1280.00
63UQC/11	1000	0.30	24/29	Red	4	1745.00
63UQC/12	2000	0.50	29/32	Brown	2	3200.00


63 ASTM Flask Volumetric "JSGW" with PTFE Knob Stopper, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

NEW



Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63ASTM/3	5	0.02	9	10	740.00
63ASTM/4	10	0.02	9	10	645.00
63ASTM/5-1	20	0.03	9	10	615.00
63ASTM/5	25	0.03	9	10	615.00
63ASTM/6	50	0.05	9	10	630.00
63ASTM/7	100	0.08	13	10	710.00
63ASTM/8	200	0.10	16	6	955.00
63ASTM/9	250	0.12	16	6	960.00
63ASTM/10	500	0.20	19	5	1405.00
63ASTM/11	1000	0.30	22	4	1995.00
63ASTM/12	2000	0.50	27	2	3580.00

63UA Amber Colour, Flask Volumetric "JSGW" with Glass Solid Stopper, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.



Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63UA/1	1	0.02	10/19	10	765.00
63UA/2	2	0.02	10/19	10	785.00
63UA/3	5	0.02	10/19	10	795.00
63UA/4	10	0.02	10/19	10	810.00
63UA/5-1	20	0.03	10/19	10	660.00
63UA/5	25	0.03	10/19	10	660.00
63UA/6	50	0.05	12/21	10	675.00
63UA/7	100	0.08	14/23	10	740.00
63UA/8	200	0.10	14/23	6	905.00
63UA/9	250	0.12	14/23	6	915.00
63UA/10	500	0.20	19/26	5	1450.00
63UA/11	1000	0.30	24/29	4	2045.00
63UA/12	2000	0.50	29/32	2	3825.00

63UAQ Amber Colour, Flask Volumetric "JSGW" with Glass Solid Stopper, with **QR Code**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.




Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63UAQ/3	5	0.02	10/19	10	850.00
63UAQ/4	10	0.02	10/19	10	865.00
63UAQ/5-1	20	0.03	10/19	10	725.00
63UAQ/5	25	0.03	10/19	10	725.00
63UAQ/6	50	0.05	12/21	10	735.00
63UAQ/7	100	0.08	14/23	10	805.00
63UAQ/8	200	0.10	14/23	6	965.00
63UAQ/9	250	0.12	14/23	6	980.00
63UAQ/10	500	0.20	19/26	5	1510.00
63UAQ/11	1000	0.30	24/29	4	2105.00
63UAQ/12	2000	0.50	29/32	4	3890.00


63UAC Amber Colour, Flask Volumetric "JSGW" with Glass Solid Stopper, with **Colour Code**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63UAC/3	5	0.02	10/19	Yellow	10	855.00
63UAC/4	10	0.02	10/19	Red	10	870.00
63UAC/5-1	20	0.03	10/19	Orange	10	720.00
63UAC/5	25	0.03	10/19	Blue	10	720.00
63UAC/6	50	0.05	12/21	Black	10	735.00
63UAC/7	100	0.08	14/23	Green	10	805.00
63UAC/8	200	0.10	14/23	Brown	6	965.00
63UAC/9	250	0.12	14/23	White	6	980.00
63UAC/10	500	0.20	19/26	Yellow	5	1515.00
63UAC/11	1000	0.30	24/29	Red	4	2105.00
63UAC/12	2000	0.50	29/32	Brown	2	3890.00

63UAQC Amber Colour, Flask Volumetric "JSGW" with Glass Solid Stopper, with **QR Code & Colour Coded**, Accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with individual serialized work certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63UAQC/3	5	0.02	10/19	Yellow	10	880.00
63UAQC/4	10	0.02	10/19	Red	10	895.00
63UAQC/5-1	20	0.03	10/19	Orange	10	745.00
63UAQC/5	25	0.03	10/19	Blue	10	745.00
63UAQC/6	50	0.05	12/21	Black	10	760.00
63UAQC/7	100	0.08	14/23	Green	10	830.00
63UAQC/8	200	0.10	14/23	Brown	6	995.00
63UAQC/9	250	0.12	14/23	White	6	1010.00
63UAQC/10	500	0.20	19/26	Yellow	5	1540.00
63UAQC/11	1000	0.30	24/29	Red	4	2135.00
63UAQC/12	2000	0.50	29/32	Brown	2	3920.00





62
ASTMA
(5-20 ml)


62
ASTMA
(25-2000 ml)

63 ASTMA Amber Colour, Flask Volumetric "JSGW" with PTFE Knob Stopper, Accuracy as per ASTM E288, **Class 'A'** USP (US Pharmacopeia) with individual serialized work certificate.

NEW

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63ASTMA/3	5	0.02	9	10	880.00
63ASTMA/4	10	0.02	9	10	895.00
63ASTMA/5-1	20	0.03	9	10	745.00
63ASTMA/5	25	0.03	9	10	745.00
63ASTMA/6	50	0.05	9	10	755.00
63ASTMA/7	100	0.08	13	10	845.00
63ASTMA/8	200	0.10	16	6	1105.00
63ASTMA/9	250	0.12	16	6	1120.00
63ASTMA/10	500	0.20	19	5	1660.00
63ASTMA/11	1000	0.30	22	4	2370.00
63ASTMA/12	2000	0.50	27	2	4170.00

63W Flask Volumetric, **Wide Mouth** with interchangeable Glass Penny Head Stopper, Accuracy as per **Class 'A'**, with individual works Certificate.
(These Flasks are suitable for testing bigger dia tablets without making it in powder form).




63W
(5-20 ml)

63W
(25-1000 ml)

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63W/3	5	0.04	10/19	10	550.00
63W/4	10	0.04	14/23	10	615.00
63W/5-1	20*	0.06	14/23	10	530.00
63W/5	25	0.06	14/23	10	530.00
63W/6	50	0.10	14/23	10	550.00
63W/7	100*	0.10	19/26	10	580.00
63W/8	200*	0.15	19/26	6	755.00
63W/9	250*	0.15	19/26	6	755.00
63W/10	500*	0.25	24/29	5	1195.00
63W/11	1000	0.60	29/32	4	1745.00

* Not covered in the standards.

63WN Flask Volumetric, **Wide Mouth** with interchangeable Glass Penny Head Stopper, Accuracy as per **Class 'A'**, with **NABL** individual works Certificate.
(These Flasks are suitable for testing bigger dia tablets without making it in powder form).



63WN
(5-20 ml)

63WN
(25-1000 ml)

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63WN/3	5	0.04	10/19	10	880.00
63WN/4	10	0.04	14/23	10	880.00
63WN/5-1	20*	0.06	14/23	10	880.00
63WN/5	25	0.06	14/23	10	880.00
63WN/6	50	0.10	14/23	10	880.00
63WN/7	100*	0.10	19/26	10	935.00
63WN/8	200*	0.15	19/26	6	1315.00
63WN/9	250*	0.15	19/26	6	1315.00
63WN/10	500*	0.25	24/29	5	1480.00
63WN/11	1000	0.60	29/32	4	2550.00

* Not covered in the standards.

63WC Flask Volumetric, **Wide Mouth** with interchangeable **Glass Penny Head Stopper**, with **Colour Coded**, Accuracy as per **Class 'A'**, with individual works Certificate.
(These Flasks are suitable for testing bigger dia tablets without making it in powder form).

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63WC/3	5	0.04	10/19	Yellow	10	615.00
63WC/4	10	0.04	14/23	Red	10	675.00
63WC/5-1	20*	0.06	14/23	Orange	10	590.00
63WC/5	25	0.06	14/23	Blue	10	590.00
63WC/6	50	0.10	14/23	Black	10	615.00
63WC/7	100*	0.10	19/26	Green	10	645.00
63WC/8	200*	0.15	19/26	Brown	6	820.00
63WC/9	250*	0.15	19/26	White	6	820.00
63WC/10	500*	0.25	24/29	Yellow	5	1255.00
63WC/11	1000	0.60	29/32	Red	4	1810.00

* Not covered in the standards.

63WA Amber Colour Flask Volumetric, **Wide Mouth** with interchangeable **Glass Penny Head Stopper**, Accuracy as per **Class 'A'**, with individual works Certificate.
(These Flasks are suitable for testing bigger dia tablets without making it in powder form).




Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
63WA/3	5	0.04	10/19	10	735.00
63WA/4	10	0.04	14/23	10	750.00
63WA/5-1	20*	0.06	14/23	10	750.00
63WA/5	25	0.06	14/23	10	750.00
63WA/6	50	0.10	14/23	10	715.00
63WA/7	100*	0.10	19/26	10	790.00
63WA/8	200*	0.15	19/26	6	1060.00
63WA/9	250*	0.15	19/26	6	1095.00
63WA/10	500*	0.25	24/29	5	1600.00
63WA/11	1000	0.60	29/32	4	2215.00

* Not covered in the standards.

63WAC Amber Colour, Flask Volumetric, **Wide Mouth** with **Glass Penny Head Stopper** with **Colour Coded**, Accuracy as per **Class 'A'**, with individual works Certificate.
(These Flasks are suitable for testing bigger dia tablets without making it in powder form).

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Colour Code	Minimum Qty/Pack	Price/Piece (₹)
63WAC/3	5	0.04	10/19	Yellow	10	800.00
63WAC/4	10	0.04	14/23	Red	10	815.00
63WAC/5-1	20*	0.06	14/23	Orange	10	815.00
63WAC/5	25	0.06	14/23	Blue	10	815.00
63WAC/6	50	0.10	14/23	Black	10	785.00
63WAC/7	100*	0.10	19/26	Green	10	855.00
63WAC/8	200*	0.15	19/26	Brown	6	1125.00
63WAC/9	250*	0.15	19/26	White	6	1160.00
63WAC/10	500*	0.25	24/29	Yellow	5	1600.00
63WAC/11	1000	0.60	29/32	Red	4	2275.00

* Not covered in the standards.






64

Flask Volumetric "JSGW" with Interchangeable Glass Stopper, Accuracy as per Class 'B'.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
64/1	1	0.05	10/15	10	216.00
64/2	2	0.05	10/15	10	216.00
64/3	5	0.05	10/15	10	227.00
64/4	10	0.05	10/15	10	232.00
64/4-1	20	0.08	10/15	10	216.00
64/5	25	0.08	10/15	10	221.00
64/6	50	0.12	10/15	10	275.00
64/7	100	0.2	14/15	10	310.00
64/8	200	0.3	14/15	10	355.00
64/9	250	0.3	14/15	10	365.00
64/10	500	0.5	19/20	10	540.00
64/11	1000	0.8	19/20	4	840.00
64/12	2000	1.2	24/25	2	1620.00




65UW

Flask Volumetric, **Wide Mouth** with interchangeable Glass Solid Stopper accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with certificate. (These Flasks are suitable for testing bigger dia tablets without making it in powder form).

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
65UW/3	5	0.08	14/23	10	705.00
65UW/4	10	0.08	14/23	10	740.00
65UW/5-1	20*	0.08	14/23	10	590.00
65UW/5	25	0.08	14/23	10	590.00
65UW/6	50	0.08	14/23	10	605.00
65UW/7	100	0.10	19/26	10	615.00
65UW/8	200	0.20	19/26	6	810.00
65UW/9	250	0.20	19/26	6	810.00

* Not covered in the standards.



65UWA

Amber Colour, Flask Volumetric, **Wide Mouth** with I/C Glass Solid Stopper, accuracy as per ASTM E288, **Class 'A' USP** (US Pharmacopeia) with certificate. (These Flasks are suitable for testing bigger dia tablets without making it in powder form).

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
65UWA/3	5	0.08	14/23	10	845.00
65UWA/4	10	0.08	14/23	10	870.00
65UWA/5-1	20*	0.08	14/23	10	730.00
65UWA/5	25	0.08	14/23	10	730.00
65UWA/6	50	0.08	14/23	10	810.00
65UWA/7	100	0.10	19/26	10	870.00
65UWA/8	200	0.20	19/26	6	1045.00
65UWA/9	250	0.20	19/26	6	1050.00

* Not covered in the standards.

- 66 Flasks Volumetric "JSGW" Sugar estimation with two marks, **Class 'A'** With Certificate.

Cat. No.		Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
66/1	marked at	50 ml. and 55 ml.	2	450.00
66/2	— do —	100 ml. and 110 ml.	2	515.00
66/3	— do —	200 ml. and 220 ml.	2	625.00

- 67 Flasks Volumetric "JSGW" Sugar estimation with two marks.

Cat. No.		Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
67/1	marked at	50 ml. and 55 ml.	2	265.00
67/2	— do —	100 ml. and 110 ml.	2	355.00
67/3	— do —	200 ml. and 220 ml.	2	417.00

- 68 Kohlraush Flasks (Mud Flask) "JSGW" with cup at top, **Class 'A'** with certificate.

Cat. No.		Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
68/1		50	2	500.00
68/2		100	2	550.00
68/3		200	2	715.00

* NOTE: Cat No. 66 & 68 can also be provided with NABL Certificate.

P.O.R.










- 69 Kohlraush Flasks (Mud Flask) "JSGW" with cup at top.

Cat. No.		Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
69/1		50	2	295.00
69/2		100	2	355.00
69/3		200	2	495.00

		Minimum Qty/Pack	Price/Piece (₹)
70	Saybolt Viscosity Flask, "JSGW" Capacity 60 ml. height 85 mm.	2	630.00
71	Cassia Flask, "JSGW" Capacity 100 ml. with graduated long neck.	2	955.00
72	Lechatelier Flask, "JSGW" for Sp. Gr. Test, Bulb Capacity approx. 250 ml. neck graduation from 0 to 1 ml. and 18 to 24 ml. in 0.1 ml.	1	2005.00
73	Lechatelier Flask, "JSGW" for Sp. Gr. Test, Bulb Capacity approx. 250 ml. neck graduation from 0 to 1 ml. and 18 to 24 ml. in 0.1 ml. Class 'A' , Tol. ± 0.05 ml, with Certificate.	1	2770.00
74	Flask Sulphonation, "JSGW" with neck graduated 0 to 10 ml. and figured 0 to 100% for determination of olefin plus aromatic content.	1	935.00
75	Jars, Measuring, with Pour Out, with Work Certificate	1	7195.00


* NOTE: Cat No. 73 can also be provided with NABL Certificate.

P.O.R.





75A



75B

75A Rings, Weight, Silicon Rubber, coated for Volumetric Flask

Cat. No.	Size	Suitable For	Minimum Qty/Pack	Price/Piece (₹)
75A/1	Small	(5 ml - 50 ml)	5	545.00
75A/2	Large	(100 ml - 1 Ltr)	5	655.00

75B Silicon Rubber, Safety Rider, Hexagonal Shape for Volumetric Flask.

Cat. No.	Colour	Suitable For	Minimum Qty/Pack	Price/Piece (₹)
75B/1	Yellow	5 ml - 25 ml	10	57.00
75B/2	Green	50 ml	10	72.00
75B/3	Blue	100 ml - 250 ml	10	140.00
75B/4	Orange	500 ml	10	340.00
75B/5	Red	1000 ml	10	565.00

75C Cleaning Brush, made from soft nylon, for Volumetric Flask.

Cat. No.	Size	Price/10Pcs. (₹)
75C/1	Small	640.00
75C/2	Medium	900.00
75C/3	Large	900.00

75D Cleaning Brush, made from soft nylon, for Laboratory Glassware.

Cat. No.	Description	Price/10Pcs. (₹)
75D/1	Cleaning Brush 6 inch.	535.00
75D/2	Cleaning Brush 12 inch.	740.00
75D/3	Cleaning Brush 18 inch.	1010.00
75D/4	Test Tube Cleanig Brush Small (3ml to 25ml)	495.00
75D/5	Test Tube Cleanig Brush Medium (35ml to 75ml)	630.00
75D/6	Test Tube Cleanig Brush Large (100ml & 175ml)	775.00

MEASURING CYLINDERS

- 76** Measuring Cylinders, "JSGW", with spout, Hexagonal Base, Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76/1	5	0.1	0.05	6	407.00
76/2	10	0.2	0.1	6	450.00
76/3	25	0.5	0.25	6	500.00
76/4	50	1	0.5	6	625.00
76/5	100	1	0.5	6	735.00
76/6	250	2	1	4	1085.00
76/7	500	5	2.5	4	1560.00
76/8	1000	10	5	3	1970.00
76/9	2000	20	10	2	3250.00

- 76 Q** Measuring Cylinders, "JSGW", with spout, Hexagonal Base, with **QR Code**, Accuracy as per **Class 'A'**, with works certificate.


Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76Q/1	5	0.1	0.05	6	475.00
76Q/2	10	0.2	0.1	6	510.00
76Q/3	25	0.5	0.25	6	570.00
76Q/4	50	1	0.5	6	685.00
76Q/5	100	1	0.5	6	810.00
76Q/6	250	2	1	4	1155.00
76Q/7	500	5	2.5	4	1620.00
76Q/8	1000	10	5	3	2035.00
76Q/9	2000	20	10	2	3310.00

- 76 N** Measuring Cylinders, "JSGW", with spout, Hexagonal Base, Accuracy as per **Class 'A'**, with **NABL** works certificate.


Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76N/1	5	0.1	0.05	1	975.00
76N/2	10	0.2	0.1	1	995.00
76N/3	25	0.5	0.25	1	1025.00
76N/4	50	1	0.5	1	1130.00
76N/5	100	1	0.5	1	1230.00
76N/6	250	2	1	1	1530.00
76N/7	500	5	2.5	1	2075.00
76N/8	1000	10	5	1	2450.00
76N/9	2000	20	10	1	3955.00

- 76A** Amber Colour Measuring Cylinders, "JSGW", with spout, Hexagonal Base, Accuracy as per **Class 'A'**, with works certificate.


Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76A/1	5	0.1	0.05	6	590.00
76A/2	10	0.2	0.1	6	645.00
76A/3	25	0.5	0.25	6	745.00
76A/4	50	1	0.5	6	835.00
76A/5	100	1	0.5	6	1025.00
76A/6	250	2	1	4	1550.00
76A/7	500	5	2.5	4	2235.00
76A/8	1000	10	5	3	3135.00
76A/9	2000	20	10	2	5030.00




76



76




76 N




76A




76 AN



76U



77



78

76 AN Amber Colour Measuring Cylinders, "JSGW", with spout, Hexagonal Base, Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76AN/1	5	0.1	0.05	1	1065.00
76AN/2	10	0.2	0.1	1	1065.00
76AN/3	25	0.5	0.25	1	1120.00
76AN/4	50	1	0.5	1	1240.00
76AN/5	100	1	0.5	1	1385.00
76AN/6	250	2	1	1	1835.00
76AN/7	500	5	2.5	1	2465.00
76AN/8	1000	10	5	1	3270.00

76U Measuring Cylinders "JSGW" with spout, Hexagonal Base, as per ASTM, **Class 'A'** USP (US Pharmacopeia) with certificate. Accuracy as per ASTM E1272.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
76U/1	5	0.1	0.05	6	445.00
76U/2	10	0.2	0.1	6	495.00
76U/3	25	0.5	0.17	6	540.00
76U/4	50	1	0.25	6	670.00
76U/5	100	1	0.5	6	825.00
76U/6	250	2	1.0	4	1245.00
76U/7	500	5	2.0	4	1780.00
76U/8	1000	10	3.0	3	2190.00
76U/9	2000	20	6.0	2	3505.00

77 Measuring Cylinders, "JSGW", with spout, Hexagonal Base, Accuracy as per **Class 'B'**

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
77/1	5	0.1	0.1	6	285.00
77/2	10	0.2	0.2	6	300.00
77/3	25	0.5	0.5	6	350.00
77/4	50	1	1	6	385.00
77/5	100	1	1	6	445.00
77/6	250	2	2	4	775.00
77/7	500	5	5	4	1050.00
77/8	1000	10	10	3	1615.00
77/9	2000	20	20	2	3040.00

78 Measuring Cylinders, "JSGW", with interchangeable stopper, Hexagonal Base, Accuracy as per **Class 'A'**, with works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Stopper size	Minimum Qty/Pack	Price/Piece (₹)
78/1	5	0.1	0.05	10/15	6	560.00
78/2	10	0.2	0.1	10/15	6	575.00
78/3	25	0.5	0.25	14/15	6	645.00
78/4	50	1	0.5	14/15	6	850.00
78/5	100	1	0.5	19/20	6	1000.00
78/6	250	2	1	24/25	4	1590.00
78/7	500	5	2.5	24/25	4	2525.00
78/8	1000	10	5	34/25	3	3060.00
78/9	2000	20	10	34/25	2	4660.00

78 N Measuring Cylinders, "JSGW", with interchangeable stopper, Hexagonal Base, Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Stopper size	Minimum Qty/Pack	Price/Piece (₹)
78N/1	5	0.1	0.05	10/15	1	1060.00
78N/2	10	0.2	0.1	10/15	1	1085.00
78N/3	25	0.5	0.25	14/15	1	1125.00
78N/4	50	1	0.5	14/15	1	1260.00
78N/5	100	1	0.5	19/20	1	1350.00
78N/6	250	2	1	24/25	1	1760.00
78N/7	500	5	2.5	24/25	1	2665.00
78N/8	1000	10	5	34/25	1	2950.00
78N/9	2000	20	10	34/25	1	5010.00

78A Amber Colour Measuring Cylinders, "JSGW", with interchangeable stopper, Hexagonal Base, Accuracy as per **Class 'A'**, with works certificate.


Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Stopper size	Minimum Qty/Pack	Price/Piece (₹)
78A/1	5	0.1	0.05	10/15	2	755.00
78A/2	10	0.2	0.1	10/15	2	820.00
78A/3	25	0.5	0.25	14/15	2	840.00
78A/4	50	1	0.5	14/15	2	1090.00
78A/5	100	1	0.5	19/20	2	1290.00
78A/6	250	2	1	24/25	2	1965.00
78A/7	500	5	2.5	24/25	1	3065.00
78A/8	1000	10	5	34/25	1	4180.00
78A/9	2000	20	10	34/25	1	6310.00


78 AN Amber Colour Measuring Cylinders, "JSGW", with interchangeable stopper, Hexagonal Base, Accuracy as per **Class 'A'**, with **NABL** works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Stopper size	Minimum Qty/Pack	Price/Piece (₹)
78AN/1	5	0.1	0.05	10/15	2	1200.00
78AN/2	10	0.2	0.1	10/15	2	1230.00
78AN/3	25	0.5	0.25	14/15	2	1275.00
78AN/4	50	1	0.5	14/15	2	1520.00
78AN/5	100	1	0.5	19/20	2	1730.00
78AN/6	250	2	1	24/25	2	2390.00
78AN/7	500	5	2.5	24/25	1	3485.00
78AN/8	1000	10	5	34/25	1	4590.00

79 Measuring Cylinders, "JSGW", with interchangeable stopper, Hexagonal Base, Accuracy as per **Class 'B'**.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
79/1	5	0.1	0.1	6	412.00
79/2	10	0.2	0.2	6	435.00
79/3	25	0.5	0.5	6	450.00
79/4	50	1	1	6	550.00
79/5	100	1	1	6	660.00
79/6	250	2	2	4	1100.00
79/7	500	5	5	4	1550.00
79/8	1000	10	10	3	2305.00
79/9	2000	20	20	2	3685.00






80 Measuring Cylinders, "JSGW", with spout, Marked of IS 878 : 2008.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
80/1	5	0.1	0.05	2	565.00
80/2	10	0.2	0.1	2	565.00
80/3	25	0.5	0.25	2	640.00
80/4	50	1	0.5	2	800.00
80/5	100	1	0.5	2	1020.00
80/6	250	2	1	2	1530.00
80/7	500	5	2.5	1	2070.00
80/8	1000	10	5	1	2485.00

81 Measuring Cylinders, "JSGW", with spout, Round Base, Accuracy as per Class 'A', with works certificate.


Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
81/1	5	0.1	0.05	6	275.00
81/2	10	0.2	0.1	6	280.00
81/3	25	0.5	0.25	6	350.00
81/4	50	1	0.5	6	460.00
81/5	100	1	0.5	6	565.00
81/6	250	2	1	4	1020.00
81/7	500	5	2.5	4	1830.00
81/8	1000	10	5	3	2035.00
81/9	2000	20	10	2	3185.00

Calibrated
at
27°C



82 Measuring Cylinders, "JSGW", with spout, Round Base, Accuracy as per Class 'B'.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
82/1	5	0.1	0.1	6	200.00
82/2	10	0.2	0.2	6	221.00
82/3	25	0.5	0.5	6	275.00
82/4	50	1	1	6	305.00
82/5	100	1	1	6	375.00
82/6	250	2	2	4	725.00
82/7	500	5	5	4	1025.00
82/8	1000	10	10	3	1620.00
82/9	2000	20	20	2	2820.00



82

83 Measuring Cylinders, "JSGW", with interchangeable stopper, Round Base, Accuracy as per Class 'A', with works certificate.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance ± ml.	Minimum Qty/Pack	Price/Piece (₹)
83/1	5	0.1	0.05	6	380.00
83/2	10	0.2	0.1	6	395.00
83/3	25	0.5	0.25	6	465.00
83/4	50	1	0.5	6	550.00
83/5	100	1	0.5	6	665.00
83/6	250	2	1	4	1200.00
83/7	500	5	2.5	4	2200.00
83/8	1000	10	5	3	2475.00
83/9	2000	20	10	2	3570.00

Calibrated
at
27°C



83

- 84 Measuring Cylinders, "JSGW", with interchangeable stopper, Round Base, Accuracy as per Class 'B'.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
84/1	5	0.1	0.1	6	275.00
84/2	10	0.2	0.2	6	285.00
84/3	25	0.5	0.5	6	375.00
84/4	50	1	1	6	440.00
84/5	100	1	1	6	560.00
84/6	250	2	2	4	930.00
84/7	500	5	5	4	1410.00
84/8	1000	10	10	3	2015.00
84/9	2000	20	20	2	3450.00

- 85 Cylinder, Rain measure "JSGW", Metric Scale Graduated as per IS 4849 : 1992.

Cat. No.	Size mm.	Collector area cm ²	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
85/1	20	200	0.2	0.05	12	1225.00
85/2	20	100	0.2	0.1	12	1050.00

- 86 Nessler Cylinder, "JSGW", for colour comparison, Class 'A' with works certificate, graduated.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
86/1	50	25 to 50	0.4	12	265.00
86/2	100	50 & 100	0.8	12	370.00

- 86 A Nessler Cylinder, "JSGW" for colour comparison, with interchangeable stopper Class 'A' with works certificate, graduated.

Cat. No.	Capacity ml.	Sub Div. ml.	Tolerance $\pm$ ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
86A/1	50	25 to 50	0.4	19/20	12	407.00
86A/2	100	50 & 100	0.8	19/20	12	520.00

- 87 Nessler Cylinder, "JSGW", for colour comparison graduated.

Cat. No.	Capacity ml.	Sub Div. ml.	Minimum Qty/Pack	Price/Piece (₹)
87/1	50	25 & 50	12	165.00
87/2	100	50 & 100	12	221.00


For Nessler Cylinder Stands refer Cat. No. 1283A



- 88 Crow Receiver, "JSGW" Class 'A' with works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
88/1	25	0.04 & 0.1	2	535.00
88/2	50	0.1 & 0.2	2	680.00
88/3	100	0.2 & 0.4	2	825.00

- 88A Crow Receiver, "JSGW" with Interchangeable Stopper, Round Base, Class 'A' with works certificate.

Cat. No.	Capacity ml.	Tolerance $\pm$ ml.	Minimum Qty/Pack	Price/Piece (₹)
88A/1	25	0.04 & 0.1	2	695.00
88A/2	50	0.1 & 0.2	2	875.00
88A/3	100	0.2 & 0.4	2	1055.00





89 Crow Receiver, "JSGW" Class B.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
89/1	25	2	445.00
89/2	50	2	535.00
89/3	100	2	705.00

89A Crow Receiver, "JSGW" with Interchangeable Stopper, Round Base, Class B.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
89A/1	25	2	535.00
89A/2	50	2	615.00
89A/3	100	2	800.00

90 Cylinder "JSGW" with single graduation mark at 1000 ml for sedimentation of sand. 1455.00

91 Poly Propylene, Safety Rider, Hexagonal Shape for Measuring Cylinders.

Cat. No.	Suitable for	Price/10 Pcs. (₹)
91/1	5ml	297.00
91/2	10ml	297.00
91/3	25ml	325.00
91/4	50ml	355.00
91/5	100ml	445.00
91/6	250ml	535.00
91/7	500ml	770.00
91/8	1000ml	1005.00

CONES

	Price/Piece (₹)
93 Cones, Imhoff, Sediment, Sharp Tip, "JSGW", Graduated from 0 to 1 ml in 0.1 ml. Division, 1 to 10 ml. in 0.5 ml. and 10 to 40 ml. in 1 ml. Also marked at 1000 ml. Approx. Total Height 454 mm., Approx. Top Dia 100 mm.	6010.00

94 Cones, Imhoff, Sediment, Blunt Tip, "JSGW", Graduated from 0 to 1 ml in 0.1 ml. division, 1 to 10 ml. in 0.5 ml. and 10 to 40 ml. in 1 ml., Approx. Top Dia 100 mm.	6010.00
--	---------

94 A Stand for Cones, Imhof, made of perpex sheet, 2 hole.	4420.00
--	---------

TUBES

95 Tubes, Culture, Media, "JSGW", Round Bottom, with Screw Cap & PTFE liner.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx)	Minimum Qty/Pack	Price/Piece (₹)
95/1	5	16 x 75	25	52.00
95/2	10	16 x 125	25	63.00
95/3	15	16 x 150	25	67.00
95/4	25	18 x 150	25	73.00
95/5	30	25 x 100	25	75.00
95/6	50	25 x 150	25	78.00
95/7	60	25 x 200	25	84.00
95/8	100	32 x 200	25	190.00
95/9	150	38 x 200	25	315.00

95A Amber Colour Culture, Tubes, Media, "JSGW", Round Bottom, with Screw Cap and PTFE liner.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
95A/1	5	16 x 75	25	93.00
95A/2	10	16 x 125	25	105.00
95A/3	30	25 x 100	25	131.00
95A/4	50	25 x 150	25	160.00
95A/5	60	25 x 200	25	200.00
95A/6	100	32 x 200	25	320.00
95A/7	150	38 x 200	25	455.00

97 Tubes, Culture, Media, "JSGW", Flat Bottom, with Screw Cap and PTFE liner.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx)	Minimum Qty/Pack	Price/Piece (₹)
97/1	5	16 x 50	25	47.00
97/2	15	25 x 57	25	60.00
97/3	30	25 x 95	25	66.00
97/4	50	25 x 150	25	85.00
97/5	10	25 x 50	25	59.00
97/6	20	25 x 75	25	63.00

97A Amber Colour Culture, Tubes, Media, "JSGW", Flat Bottom, with Screw Cap and PTFE liner.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
97A/1	5	16 x 50	25	93.00
97A/2	15	25 x 57	25	115.00
97A/3	30	25 x 95	25	132.00
97A/4	10	25 x 50	25	115.00
97A/5	20	25 x 75	25	127.00

100 Leighton Tubes, "JSGW", for Culture work, plain top with Cover slip.

Cat. No.	Length mm.	O.D. mm.	Windows Size (mm.)	Minimum Qty/Pack	Price/Piece (₹)
100/1	125	16	11x37	10	67.00
100/2	150	16	11x37	10	78.00

101 Leighton Tubes, "JSGW", for Culture work, with Screw Cap and Cover slip.

Cat. No.	Length mm.	O.D. mm.	Windows Size (mm.)	Minimum Qty/Pack	Price/Piece (₹)
101/1	125	16	11x37	10	100.00
101/2	150	16	11x37	10	105.00



95



95A



97




97A



100



101



102 Centrifuge Tube, "JSGW", Conical Bottom, **Graduated**.

Cat. No.	Capacity ml.	O.D. x Length mm (approx)	Minimum Qty/Pack	Price/Piece (₹)
102/1	5	13x100	25	76.00
102/2	10	15x110	25	85.00
102/3	15	17x120	25	94.00
102/4	25	22x125	12	150.00
102/5	50	30x135	12	190.00

103 Centrifuge Tube, "JSGW" Conical bottom, **Plain**.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx)	Minimum Qty/Pack	Price/Piece (₹)
103/1	3	10x76	25	31.00
103/2	5	13x100	25	35.00
103/3	10	15x110	25	44.00
103/4	12	16x110	25	44.00
103/5	15	17x120	25	47.00
103/6	25	22x125	12	125.00
103/7	50	30x135	12	160.00

104 Centrifuge Tube, "JSGW", with **Screw Cap, Plain**.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
104/1	10	25	110.00
104/2	15	25	110.00
104/3	50	12	230.00

105 Centrifuge Tube, "JSGW", with Screw Cap, **Graduated**.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
105/1	10	25	155.00
105/2	15	25	166.00
105/3	50	12	375.00

106 Centrifuge Tube, "JSGW" Conical bottom, Graduated with interchangeable stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
106/1	5	25	140.00
106/2	10	25	147.00
106/3	15	25	160.00
106/4	25	12	251.00
106/5	50	12	310.00

107 Centrifuge Tube, "JSGW" Plain, with interchangeable stopper, conical or round bottom.

Cat. No.	Capacity ml	Minimum Qty/Pack	Price/Piece (₹)
107/1	3	25	105.00
107/2	5	25	115.00
107/3	10	25	125.00
107/4	15	25	130.00
107/5	25	12	190.00

108 Centrifuge Tubes, "JSGW" Round bottom, graduated.

Cat. No.	Capacity ml.	O.D. x Length mm. (approx)	Minimum Qty/Pack	Price/Piece (₹)
108/1	12	16x110	10	110.00
108/2	30	24x110	6	127.00
108/3	40	28x110	6	155.00
108/4	50	30x110	6	172.00
108/5	100	45x110	6	490.00
108/6	200	55x116	6	585.00

110 Centrifuge Tubes "JSGW" fully graduated, Suitable for Solubility Test, Conical Bottom, Graduated, Cap : 50 ml, Length: 120 -125 mm
Dia.30 mm with Graduation Mark 0-1 ml, 0.1ml, 1-2 ml, 0.2 ml, 2-10 ml, 0.5 ml, 10-20 ml, 1 ml & at 50 ml (₹) 630.00

111 Centrifuge Tubes, Oil, (Watering) as per ASTM D96, "JSGW" fully graduated
0 to 0.5 ml.in 0.05 ml. div., 0.5 to 2 ml. in 0.1 ml. Div., 2 ml. to 3 ml. In 0.2 ml. Div., 3 ml. to 5 ml. in 0.5 ml. Div., 5 ml. to 10 ml. in 1 ml. div., 10 ml. to 25 ml. in 5 ml. Div., graduations are marked at 50, 75 and 100 ml. (₹) 1120.00

112 Centrifuge Tubes, Oil, "JSGW" the lower stem is grad. 0 to 1.5 ml. in 0.1 ml. div., the body is grad. 1.5 ml. to 5 ml. in 0.5 ml. div., from 5 ml. to 10 ml. in 1 ml. div., grad. are also marked at 15, 20, 25, 50 and 100 ml. (₹) 1145.00

114 Test Tubes, "JSGW" Graduated, with interchangeable stopper.


Cat. No.	O.D.x Length mm (appx)	Capacity ml. (appx)	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
114/1	13x100	5	10/15	10	140.00
114/2	15x125	10	10/15	10	150.00
114/3	22x150	25	19/26	10	227.00
114/4	25x200	50	19/26	10	270.00
114/5	32x230	100	24/29	10	345.00
114/6	15x150	15	14/15	10	165.00
114/7	19x160	20	14/15	10	186.00
114/8	25x155	30	19/26	10	245.00


114 A Amber Colour Test Tubes, "JSGW" Graduated, with interchangeable stopper.

Cat. No.	O.D.x Length mm (appx)	Capacity ml. (appx)	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
114A/1	13x100	5	10/15	10	270.00
114A/2	15x125	10	10/15	10	300.00
114A/3	22x150	25	19/26	10	400.00
114A/4	25x200	50	19/26	10	422.00
114A/5	32x230	100	24/29	10	650.00
114A/6	15x150	15	14/15	10	320.00
114A/7	19x160	20	14/15	10	360.00
114A/8	25x155	30	19/26	10	412.00

115 Test Tubes, "JSGW", with Inter changeable Stopper.

Cat No.	O.D.x Length mm (appx)	Capacity ml (appx)	Stopper Size	Minimum Qty/Pack	Price/Pcs (₹)
115/1	13x100	5	10/15	10	93.00
115/2	15x125	10	10/15	10	110.00
115/3	18x150	20	14/15	10	126.00
115/4	25x150	25	19/26	10	152.00
115/5	25x200	50	19/26	10	186.00
115/6	32x230	100	24/29	10	260.00
115/7	38x230	150	24/29	10	290.00





- 116 Test Tubes, "JSGW", made from Boro 3.3 exp. Glass Tubing, Round bottom, With Rim, Plain.**

Cat. No.	Capacity ml (appx)	O.D. x Length Size	Minimum Qty/Pack	Price/Pcs (₹)
116/1	3	10x75	100	11.00
116/2	5	12x75	100	11.00
116/3	7	12x100	100	13.00
116/4	10	15x125	100	18.00
116/5	15	15x150	100	20.00
116/6	25	18x150	100	22.00
116/7	35	25x100	50	27.00
116/8	50	25x150	50	33.00
116/9	75	25x200	50	43.00
116/10	100	32x200	25	66.00
116/11	175	38x200	25	83.00

- 116A Test Tubes, "JSGW", made from Boro 3.3 exp. glass tubing, Round bottom, Rimless, Plain.**

Cat. No.	Capacity ml (appx)	O.D. x Length Size	Minimum Qty/Pack	Price/Pcs (₹)
116A/1	3	10x75	100	11.00
116A/2	5	12x75	100	11.00
116A/3	7	12x100	100	13.00
116A/4	10	15x125	100	18.00
116A/5	15	15x150	100	20.00
116A/6	25	18x150	100	22.00
116A/7	35	25x100	50	27.00
116A/8	50	25x150	50	33.00
116A/9	75	25x200	50	43.00
116A/10	100	32x200	25	66.00
116A/11	175	38x200	25	83.00
116A/12	20	16x150	100	23.00

- 117 Test Tubes, "JSGW", made from Boro 3.3 exp. glass tubing, Round Bottom, with Rim, Graduation in Amber colour.**

Cat. No.	Capacity ml (appx)	O.D. x Length Size	Minimum Qty/Pack	Price/Piece (₹)
117/1	3	10x75	10	49.00
117/2	5	12x75	10	51.00
117/3	8	12x100	10	62.00
117/4	10	15x125	10	65.00
117/5	25	18x150	10	87.00
117/6	50	25x150	10	100.00
117/7	75	25x200	10	115.00

Note : For Test Tube Stands, Refer Cat. No. 1282

- 118 Rubber Cork for Test Tubes, Shore hardness 45-50A.**

Cat. No.	Tube Size mm	Cork Top Dia (mm)	Bottom Dia (mm)	Height (mm)	Cork Number	Price/10 Pcs (₹)
118/1	10x75				00	37.00
118/2	12x75	13	9	15.5	0	39.00
118/3	12x100	13	9	15.5	0	39.00
118/4	15x125	16.5	13	20	2	58.00
118/5	15x150	16.5	13	20	2	58.00
118/6	18x150	19	14	21	3	70.00
118/7	25x100	26.5	21	27.5	8	155.00
118/8	25x150	26.5	21	27.5	8	155.00
118/9	25x200	26.5	21	27.5	8	155.00
118/11	38x200	41.5	32	42.5	14	480.00

CONDENSERS

125 Air Condensers, "JSGW"


Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
125/1	14/23	14/23	200	4	240.00
125/2	19/26	19/26	200	4	282.00
125/3	24/29	24/29	250	4	390.00
125/4	19/26	19/26	400	4	430.00
125/5	24/29	24/29	500	4	545.00
125/6	34/35	34/35	500	4	1075.00
125/7	19/26	19/26	600	4	545.00
125/8	24/29	24/29	750	4	730.00
125/9	—	19/26	750	4	360.00
125/10	—	24/29	750	4	415.00
125/11	—	19/26	1000	4	425.00
125/12	—	24/29	1000	4	480.00

126 Liebig Condensers, "JSGW"


Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
126/1	14/23	14/23	150	4	342.00
126/2	19/26	19/26	200	4	395.00
126/3	24/29	24/29	200	4	455.00
126/4	19/26	19/26	300	4	475.00
126/5	24/29	24/29	300	4	535.00
126/6	19/26	19/26	350	4	555.00
126/7	24/29	24/29	350	4	570.00
126/8	19/26	19/26	400	4	575.00
126/9	24/29	24/29	400	4	595.00
126/10	24/29	24/29	500	4	725.00
126/11	24/29	24/29	600	4	810.00
126/12	24/29	24/29	750	4	1180.00
126/13	34/35	34/35	500	4	1345.00
126/14	34/35	34/35	600	4	1470.00
126/15	34/35	34/35	750	4	1570.00
126/16	34/35	34/35	900	4	1905.00
126/17	—	19/26	300	4	455.00
126/18	—	24/29	350	4	545.00
126/19	—	34/35	250	4	570.00
126/20	29/32	29/32	250	4	650.00
126/21	29/32	29/32	400	4	775.00
126/22	14/23	14/23	200	4	390.00

127 Coil Condensers, "JSGW" Graham, Coil Distillate Type.


Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
127/1	14/23	14/23	150	4	710.00
127/2	19/26	19/26	200	4	750.00
127/3	19/26	19/26	250	4	785.00
127/4	24/29	24/29	250	4	840.00
127/5	19/26	19/26	300	4	860.00
127/6	24/29	24/29	300	4	950.00
127/7	24/29	24/29	400	4	1020.00
127/8	24/29	24/29	500	4	1105.00
127/9	34/35	34/35	500	4	1505.00
127/10	34/35	34/35	600	4	1635.00



125



126



127

128 Coil Condensers, "JSGW" Graham, Jacket Distillate Type.

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
128/1	14/23	14/23	150	4	710.00
128/2	19/26	19/26	200	4	750.00
128/3	19/26	19/26	250	4	785.00
128/4	24/29	24/29	250	4	840.00
128/5	19/23	19/23	300	4	860.00
128/6	24/29	24/29	300	4	950.00
128/7	24/29	24/29	400	4	1075.00
128/8	24/29	24/29	500	4	1105.00
128/9	34/35	34/35	500	4	1505.00
128/10	34/35	34/35	600	4	1635.00
128/11	29/32	29/32	165	4	845.00
128/12	29/32	29/32	320	4	1075.00

129 Reversible Type Condensers, "JSGW"


Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
129/1	—	19/26 & 24/29	150	4	845.00
129/2	—	24/29 & 24/29	150	4	905.00
129/3	—	24/29 & 34/35	150	4	1005.00

130 Double Coil Condensers, "JSGW" with common inlet.

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
130/1	19/26	19/26	200	4	1790.00
130/2	24/29	24/29	200	4	1825.00
130/3	34/35	34/35	350	4	4350.00
130/4	34/35	34/35	450	4	6550.00
130/5	34/35	34/35	600	4	7620.00

131 Davies Condensers, "JSGW" (Double Surface).

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
131/1	19/26	19/26	150	4	860.00
131/2	24/29	24/29	150	4	865.00
131/3	19/26	19/26	200	4	955.00
131/4	24/29	24/29	200	4	975.00
131/5	29/32	29/32	200	4	985.00
131/6	—	19/26	200	4	895.00
131/7	—	24/29	200	4	900.00
131/8	—	34/35	200	4	955.00
131/9	—	19/26	250	4	940.00
131/10	19/26	19/26	250	4	995.00
131/11	24/29	24/29	250	4	1015.00
131/12	19/26	19/26	300	4	1135.00
131/13	24/29	24/29	300	4	1155.00
131/14	24/29	24/29	400	4	1300.00
131/15	24/29	24/29	500	4	1840.00
131/16	34/35	34/35	500	4	1960.00
131/17	34/35	34/35	600	4	2265.00



132 Jacketed Coil Condensers, "JSGW"

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
132/1	19/26	19/26	150	4	965.00
132/2	24/29	24/29	150	4	965.00
132/3	—	34/35	150	4	965.00
132/4	—	40/38	150	4	1045.00
132/5	19/26	19/26	200	4	1060.00
132/6	24/29	24/29	200	4	1075.00
132/7	19/26	19/26	300	4	1250.00
132/8	24/29	24/29	300	4	1260.00
132/9	24/29	24/29	400	4	1510.00
132/10	34/35	34/35	400	4	1650.00
132/11	34/35	34/35	500	4	2400.00
132/12	29/32	29/32	160	4	1030.00

133 Inland Revenue Condensers, "JSGW"

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
133/1	19/26	19/26	200	4	1255.00
133/2	24/29	24/29	200	4	1280.00

134 Allihn Condensers, "JSGW" (Bulb Condenser).

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
134/1	—	19/26	200	4	605.00
134/2	—	24/29	200	4	625.00
134/3	—	29/32	200	4	635.00
134/4	—	34/35	200	4	605.00
134/5	—	40/38	200	4	685.00
134/6	—	50/42	200	4	880.00
134/7	—	50/42	250	4	1035.00
134/8	19/26	19/26	200	4	605.00
134/9	24/29	24/29	200	4	670.00
134/10	19/26	19/26	300	4	745.00
134/11	24/29	24/29	300	4	780.00
134/12	24/29	24/29	400	4	900.00
134/13	24/29	24/29	500	4	1105.00
134/14	34/35	34/35	500	4	1230.00
134/15	34/35	34/35	600	4	1340.00
134/16	34/35	34/35	750	4	2390.00

135 Friedrich Condensers, "JSGW"


Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
135/2	19/26 or 24/29	19/26 or 24/29	200	2	2440.00
135/3	19/26 or 24/29	19/26 or 24/29	250	2	2615.00

136 Ether Condensers, "JSGW"

Cat. No.	Socket	Cone	Effective Length mm.	Minimum Qty/Pack	Price/Piece (₹)
136/1	19/26	24/29	150	2	3205.00
136/2	19/26 or 24/29	24/29	200	2	3400.00
136/3	19/26 or 24/29	24/29	250	2	3605.00


137 Cold Finger Condensers "JSGW" 130 mm. immersion, Cone 19/26. (₹) 282.00

145 Condensers, "JSGW", Bulb shape, suitable for 1000 ml., spoutless, Tall form, Beaker (₹) 680.00




132


133



134




135




136

137




145


FLASKS



161




162




163



164



165A



165B

161 Flasks Reaction, "JSGW", wide Mouth, Flat flange 100 mm. I.D., 150 mm. O.D.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
161/1	1000	2	3045.00
161/2	2000	2	4335.00
161/3	3000	2	5405.00
161/4	5000	2	7265.00
161/5	10000	1	11160.00
161/6	20000	1	19705.00

162 Lids For Reaction Flasks, "JSGW", Flat flange 100 mm. I.D., 150 mm. O.D., with multiple Sockets.

Cat. No.	Central	Parallel	5°	10°	15°	Price/Piece (₹)
162/1	19/26	19/26	24/29	19/26	—	5350.00
162/2	19/26	14/23	14/23	14/23	29/32	5360.00
162/3	29/32	14/23	14/23	14/23	29/32	5630.00

163 Stainless Steel Clips, with wing nuts for holding 100 mm flat flanges.

890.00

164 Teflon Gaskets, for 100 mm flat flange.

945.00

165A Amber Colour Flasks, Round Bottom "JSGW", with Interchangeable Joint.

Cat. No.	Capacity ml.	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
165A/1	25	19/26	12	450.00
165A/2	50	19/26	12	490.00
165A/3	100	24/29	12	700.00
165A/4	150	24/29	12	790.00
165A/5	250	24/29	12	895.00
165A/6	500	24/29	12	1275.00
165A/7	1000	24/29	6	1550.00
165A/8	2000	29/32	6	2675.00


165B Amber Colour Flasks, Flat Bottom "JSGW", with Interchangeable Joint.

Cat. No.	Capacity ml.	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
165B/1	25	19/26	12	450.00
165B/2	50	19/26	12	490.00
165B/3	100	24/29	12	700.00
165B/4	150	24/29	12	790.00
165B/5	250	24/29	12	895.00
165B/6	500	24/29	12	1275.00
165B/7	1000	24/29	6	1550.00
165B/8	2000	29/32	6	2675.00


165 Flasks Round Bottom, "JSGW", Short or Medium neck with Interchangeable Joint.

Cat. No.	Capacity ml.	Socket Size	Qty/Pack	Price/Piece (₹)
165/1	5	10/19	10	130.00
165/1A	5	14/23	10	130.00
165/2	10	10/19	10	130.00
165/2A	10	14/23	10	130.00
165/3	25	14/23	10	170.00
165/3A	25	19/26	10	170.00
165/4	25	24/29	10	182.00
165/5	50	14/23	10	195.00
165/5A	50	19/26	10	195.00
165/6	50	24/29	10	195.00
165/6A	50	29/32	10	195.00
165/7	50	34/35	10	211.00
165/8	100	14/23	10	217.00
165/8A	100	19/26	10	217.00
165/9	100	24/29	10	217.00
165/9A	100	29/32	10	222.00
165/10	100	34/35	2	217.00
165/11	150	19/26	10	242.00
165/12	150	24/29	10	242.00
165/13	150	29/32	2	242.00
165/13A	150	34/35	2	242.00
165/14	250	19/26	10	270.00
165/15	250	24/29	10	270.00
165/16	250	29/32	2	270.00
165/16A	250	34/35	2	270.00
165/17	500	19/26	2	382.00
165/18	500	24/29	2	382.00
165/19	500	29/32	2	382.00
165/19A	500	34/35	2	382.00
165/20	1000	24/29	2	545.00
165/21	1000	29/32	2	545.00
165/22	1000	34/35	2	545.00
165/23	2000	24/29	2	1550.00
165/23A	2000	29/32	2	1550.00
165/24	2000	34/35	2	1550.00
165/25	3000	24/29	1	2815.00
165/26	3000	34/35	1	2815.00
165/26A	3000	40/38	1	2815.00
165/27	5000	24/29	1	4245.00
165/27A	5000	34/35	1	4245.00
165/27B	5000	40/38	1	4245.00
165/28	5000	45/40	1	4245.00
165/28A	5000	50/42	1	4245.00
165/29	10000	34/35	1	7885.00
165/29A	10000	40/38	1	7885.00
165/30	10000	45/40	1	7885.00
165/30A	10000	50/42	1	7885.00
165/30B	10000	55/44	1	7885.00
165/31	20000	40/38	1	14775.00
165/31A	20000	50/42	1	14775.00
165/31B	20000	55/44	1	14775.00

Note : For long neck flasks 10% will be charged extra and also do mention the Short or Medium Neck, while placing order.



165



165 F


165F Flasks Flat Bottom, "JSGW", Short or Medium neck with Interchangeable Joint.

Cat. No.	Capacity ml.	Socket Size	Qty/Pack	Price/Piece (₹)
165F/1	5	10/19	10	131.00
165F/1A	5	14/23	10	131.00
165F/2	10	10/19	10	131.00
165F/2A	10	14/23	10	131.00
165F/3	25	14/23	10	170.00
165F/3A	25	19/26	10	170.00
165F/4	25	24/29	10	181.00
165F/5	50	14/23	10	195.00
165F/5A	50	19/26	10	195.00
165F/6	50	24/29	10	195.00
165F/7	50	34/35	10	211.00
165F/8	100	14/23	10	222.00
165F/8A	100	19/26	10	222.00
165F/9	100	24/29	10	222.00
165F/10	100	34/35	2	222.00
165F/11	150	19/26	10	242.00
165F/12	150	24/29	10	242.00
165F/13	150	29/32	2	242.00
165F/13A	150	34/35	2	242.00
165F/14	250	19/26	10	270.00
165F/15	250	24/29	10	270.00
165F/16	250	29/32	2	270.00
165F/16A	250	34/35	2	270.00
165F/16B	300	24/29	2	325.00
165F/17	500	19/26	2	382.00
165F/18	500	24/29	2	382.00
165F/19	500	29/32	2	382.00
165F/19A	500	34/35	2	382.00
165F/20	1000	24/29	2	545.00
165F/21	1000	29/32	2	545.00
165F/22	1000	34/35	2	545.00
165F/23	2000	24/29	2	1550.00
165F/23A	2000	29/32	2	1550.00
165F/24	2000	34/35	2	1550.00
165F/25	3000	24/29	1	2815.00
165F/26	3000	34/35	1	2815.00
165F/26A	3000	40/38	1	2815.00
165F/27	5000	24/29	1	4245.00
165F/27A	5000	34/35	1	4245.00
165F/27B	5000	40/38	1	4245.00
165F/28	5000	45/40	1	4245.00
165F/28A	5000	50/42	1	4245.00
165F/29	10000	34/35	1	7885.00
165F/29A	10000	40/38	1	7885.00
165F/30	10000	45/40	1	7885.00
165F/30A	10000	50/42	1	7885.00
165F/30B	10000	55/44	1	7885.00
165F/31	20000	40/38	1	14775.00
165F/31A	20000	50/42	1	14775.00
165F/31B	20000	55/44	1	14775.00


Note : For long neck flasks 10% will be charged extra and also do mention the Short or Medium Neck, while placing order.

166P Flasks Round Bottom, Two Neck "JSGW" (Side neck at parallel)

Cat. No.	Capacity ml.	Center Socket	Side Socket	Price/Piece (₹)
166P/1	100	24/29	14/23	307.00
166P/2	250	24/29	14/23	412.00
166P/3	250	24/29	19/26	412.00
166P/4	500	24/29	14/23	585.00
166P/5	500	24/29	19/26	585.00
166P/6	1000	34/35	14/23	985.00
166P/6A	1000	34/35	19/26	985.00
166P/6B	1000	24/29	14/23	985.00
166P/6C	1000	24/29	19/26	985.00
166P/7	2000	34/35	19/26	1970.00
166P/7A	2000	34/35	24/29	1970.00
166P/7B	2000	24/29	19/26	1970.00
166P/7C	2000	24/29	24/29	1970.00
166P/8	3000	34/35	24/29	3520.00
166P/8A	3000	34/35	19/26	3520.00
166P/8B	3000	34/35	14/23	3520.00
166P/8C	3000	24/29	24/29	3520.00
166P/8D	3000	24/29	19/26	3520.00
166P/8E	3000	24/29	14/23	3520.00
166P/9	5000	40/38	24/29	5160.00
166P/9A	5000	40/38	19/26	5160.00
166P/9B	5000	40/38	14/23	5160.00
166P/9C	5000	34/35	24/29	5160.00
166P/9D	5000	34/35	19/26	5160.00
166P/9E	5000	34/35	14/23	5160.00
166P/9F	5000	24/29	24/29	5160.00
166P/9G	5000	24/29	19/26	5160.00
166P/9H	5000	24/29	14/23	5160.00
166P/10	10000	55/44	34/35	9010.00
166P/10A	10000	55/44	24/29	9010.00
166P/10B	10000	55/44	19/26	9010.00
166P/10C	10000	50/42	34/35	9010.00
166P/10D	10000	50/42	24/29	9010.00
166P/10E	10000	50/42	19/26	9010.00
166P/11	20000	55/44	34/35	15455.00
166P/11A	20000	55/44	24/29	15455.00
166P/11B	20000	55/44	19/26	15455.00
166P/11C	20000	50/42	34/35	15455.00
166P/11D	20000	50/42	24/29	15455.00
166P/11E	20000	50/42	19/26	15455.00

**166-P**

Note : Flasks with other combination of necks can also be supplied.



166 A


166A Flasks Round Bottom, Two Neck, "JSGW" (Side neck at angle).

Cat. No.	Capacity ml.	Center Socket	Side Socket	Price/Piece (₹)
166A/1	100	24/29	14/23	307.00
166A/2	250	24/29	14/23	410.00
166A/3	250	24/29	19/26	410.00
166A/4	500	24/29	14/23	585.00
166A/5	500	24/29	19/26	585.00
166A/6	1000	34/35	14/23	985.00
166A/6A	1000	34/35	19/26	985.00
166A/6B	1000	24/29	14/23	985.00
166A/6C	1000	24/29	19/26	985.00
166A/7	2000	34/35	19/26	1970.00
166A/7A	2000	34/35	24/29	1970.00
166A/7B	2000	24/29	19/26	1970.00
166A/7C	2000	24/29	24/29	1970.00
166A/8	3000	34/35	24/29	3520.00
166A/8A	3000	34/35	19/26	3520.00
166A/8B	3000	34/35	14/23	3520.00
166A/8C	3000	24/29	24/29	3520.00
166A/8D	3000	24/29	19/26	3520.00
166A/8E	3000	24/29	14/23	3520.00
166A/9	5000	40/38	24/29	5160.00
166A/9A	5000	40/38	19/26	5160.00
166A/9B	5000	40/38	14/23	5160.00
166A/9C	5000	34/35	24/29	5160.00
166A/9D	5000	34/35	19/26	5160.00
166A/9E	5000	34/35	14/23	5160.00
166A/9F	5000	24/29	24/29	5160.00
166A/9G	5000	24/29	19/26	5160.00
166A/9H	5000	24/29	14/23	5160.00
166A/10	10000	55/44	34/35	8747.00
166A/10A	10000	55/44	24/29	9010.00
166A/10B	10000	55/44	19/26	9010.00
166A/10C	10000	50/42	34/35	9010.00
166A/10D	10000	50/42	24/29	9010.00
166A/10E	10000	50/42	19/26	9010.00
166A/11	20000	55/44	34/35	15455.00
166A/11A	20000	55/44	24/29	15455.00
166A/11B	20000	55/44	19/26	15455.00
166A/11C	20000	50/42	34/35	15455.00
166A/11D	20000	50/42	24/29	15455.00
166A/11E	20000	50/42	19/26	15455.00
166A/20A	25	19/26	14/23	315.00
166A/20B	25	24/29	19/26	315.00
166A/21A	50	19/26	14/23	342.00
166A/21B	50	24/29	19/26	342.00


Note : Flasks with other combination of necks can also be supplied.

167P Flask Round Bottom, Three Neck,"JSGW", side necks at parallel.

Cat. No.	Capacity ml.	Center Socket	Side Sockets	Price/Piece (₹)
167P/1	100	24/29	14/23	420.00
167P/2	250	24/29	14/23	540.00
167P/2A	250	24/29	19/26	540.00
167P/3	500	24/29	14/23	810.00
167P/3A	500	24/29	19/26	810.00
167P/4	1000	24/29	14/23	1165.00
167P/4A	1000	24/29	19/26	1165.00
167P/5	1000	34/35	19/26	1165.00
167P/6	2000	24/29	19/26	2140.00
167P/7	2000	34/35	19/26	2140.00
167P/8	2000	34/35	24/29	2140.00
167P/9	3000	34/35	19/26	4505.00
167P/9A	3000	34/35	24/29	4505.00
167P/10	5000	34/35	19/26	6195.00
167P/10A	5000	40/38	19/26	6195.00
167P/10B	5000	50/42	19/26	6195.00
167P/10C	5000	55/44	19/26	6195.00
167P/10D	5000	34/35	24/29	6195.00
167P/10E	5000	40/38	24/29	6195.00
167P/10F	5000	50/42	24/29	6195.00
167P/10G	5000	55/44	24/29	6195.00
167P/11A	10000	34/35	19/26	10560.00
167P/11B	10000	40/38	19/26	10560.00
167P/11C	10000	50/42	19/26	10560.00
167P/11D	10000	55/44	19/26	10560.00
167P/11E	10000	34/35	24/29	10560.00
167P/11G	10000	50/42	24/29	10560.00
167P/11H	10000	55/44	24/29	10560.00
167P/12A	20000	34/35	19/26	18560.00
167P/12C	20000	50/42	19/26	18560.00
167P/12D	20000	55/44	19/26	18560.00
167P/12E	20000	34/35	19/26	18560.00
167P/12F	20000	34/35	24/29	18560.00
167P/12H	20000	50/42	24/29	18560.00
167P/12 I	20000	55/44	24/29	18560.00



167-P




167 A

167A Flask Round Bottom, Three Neck,"JSGW", side necks at angle.

Cat. No.	Capacity ml.	Center Socket	Side Sockets	Price/Piece (₹)
167A/1	100	24/29	14/23	420.00
167A/2	250	24/29	14/23	540.00
167A/2A	250	24/29	19/26	540.00
167A/3	500	24/29	14/23	810.00
167A/3A	500	24/29	19/26	810.00
167A/4	1000	24/29	14/23	1165.00
167A/4A	1000	24/29	19/26	1165.00
167A/5	1000	34/35	19/26	1165.00
167A/6	2000	24/29	19/26	2140.00
167A/7	2000	34/35	19/26	2140.00
167A/8	2000	34/35	24/29	2200.00
167A/9	3000	34/35	19/26	4505.00
167A/9A	3000	34/35	24/29	4505.00
167A/10	5000	34/35	19/26	6195.00
167A/10A	5000	40/38	19/26	6195.00
167A/10B	5000	50/42	19/26	6195.00
167A/10C	5000	55/44	19/26	6195.00
167A/10D	5000	34/35	24/29	6195.00
167A/10E	5000	40/38	24/29	6195.00
167A/10F	5000	50/42	24/29	6195.00
167A/10G	5000	55/44	24/29	6195.00
167A/11A	10000	34/35	19/26	10560.00
167A/11B	10000	40/38	19/26	10560.00
167A/11C	10000	50/42	19/26	10560.00
167A/11D	10000	55/44	19/26	10560.00
167A/11E	10000	34/35	24/29	10560.00
167A/11G	10000	50/42	24/29	10560.00
167A/11H	10000	55/44	24/29	10560.00
167A/12A	20000	34/35	19/26	18560.00
167A/12C	20000	50/42	19/26	18560.00
167A/12D	20000	55/44	19/26	18560.00
167A/12E	20000	34/35	19/26	18560.00
167A/12F	20000	34/35	24/29	18560.00
167A/12H	20000	50/42	24/29	18560.00
167A/12 I	20000	55/44	24/29	18560.00
167A/21A	50	19/26	14/23	450.00
167A/21B	50	24/29	19/26	450.00

167B Flask Round Bottom, Four Neck, "JSGW", Center Neck and three Angled side Neck with Inter changeable Joints.


Cat. No.	Capacity ml.	Center Socket	Side Sockets	Price/Piece (₹)
167B/1	100	24/29	14/23	690.00
167B/2	100	24/29	19/26	690.00
167B/3	250	24/29	14/23	825.00
167B/4	250	24/29	19/26	825.00
167B/5	500	24/29	14/23	1190.00
167B/6	500	24/29	19/26	1190.00
167B/7	500	24/29	24/29	1190.00
167B/8	500	34/35	24/29	1190.00
167B/9	1000	24/29	14/23	1570.00
167B/10	1000	24/29	19/26	1570.00
167B/11	1000	24/29	24/29	1570.00
167B/11A	1000	34/35	24/29	1570.00
167B/12	2000	24/29	14/23	2585.00
167B/13	2000	24/29	19/26	2585.00
167B/14	2000	34/35	19/26	2585.00
167B/15	2000	34/35	24/29	2585.00
167B/16	3000	34/35	19/26	4955.00
167B/17	3000	34/35	24/29	4955.00
167B/18	5000	34/35	19/26	7095.00
167B/19	5000	34/35	24/29	7095.00
167B/20	10000	55/44	24/29	13605.00
167B/21	20000	55/44	24/29	20500.00




167B

167C Flask Round Bottom, Four Neck, "JSGW", Center Neck and three Parallel side Neck with Inter changeable Joints.


Cat. No.	Capacity ml.	Center Socket	Side Sockets	Price/Piece (₹)
167C/1	100	24/29	14/23	690.00
167C/2	100	24/29	19/26	690.00
167C/3	250	24/29	14/23	825.00
167C/4	250	24/29	19/26	825.00
167C/5	500	24/29	14/23	1190.00
167C/6	500	24/29	19/26	1190.00
167C/7	500	24/29	24/29	1190.00
167C/8	500	34/35	24/29	1190.00
167C/9	1000	24/29	14/23	1570.00
167C/10	1000	24/29	19/26	1570.00
167C/11	1000	24/29	24/29	1570.00
167C/11A	1000	34/35	24/29	1570.00
167C/12	2000	24/29	14/23	2585.00
167C/13	2000	24/29	19/26	2585.00
167C/14	2000	34/35	19/26	2585.00
167C/15	2000	34/35	24/29	2585.00
167C/16	3000	34/35	19/26	4955.00
167C/17	3000	34/35	24/29	4955.00
167C/18	5000	34/35	19/26	7095.00
167C/19	5000	34/35	24/29	7095.00
167C/20	10000	55/44	24/29	13605.00
167C/21	20000	55/44	24/29	20500.00




167C



168A



168B



168

168A Flasks Pear Shape, "JSGW", Suitable for Rotary Evaporators with Ground Socket.

Cat. No.	Capacity ml.	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
168A/1	50	24/29	2	452.00
168A/2	100	24/29	2	550.00
168A/3	250	24/29	2	775.00
168A/4	500	24/29	2	980.00
168A/5	800	24/29	2	1435.00
168A/6	50	29/32	2	545.00
168A/7	100	29/32	2	690.00
168A/8	250	29/32	2	920.00
168A/9	500	29/32	2	1180.00
168A/10	800	29/32	2	1655.00
168A/11	1000	29/32	2	1885.00
168A/12	2000	24/29	2	3610.00
168A/13	2000	29/32	2	3790.00

168B Splash Head Adapters, "JSGW", for Rotavaps Anticlamp without return hole.


Cat. No.	Bulb Cap. ml.	Socket Size	Cone Size	Price/Piece (₹)
168B/1	100	29/32	14/23	665.00
168B/1A	100	29/32	19/26	665.00
168B/1B	100	29/32	24/29	665.00
168B/2	250	29/32	14/23	870.00
168B/2A	250	29/32	19/26	870.00
168B/2B	250	29/32	24/29	870.00
168B/3	500	29/32	14/23	1245.00
168B/3A	500	29/32	19/26	1245.00
168B/3B	500	29/32	24/29	1245.00

168 Flask Conical, "JSGW", Erlenmeyer, with socket

Cat. No.	Capacity ml.	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
168/1	25	14/23	12	190.00
168/1A	25	19/26	12	190.00
168/2	50	14/23	12	195.00
168/3	50	19/26	12	195.00
168/4	100	19/26	12	250.00
168/5	100	24/29	12	250.00
168/5A	100	29/32	12	250.00
168/6	150	19/26	12	270.00
168/7	150	24/29	12	270.00
168/8	250	19/26	12	282.00
168/9	250	24/29	12	282.00
168/10	250	29/32	12	282.00
168/10A	250	34/35	12	355.00
168/11	500	19/26	12	405.00
168/12	500	24/29	12	405.00
168/13	500	29/32	12	405.00
168/13A	500	34/35	12	425.00
168/14	1000	24/29	6	780.00
168/15	1000	29/32	6	780.00
168/15A	1000	34/35	6	780.00
168/16	2000	24/29	4	1550.00
168/16A	2000	34/35	4	1550.00


169 Flasks Buchner, "JSGW", Filtering, Heavy wall, with Tubulation and socket.

Cat. No.	Capacity ml.	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
169/1	100	19/26	12	410.00
169/2	250	24/29	12	715.00
169/3	500	24/29	12	850.00
169/4	1000	24/29	6	1480.00
169/5	1000	34/35	6	1495.00
169/6	2000	34/35	4	2730.00



170 Flasks Kjeldahl, "JSGW" with Socket.

Cat. No.	Capacity ml.	Socket	Minimum Qty/Pack	Price/Piece (₹)
170/1	50	19/26	6	295.00
170/2	100	19/26	6	357.00
170/3	100	24/29	6	357.00
170/4	300	24/29	6	497.00
170/5	500	24/29	6	845.00
170/6	800	24/29	6	975.00
170/7	800	29/32	6	975.00




171 Flasks Pear Shaped, "JSGW", Single neck.

Cat. No.	Capacity ml.	Socket	Price/Piece (₹)
171/1	5	10/19	145.00
171/2	10	10/19	160.00
171/2A	10	14/23	160.00
171/3	25	10/19	190.00
171/3A	25	14/23	190.00
171/4	50	19/26	240.00
171/4A	50	14/23	240.00
171/5	100	14/23	345.00
171/6	100	19/26	345.00
171/7	100	24/29	367.00




172 Flasks Pear Shaped, "JSGW", Two necks, side neck at angle.


Cat. No.	Capacity ml.	Center Socket	Side Socket	Price/Piece (₹)
172/1	25	14/23	14/23	320.00
172/2	50	14/23	14/23	415.00
172/3	100	14/23	14/23	447.00




173 Flasks Pear Shaped, "JSGW", Three necks, one side neck at angle, one side neck parallel.

Cat. No.	Capacity ml.	Center Socket	Side Sockets	Price/Piece (₹)
173/1	25	14/23	14/23	487.00
173/2	50	14/23	14/23	520.00
173/3	100	14/23	14/23	555.00







174




175




176



177



178



179

174 Flasks Pear shaped, Vigreux, "JSGW", Claisen Type.

Cat. No.	Capacity ml.	Sockets	Cone	Price/Piece (₹)
174/1	10	14/23	14/23	520.00
174/2	25	14/23	14/23	535.00
174/3	50	14/23	14/23	535.00
174/4	100	14/23	14/23	705.00

175 Flasks Pear shaped, Vigreux, "JSGW", with side neck.

Cat. No.	Capacity ml.	Sockets	Cone	Price/Piece (₹)
175/1	10	14/23	14/23	520.00
175/2	25	14/23	14/23	535.00
175/3	50	14/23	14/23	535.00
175/4	100	14/23	14/23	705.00

176 Flasks Claisen, Pear Shaped, "JSGW".

Cat. No.	Capacity ml.	Sockets	Cone	Price/Piece (₹)
176/1	10	14/23	14/23	460.00
176/2	25	14/23	14/23	487.00
176/3	50	14/23	14/23	530.00
176/4	100	14/23	14/23	645.00

177 Flasks Distillation, Pear Shaped, "JSGW".

Cat. No.	Capacity ml.	Sockets	Cone	Price/Piece (₹)
177/1	10	14/23	14/23	270.00
177/2	25	14/23	14/23	320.00
177/3	50	14/23	14/23	415.00
177/4	100	14/23	14/23	475.00

178 Flasks Distillation, "JSGW", with side tube at angle.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
178/1	25	6	197.00
178/2	50	6	230.00
178/3	100	6	305.00
178/3A	125	6	320.00
178/4	250	6	385.00
178/5	500	6	450.00
178/6	1000	6	685.00

Note : In Cat. No. 178 flasks above 500 ml. will be of short neck.

179 Flasks Filtering, Heavywall, Bolt Neck., with tubulation, "JSGW".


Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
179/1	100	12	340.00
179/2	250	12	580.00
179/3	500	12	705.00
179/4	1000	6	1245.00
179/5	2000	4	2200.00
179/6	5000	2	7660.00
179/7	* 10000	1	13485.00
179/8	* 20000	1	21230.00
179/9	50	12	251.00

*Note : * Bottle shape*

*Note : * For Cork, please refer Cat no. -1346*

180 Flasks Conical, "JSGW", with Screw Cap and liner.


Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
180/1	25	12	202.00
180/2	50	12	242.00
180/3	100	12	290.00
180/4	150	12	330.00
180/5	250	12	380.00
180/6	500	12	497.00
180/7	1000	12	900.00
180/8	2000	6	1565.00
180/8-1	3000	4	2535.00
180/9	5000	2	5585.00



180

181 Flasks Conical, "JSGW", with interchangeable penny head stopper.


Cat. No.	Capacity ml.	Socket size	Minimum Qty./Pack	Price/Pcs (₹)
181/1	25	14/23	12	235.00
181/2	50	19/26	12	265.00
181/3	100	24/29	12	325.00
181/3A	100	19/26	12	325.00
181/3B	100	29/32	12	335.00
181/4	150	24/29	12	365.00
181/5	250	24/29	12	375.00
181/5A	250	29/32	12	375.00
181/6	500	24/29	12	530.00
181/7	1000	24/29	12	760.00
181/8	2000	34/35	6	1630.00



181

181 A Amber Colour Flask Conical "JSGW", with interchangeable penny head stopper.


Cat. No.	Capacity ml.	Socket size	Minimum Qty./Pack	Price/Piece (₹)
181A/1	25	14/23	12	357.00
181A/2	50	19/26	12	377.00
181A/3	100	24/29	12	475.00
181A/3B	100	29/32	12	475.00
181A/4	150	24/29	12	515.00
181A/5	250	24/29	12	595.00
181A/5A	250	29/32	12	595.00
181A/6	500	24/29	12	845.00
181A/7	1000	24/29	12	1550.00
181A/8	2000	34/35	6	2675.00




181A

182 Flasks Iodine, "JSGW", with funnel shaped cup and stopper.


Cat. No.	Capacity ml.	Socket size	Minimum Qty./Pack	Price/Pcs (₹)
182/1	100	24/29	12	275.00
182/2	250	24/29	12	345.00
182/3	500	24/29	12	425.00
182/4	1000	24/29	12	985.00




182




183




183A



184



185



186

183 Flasks Erlenmeyer's, "JSGW", Conical, Approx. Graduation, Narrow mouth.

Cat. No.	Capacity ml.	Approx. Neck O.D. mm.	Graduation Interval, ml.	Minimum Qty/Pack	Price/Piece (₹)
183/1	5	-	-	24	68.00
183/2	10	15	-	24	76.00
183/3	25	21	-	24	101.00
183/4	50	21	-	24	110.00
183/5	100	25	25	24	110.00
183/5- 	100	25	25	24	125.00
183/6	150	28	25	24	135.00
183/7	250	34	50	12	165.00
183/7- 	250	34	50	12	176.00
183/8	500	34	100	12	237.00
183/8- 	500	34	100	12	250.00
183/9	1000	42	200	12	407.00
183/10	2000	48	500	6	1170.00
183/11	3000	48	500	6	1915.00
183/12	5000	50	500	2	3150.00

Note :Flasks 5ml to 25 ml capacity are not graduated.

183A Amber Colour Flasks Erlenmeyer's, "JSGW" Conical, Approx. Graduation, Narrow mouth.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
183A/1	50	12	205.00
183A/2	100	12	230.00
183A/3	250	12	310.00
183A/4	500	12	497.00
183A/5	1000	4	915.00
183A/6	2000	4	1825.00

184 Flasks Kjeldhal, "JSGW", Round Bottom, long neck.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
184/1	10	6	115.00
184/2	30	6	150.00
184/3	50	6	230.00
184/4	100	6	250.00
184/5	300	6	395.00
184/6	500	6	665.00
184/7	800	6	830.00

185 Flasks Erlenmeyer, "JSGW", Conical, long neck, without rim, Cap. 250ml., O.D. x Ht. 78 x 154mm. approx, Neck dia 25mm.

Price/Piece 230.00

186 Flasks Erlenmeyer, "JSGW", Conical, wide mouth

Cat. No.	Capacity ml.	O.D. x Ht. mm. (approx.)	Neck O.D. mm. (approx.)	Price/Piece (₹)
186/1	100	70x110	34	130.00
186/2	250	85x142	50	182.00
186/3	500	105x175	50	282.00
186/4	1000	120x220	56	485.00

187 Flasks Conical, Rimless "JSGW", 750ml, O.D x Ht. 114 x 210 mm Price/Piece
approx, Neck O.D. 34mm (₹) 520.00

188 Flasks Boiling, Round Bottom, "JSGW"


Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
188/1	100	24	150.00
188/1- 	100	24	160.00
188/2	150	24	155.00
188/3	250	12	162.00
188/3- 	250	12	175.00
188/4	500	12	275.00
188/4- 	500	12	290.00
188/5	1000	12	440.00
188/6	2000	6	1220.00
188/7	3000	6	2045.00
188/8	5000	2	3355.00
188/9	10000	1	7050.00
188/10	20000	1	13000.00
188/11	25	24	110.00
188/12	50	24	130.00

188A Amber Colour Flasks, Boiling, Round Bottom "JSGW".

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
188A/1	50	12	390.00
188A/2	100	12	565.00
188A/3	250	12	565.00
188A/4	500	12	945.00
188A/5	1000	4	1270.00
188A/6	2000	4	1970.00

189 Flasks Boiling, Flat Bottom, "JSGW"

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
189/1	100	24	150.00
189/1- 	100	24	160.00
189/2	150	24	155.00
189/3	250	12	162.00
189/3- 	250	12	175.00
189/4	500	12	275.00
189/4- 	500	12	290.00
189/5	1000	12	445.00
189/6	2000	12	1220.00
189/7	3000	6	2085.00
189/8	5000	2	3420.00
189/9	10000	1	7320.00
189/10	20000	1	13370.00
189/11	25	24	110.00
189/12	50	24	130.00
189/13	300	12	235.00




187



188



188 A



189

189A Amber Colour Flasks, Boiling, Flat Bottom "JSGW".

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
189A/1	50	12	390.00
189A/2	100	12	565.00
189A/3	250	12	610.00
189A/4	500	12	945.00
189A/5	1000	4	1270.00
189A/6	2000	4	1970.00

190 Flasks Culture, Haffkine "JSGW", as per IS 7183.

Cat. No.	Capacity ml.	Approx. O.D. Ht. (mm)	Minimum Qty./Pack	Price/Piece (₹)
190/1	3000	245 x 280	2	3495.00
190/2	4000	246 x 310	2	4105.00

191 Brush, For Flasks, Made of Nylon Bristles.

10 88.00

192 Test Tube with side arm, "JSGW", Schlenk Type with socket and stopper.


Cat. No.	Capacity ml.	Socket Size	Minimum Qty./Pack	Price/Piece (₹)
192/1	10	10/19	10	380.00
192/2	20	14/23	10	422.00
192/3	25	19/26	10	455.00
192/4	50	19/26	10	490.00
192/5	100	24/29	10	560.00
192/6	150	24/29	10	810.00

193 Flask Round Bottom with side arm glass key stopcock, "JSGW", Schlenk Type with socket.

Cat. No.	Capacity ml.	Socket Size	Minimum Qty./Pack	Price/Piece (₹)
193/1	25	10/19	10	440.00
193/2	50	14/23	10	475.00
193/3	100	24/29	10	520.00
193/4	250	24/29	10	590.00
193/5	500	24/29	10	810.00
193/6	1000	24/29	10	1055.00
193/7	2000	24/29	10	2795.00


194 Reagent Bottle Screw Cap with side arm glass key stopcock, "JSGW", Schlenk Type with blue cap and pouring ring.

Cat. No.	Capacity ml.	DIN Thread	Minimum Qty./Pack	Price/Piece (₹)
194/1	50	GL 32	2	690.00
194/2	100	GL 45	2	775.00
194/3	250	GL 45	2	795.00
194/4	500	GL 45	2	875.00
194/5	1000	GL 45	2	1230.00
194/6	2000	GL 45	2	2795.00



- 196 Vaccum Manifold Double Bank, "JSGW", with high vaccum glass key stopcock.


Cat. No.	No. of Ports	Min. Qty./Pack	Price/Piece (₹)
196/1	3	1	44125.00
196/2	4	1	45305.00
196/3	5	1	49030.00



196

- 197 Double Walled Round Bottom Flask with Interchangeable joint, "JSGW".

Cat. No.	Cap. Inner Chamber(ml)	Socket size	Minimum Qty./Pack	Price/Piece (₹)
197/1	1000	24/29	1	24815.00
197/2	2000	24/29	1	27295.00



197

STANDARD JOINTS, STOPPERS, ADAPTERS

- 201 Sockets, "JSGW", Plain Shank, Single.


Cat. No.	Socket	Min. Qty./Pack	Price/Piece (₹)
201/1	7/16	12	105.00
201/2	10/19	12	105.00
201/3	12/21	12	105.00
201/4	14/23	12	105.00
201/5	19/26	12	115.00
201/6	24/29	12	140.00
201/7	29/32	12	175.00
201/8	34/35	12	202.00
201/9	40/38	12	315.00
201/10	45/40	12	372.00
201/11	50/42	12	455.00
201/12	55/44	12	615.00



201

- 202 Cones, "JSGW", Plain End, Single.

Cat. No.	Cone	Min. Qty./Pack	Price/Piece (₹)
202/1	7/16	12	105.00
202/2	10/19	12	105.00
202/3	12/21	12	105.00
202/4	14/23	12	105.00
202/5	19/26	12	115.00
202/6	24/29	12	140.00
202/7	29/32	12	175.00
202/8	34/35	12	202.00
202/9	40/38	12	315.00
202/10	45/40	12	372.00
202/11	50/42	12	455.00
202/12	55/44	12	615.00



202


Note : Cones with tip, 10% extra, for hooks 10% extra on cone & socket



203



204



205



203 Sockets, "JSGW", Double.

Cat. No.	Socket	Shank Length mm. (approx.)	Minimum Qty./Pack	Price/Piece (₹)
203/1	7/16	80	12	185.00
203/2	10/19	80	12	185.00
203/3	14/23	80	12	185.00
203/4	19/26	80	12	197.00
203/5	24/29	80	12	245.00
203/6	29/32	90	12	310.00
203/7	34/35	100	12	360.00
203/8	40/38	110	12	555.00

Note : Sockets with Hooks, 10% extra.

204 Cones, "JSGW", Plain End, Double.

Cat. No.	Cone	Shank Length mm. (approx.)	Minimum Qty./Pack	Price/Piece (₹)
204/1	7/16	80	12	185.00
204/2	10/19	80	12	185.00
204/3	14/23	80	12	185.00
204/4	19/26	80	12	197.00
204/5	24/29	80	12	245.00
204/6	29/32	90	12	310.00
204/7	34/35	100	12	360.00
204/8	40/38	110	12	555.00

Note : Cones with tip, 10% extra, for hooks 10% extra.

205 Spherical Joints, Ball and Cup,"JSGW".

Cat. No.	Joint Size	Approx. Bore mm.	Price/Pair (₹)	S.S. Clip (₹)
205/1	S 13	2	535.00	390.00
205/2	S 13	5	535.00	390.00
205/3	S 19	9	450.00	365.00
205/4	S 29	15	540.00	405.00
205/5	S 35	21	690.00	485.00
205/6	S 41	32	1615.00	800.00

206 Polypropylene Clamps for Inter changeable Standard Joints "JSGW".


Cat. No.	Cone Size	Minimum Qty./Pack	Price/Piece (₹)
206/1	14/23	10	22.00
206/2	19/26	10	28.00
206/3	24/29	10	38.00
206/4	29/32	10	43.00
206/5	34/35	10	56.00

207 Polypropylene Stoppers, Interchangeable, "JSGW", Hexagonal Head.

Cat. No.	Cone Size	Minimum Qty./Pack	Price/Piece (₹)
207/1	10/19	50	15.00
207/2	14/23	50	21.00
207/3	19/26	50	23.00
207/4	24/29	50	38.00
207/5	29/32	50	50.00
207/6	34/35	50	63.00
207/7	12/21	50	30.00

210 Stoppers, Interchangeable, Ground Joint,"JSGW", Hollow, Hexagonal Head.


Cat. No.	Cone Size	Minimum Qty./Pack	Price/Piece (₹)
210/1	10/19	50	42.00
210/2	12/21	50	42.00
210/2A	14/23	50	45.00
210/3	19/26	50	52.00
210/4	24/29	25	67.00
210/5	29/32	25	111.00
210/6	34/35	10	160.00
210/7	40/38	5	367.00
210/8	45/40	5	410.00
210/9	50/42	5	580.00
210/10	55/44	5	655.00



210

210A Amber Colour Hollow Stopper, "JSGW".

Cat. No.	Stopper Size	Minimum Qty./Pack	Price/Piece (₹)
210A/1	10/19	50	67.00
210A/2	14/23	50	70.00
210A/3	19/26	25	82.00
210A/4	24/29	25	97.00
210A/5	34/35	10	190.00



210A

211 Stoppers, Interchangeable, Ground Joint,"JSGW", Solid, Penny Head.


Cat. No.	Cone Size	Minimum Qty./Pack	Price/Piece (₹)
211/1	10/19	50	58.00
211/2	14/23	50	70.00
211/3	19/26	50	101.00
211/4	24/29	25	140.00
211/5	29/32	25	210.00
211/6	34/35	10	305.00



211

211A Stoppers, Interchangeable, Ground Joint, for Reagent Bottle & Volumetric Flask, "JSGW".


Cat. No.	Cone	Capacity ml	Minimum Qty./Pack	Price/Piece (₹)
211A/1	14/23	Regent Bottle, 60 ml	12	66.00
211A/2	19/26	Regent Bottle, 125 & 250 ml	12	89.00
211A/3	24/29	Regent Bottle, 500 ml	12	131.00
211A/4	29/32	Regent Bottle, 1000 ml	12	200.00
211A/5	34/35	Regent Bottle, 2000 ml	12	330.00
211A/6	10/19	Volumetric Flask 5,10,20 ml	50	58.00
211A/7	10/19	Volumetric Flask 25 ml	50	58.00
211A/8	14/23	Volumetric Flask 100,200,250 ml	50	70.00
211A/9	19/26	Volumetric Flask 500 ml	25	101.00
211A/10	24/29	Volumetric Flask 1000 ml	25	140.00
211A/11	29/32	Volumetric Flask 2000 ml	25	210.00
211A/12	12/21	Volumetric Flask 50 ml	50	64.00



**Flat Head
211A/1 - 211A/5**




**Volumetric Flask
211A/6 - 211A/10**




Flat Head
212/1 - 212/5



Volumetric Flask
212/6 - 212/10



213



214

212 Amber Colour Stopper I/C, Ground Joint, for Reagent Bottles & Vol. Flasks.

Cat. No.	Cone	Capacity ml	Minimum Qty./Pack	Price/Piece (₹)
212/1	14/23	Reagent Bottle, 60 ml.	12	96.00
212/2	19/26	Reagent Bottle, 125& 250 ml	12	131.00
212/3	24/29	Reagent Bottle, 500 ml	12	192.00
212/4	29/32	Reagent Bottle, 1000 ml	12	300.00
212/5	34/35	Reagent Bottle, 2000 ml	12	430.00
212/6	10/19	Volumetric Flask, 5,10,20 ml	50	77.00
212/7	10/19	Volumetric Flask, 25 ml	50	77.00
212/8	14/23	Volumetric Flask, 100,200,250ml	50	101.00
212/9	19/26	Volumetric Flask, 500 ml	25	131.00
212/10	24/29	Volumetric Flask, 1000 ml	25	160.00
212/11	29/32	Volumetric Flask, 2000 ml	25	260.00
212/12	12/21	Volumetric Flask, 50 ml	50	89.00

213 Reduction Adapters, "JSGW"

Cat. No.	Socket Size	Cone Size	Minimum Qty./Pack	Price/Piece (₹)
213/1	14/23	19/26	12	127.00
213/2	14/23	24/29	12	145.00
213/3	14/23	29/32	12	186.00
213/4	19/26	24/29	12	155.00
213/5	19/26	29/32	12	187.00
213/6	19/26	34/35	12	235.00
213/7	19/26	40/38	12	280.00
213/8	19/26	45/40	12	295.00
213/9	19/26	55/44	12	425.00
213/10	24/29	29/32	12	200.00
213/11	24/29	34/35	12	235.00
213/12	24/29	40/38	12	280.00
213/13	24/29	45/40	12	307.00
213/14	24/29	50/42	12	360.00
213/15	24/29	55/44	12	435.00
213/16	29/32	34/35	12	267.00
213/17	29/32	40/38	12	300.00
213/18	34/35	40/38	12	327.00
213/19	34/35	50/42	12	405.00
213/20	34/35	55/44	12	465.00
213/21	40/38	55/44	12	575.00

214 Expansion Adapters, "JSGW"

Cat. No.	Socket	Cone	Minimum Qty./Pack	Price/Piece (₹)
214/1	19/26	14/23	12	147.00
214/2	24/29	14/23	12	195.00
214/3	24/29	19/26	12	180.00
214/4	29/32	19/26	12	221.00
214/5	29/32	24/29	12	227.00
214/6	34/35	19/26	12	260.00
214/7	34/35	24/29	12	275.00
214/8	34/35	29/32	12	287.00
214/9	40/38	24/29	12	335.00

Note : Reduction & Expansion adapters of any other combination can also be supplied.

216 Multiple Adapters, "JSGW", with Two Necks Parallel.

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
216/1	14/23	14/23	295.00
216/2	19/26	19/26	335.00
216/3	19/26	24/29	340.00
216/4	24/29	24/29	407.00
216/5	19/26	34/35	455.00
216/6	29/32	29/32	540.00

217 Multiple Adapters, "JSGW", with Two Necks at 45°.

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
217/1	19/26	19/26	335.00
217/2	19/26	24/29	340.00
217/3	19/26	34/35	455.00

218 Multiple Adapters, "JSGW", with Three Necks, Two Parallel and one at 45°.

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
218/1	19/26	24/29	480.00
218/2	19/26	29/32	555.00
218/3	19/26	34/35	565.00
218/4	19/26	45/40	810.00
218/5	19/26	55/44	945.00

219 Swan Neck Adapters, "JSGW".


Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
219/1	19/26	19/26	255.00
219/2	19/26	24/29	255.00
219/3	24/29	24/29	275.00
219/4	24/29	34/35	300.00


220 Receiver Adapters, "JSGW", Plain Bend Short/long.

Cat. No.	Socket Size	Price/Piece (₹)
220/1	14/23	140.00
220/2	19/26	160.00
220/3	24/29	187.00
220/4	29/32	220.00
220/5	34/35	275.00
220/6	40/38	367.00
220/7	45/40	475.00
220/8	50/42	585.00
220/9	55/44	615.00

221 Straight Delivery Adapters, "JSGW".

Cat. No.	Socket Size	Price/Piece (₹)
221/1	14/23	140.00
221/2	19/26	160.00
221/3	24/29	187.00
221/4	29/32	221.00
221/5	34/35	275.00





222 Receiver Adapters, "JSGW", Bend with Vent.

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
222/1	14/23	14/23	267.00
222/2	19/26	19/26	295.00
222/3	19/26	24/29	307.00
222/4	24/29	24/29	367.00
222/5	34/35	34/35	535.00

223 Receiver Adapters, "JSGW", Bend or Straight with Vacuum connection.

Cat. No.	Socket	Cone	Price/Piece (₹)
223/1	14/23	14/23	275.00
223/2	19/26	19/26	295.00
223/3	19/26	24/29	300.00
223/4	24/29	24/29	352.00
223/5	24/29	34/35	425.00
223/6	34/35	34/35	500.00
223/7	29/32	29/32	400.00

224 Receiver Adapters, "JSGW", Bend with Socket Connections.

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
224/1	14/23	14/23	295.00
224/2	19/26	19/26	335.00
224/3	19/26	24/29	340.00

225 Receiver Adapters, "JSGW", Bend with Multiple Connections (Fig).

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
225/1	14/23	14/23	560.00
225/2	14/23	19/26	585.00
225/3	19/26	19/26	605.00

226 Perkin Intermediate Receiver, "JSGW".

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
226/1	14/23	14/23	1795.00
226/2	19/26	19/26	1850.00
226/3	19/26	24/29	1860.00
226/4	24/29	24/29	1920.00
226/5	34/35	24/29	2175.00
226/6	34/35	34/35	2650.00


227 Receiver Adapters, Plain Bend, "JSGW".

Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
227/1	19/26	19/26	246.00
227/2	19/26	24/29	260.00
227/3	24/29	24/29	307.00
227/4	34/35	34/35	475.00

STILL HEADS / SPLASH HEADS


231 Still Heads, Recovery Bend, "JSGW", Sloping (Elbow).

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
231/1	14/23	14/23	215.00
231/2	24/29	14/23	280.00
231/3	19/26	19/26	240.00
231/4	24/29	19/26	287.00
231/5	29/32	19/26	320.00
231/6	34/35	19/26	380.00
231/7	24/29	24/29	280.00
231/8	34/35	24/29	360.00
231/9	55/44	24/29	725.00
231/10	34/35	34/35	475.00
231/11	29/32	29/32	375.00




232 Still Heads, Recovery Bend, "JSGW", Vertical.

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
232/1	14/23	14/23	255.00
232/2	19/26	19/26	300.00
232/3	24/29	14/23	355.00
232/4	24/29	24/29	400.00
232/5	34/35	34/35	590.00




233 Recovery Head, "JSGW", Sloping with 14/23 Socket.

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
233/1	14/23	14/23	300.00
233/2	19/26	19/26	355.00
233/3	24/29	19/26	367.00
233/4	29/32	19/26	395.00
233/5	34/35	19/26	440.00
233/6	24/29	24/29	375.00
233/7	34/35	24/29	590.00
233/8	55/44	24/29	770.00
233/9	34/35	34/35	620.00
233/10	55/44	34/35	825.00
233/11	29/32	29/32	455.00




234 Claisen Heads, "JSGW", Sloping with 2x 14/23 Sockets.


Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
234/1	14/23	14/23	425.00
234/2	19/26	19/26	475.00
234/3	24/29	19/26	505.00
234/4	34/35	19/26	600.00
234/5	24/29	24/29	560.00
234/6	34/35	24/29	615.00



235 Splash Heads, "JSGW", Pear Shape, Sloping.

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
235/1	19/26	19/26	460.00
235/2	24/29	19/26	480.00
235/3	34/35	19/26	605.00
235/4	34/35	24/29	615.00
235/5	34/35	34/35	670.00
235/6	24/29	24/29	500.00





236 Splash Heads, "JSGW", Pear Shape, Vertical

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
236/1	19/26	19/26	525.00
236/2	24/29	19/26	540.00
236/3	34/35	19/26	680.00
236/4	24/29	24/29	565.00
236/5	34/35	24/29	730.00

237 Splash Head Adapter, "JSGW".

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
237/1	24/29	19/26	455.00

238 Steam Distillation Heads "JSGW" Pear Shape, Sloping.

Cat. No.	Cone fitting flask	Cone Fitting Condenser	Price/Piece (₹)
238/1	24/29	19/26	585.00
238/2	34/35	19/26	605.00
238/3	34/35	24/29	620.00

MISCELLANEOUS FITTING

245 Adapters with Stopcock, "JSGW", Cone to Rubber Tubing, Straight connection.

Cat. No.	Cone size	Price/Piece (₹)
245/1	14/23	345.00
245/2	19/26	360.00
245/3	24/29	372.00
245/4	29/32	447.00
245/5	34/35	500.00

245A Adapter with Stopcock, "JSGW", Cone to Rubber Tubing, Right Angle Connection.

Cat. No.	Cone size	Price/Piece (₹)
245A/1	14/23	345.00
245A/2	19/26	360.00
245A/3	24/29	372.00
245A/4	29/32	447.00
245A/5	34/35	500.00

245T Adapter, with Three Way Oblique Bore Stopper, Cone with Straight, at Right Angle Connection.

Cat. No.	Cone size	Minimum Qty/Pack	Price/Piece (₹)
245T/1	14/23	5	785.00
245T/2	19/26	5	825.00
245T/3	24/29	5	865.00
245T/4	29/32	5	925.00
245T/5	34/35	5	1030.00

246 Adapters, "JSGW", Socket to Rubber Tubing, Straight or Right angle connection, with Stopcock.

Cat. No.	Socket size	Price/Piece (₹)
246/1	14/23	367.00
246/2	19/26	372.00
246/3	24/29	385.00
246/4	29/32	460.00

247 Adapters, "JSGW", Cone to rubber tubing, straight connection.

Cat. No.	Socket size	Price/Piece (₹)
247/1	14/23	135.00
247/2	19/26	150.00
247/3	24/29	165.00
247/3A	29/32	197.00
247/4	34/35	237.00




247

247A Adapters, "JSGW", Cone to rubber tubing, Right Angle Connection.

Cat. No.	Cone Size	Price/Piece (₹)
247A/1	14/23	135.00
247A/2	19/26	150.00
247A/3	24/29	165.00
247A/3A	29/32	197.00
247A/4	34/35	237.00



247A



248

248 Adapters, "JSGW", Cone with stem, rubber tubing Right angle connection.

Cat. No.	Cone Size	Price/Piece (₹)
248/1	14/23	175.00
248/2	19/26	190.00
248/3	24/29	210.00




249

249 Adapter, "JSGW", Socket to Rubber tubing, Straight connection.

Cat. No.	Socket Size	Price/Piece (₹)
249/1	19/26	150.00
249/2	24/29	160.00

250 Adapters "JSGW" Socket to cone with Tee Connection.


Cat. No.	Socket Size	Cone Size	Price/Piece (₹)
250/1	14/23	14/23	170.00
250/2	14/23	19/26	176.00
250/3	14/23	24/29	190.00
250/4	19/26	19/26	197.00
250/5	19/26	24/29	217.00
250/6	19/26	34/35	265.00
250/7	24/29	24/29	245.00
250/8	24/29	34/35	300.00
250/9	34/35	34/35	335.00



250

252 U Tube, "JSGW", with two sockets or cones.

Cat. No.	Cone	Price/Piece (₹)
252/1	14/23	345.00
252/2	19/26	400.00




252

253 Drying Tube, "JSGW".

Cat. No.	Cone	Price/Piece (₹)
253/1	14/23	160.00
253/2	19/26	190.00
253/3	24/29	217.00



253



254 Thermometer Pocket, "JSGW", Long type, for sealing to required length.

Cat. No.	Cone	Price/Piece (₹)
254/1	14/23	160.00
254/2	19/26	185.00
254/3	24/29	217.00
254/4	34/35	312.00

Note: Kindly mention the capacity of the flask in Thermometer are to be used.

255 Thermometer Pocket, "JSGW".

Cat. No.	Cone Size	Price/Piece (₹)
255/1	14/23	150.00
255/2	19/26	170.00
255/3	24/29	197.00

256 Air Leak Tube/Gas Inlet Tube, "JSGW".

Cat. No.	Cone Size	Price/Piece (₹)
256/1	14/23	160.00
256/2	19/26	185.00
256/3	24/29	217.00
256/4	34/35	312.00

STIRRERS

260 Glass Stirring Rods "JSGW".

Cat. No.	Approx OD x Length mm	Minimum Qty/pack	Price/Piece (₹)
260/1	7 x 150	10	27.00
260/2	7 x 205	10	38.00
260/3	7 x 255	10	44.00
260/4	7 x 305	10	51.00
260/5	9 x 150	10	44.00
260/6	9 x 205	10	51.00
260/7	9 x 255	10	65.00
260/8	9 x 305	10	65.00
260/9	9 x 400	10	95.00

261 Teflon Bladed Stirrers, "JSGW", Blade removable from the Stirrer Shaft.

Cat. No.	Approx. shaft dia mm.	Shaft length mm.	Smallest Socket through which blade will pass	Blade width mm.	Price/Piece (₹)
261/1	6	450	19/26	52	395.00
261/2	6	450	24/29	76	475.00
261/3	8	450	24/29	76	505.00
261/4	8	450	29/32	100	645.00
261/5	8	600	34/35	100	645.00
261/6	10	450	34/35	100	705.00
261/7	10	600	34/35	125	940.00

Shaft for Teflon Bladed stirrers, "JSGW"

261/9	6	450	175.00
261/10	8	450	195.00
261/11	8	600	230.00
261/12	10	450	250.00
261/13	10	600	302.00

262 Link Stirrers, "JSGW".

Cat. No.	Approx. shaft dia mm.	Shaft length mm.	Smallest Socket through which blade will pass	Blade width mm.	Price/Piece (₹)
262/1	6	450	24/29	75	295.00
262/2	6	600	24/29	75	315.00

263 Collapsible Paddle Stirrers, "JSGW".

Cat. No.	Approx. shaft dia mm.	Shaft length mm.	Smallest Socket through which blade will pass	Blade width mm.	Price/Piece (₹)
263	6	600	24/29	75	425.00

264 Fixed Paddle Stirrers, "JSGW".

Cat. No.	Approx. shaft dia mm.	Shaft length mm.	Smallest Socket through which blade will pass	Blade width mm.	Price/Piece (₹)
264/1	6	600	55/44	50	365.00
264/2	8	600	55/44	50	415.00
264/3	10	750	100 mm	80	580.00

267 Semi Micro Stirrers, "JSGW".

267/1	Screw	4	210	230.00
267/2	Anchor	4	210	230.00

268 Stirrers Guides, "JSGW".

Cat. No.	To fit stirrer shaft	Socket Size	Cone Size	Approx. stem length	Price/Piece (₹)
268/1	6 mm	19/26	19/26	200 mm	405.00
268/2	10 mm	24/29	24/29	300 mm	415.00

269 Mercury Seal Glands and Guide, "JSGW".

Cat No.	To Fit stirrer shaft	Cone	Approx. stem length	Price/Piece (₹)
269/1	6 mm	19/26	200 mm	470.00
269/2	6 mm	24/29	200 mm	485.00
269/3	8 mm	34/35	200 mm	595.00

270 Mercury Seal Glands and Cap, "JSGW".


Cat. No.	To Fit stirrer shaft	Cone	Price/Piece (₹)
270/1	6 mm	19/26	465.00
270/2	6 mm	24/29	470.00
270/3	8 mm	34/35	510.00
270/4	6 or 8 mm	24/29 with Teflon tube	1105.00
270/5	6 or 8 mm	34/35 with Teflon tube	1180.00

271 Stuffing Box Glands, "JSGW", with brass pulley fitted with ball bearing.

Cat No.	Material of Cone	To fit stirrer shaft	Cone	Price/Piece (₹)
271/1	PTFE	6 mm	19/26	3370.00
271/2	PTFE	6-8 mm	24/29	3535.00
271/3	PTFE	8 mm	34/35	4335.00
271/4	PTFE	8-10 mm	29/32	4120.00

272 Simple Glands with Cap, "JSGW".

Cat. No.	To Fit stirrer shaft	Cone	Price/Piece (₹)
272/1	6 mm	14/23	135.00
272/2	6 mm	19/26	150.00
272/3	6 mm	24/29	162.00



SEPARATING / DROPPING FUNNELS



280



280A



280B



281

- 280 Separating Funnels, "JSGW", with glass key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
280/1	30	4	460.00
280/2	60	4	515.00
280/3	125	4	745.00
280/4	250	4	845.00
280/5	500	4	1095.00
280/6	1000	4	1665.00
280/7	2000	2	3910.00
280/9	5000	1	9475.00

- 280A Separating Funnels, "JSGW", with Screw thread, O-Ring glass key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
280A/1	30	4	705.00
280A/2	60	4	730.00
280A/3	125	4	970.00
280A/4	250	4	1075.00
280A/5	500	4	1325.00
280A/6	1000	4	1715.00
280A/7	2000	2	3950.00

- 280B Amber Colour Separating Funnels, "JSGW", with glass key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
280B/1	30	4	810.00
280B/2	60	4	890.00
280B/3	125	4	1060.00
280B/4	250	4	1280.00
280B/5	500	4	1670.00
280B/6	1000	4	2465.00
280B/7	2000	2	5100.00

- 281 Separating Funnels, "JSGW", with Screw type, PTFE Needle Valve Rotaflow stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
281/1	30	4	450.00
281/2	60	4	530.00
281/3	125	4	760.00
281/4	250	4	855.00
281/5	500	4	1150.00
281/6	1000	4	1680.00
281/7	2000	2	3915.00

- 282 Separating Funnels, "JSGW", with PTFE key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
282/1	30	4	870.00
282/2	60	4	890.00
282/3	125	4	1100.00
282/4	250	4	1245.00
282/5	500	4	1705.00
282/6	1000	4	2275.00
282/7	2000	2	4495.00
282/9	5000	1	10330.00

- 282A Amber Colour Separating Funnels, "JSGW", with PTFE key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
282A/1	30	4	1125.00
282A/2	60	4	1210.00
282A/3	125	4	1390.00
282A/4	250	4	1680.00
282A/5	500	4	2265.00
282A/6	1000	4	3175.00
282A/7	2000	2	6415.00

- 283 Separating Funnels, "JSGW", with Glass Key Stopcock, Interchangeable Stopper, Globe Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
283/1	25	2	445.00
283/2	50	2	505.00
283/3	100	2	570.00
283/4	250	2	665.00
283/5	500	2	825.00
283/6	1000	2	1350.00
283/7	2000	2	2795.00
283/8	3000	1	4585.00
283/9	5000	1	6450.00
283/10	10000	1	11250.00
283/11	20000	1	21475.00

- 284 Separating Funnels, "JSGW", with Screw type PTFE Needle Valve Stopcock, Interchangeable Stopper, Globe Shape, Plain Stem.


Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
284/1	25	2	425.00
284/2	50	2	470.00
284/3	100	2	545.00
284/4	250	2	730.00
284/5	500	2	870.00
284/6	1000	2	1415.00
284/7	2000	2	2855.00




282




282A



283



284



- 285 **Separating Funnels,"JSGW"**, with PTFE key Stopcock, Interchangeable Stopper, Globe Shape, Plain Stem.

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
285/1	25	2	825.00
285/2	50	2	870.00
285/3	100	2	950.00
285/4	250	2	1210.00
285/5	500	2	1490.00
285/6	1000	2	2060.00
285/7	2000	2	3510.00

- 286 **Dropping Funnels,"JSGW"**, Cylindrical, with Interchangeable Stopper and Glass Key Stopcock, Plain Stem.

Cat. No.	Capacity ml.	Socket Size	Price/Piece (₹)
286/1	50	14/23	470.00
286/2	100	19/26	525.00
286/3	150	24/29	560.00
286/4	250	24/29	655.00
286/5	500	24/29	895.00
286/6	1000	34/35	1600.00

- 287 **Dropping Funnels, "JSGW"**, Cylindrical, Graduated, with Interchangeable Stopper and Glass Key Stopcock, Plain Stem.

Cat. No.	Capacity ml.	Socket Size	Price/Piece (₹)
287/1	50	14/23	580.00
287/2	100	19/26	670.00
287/3	150	24/29	880.00
287/4	250	24/29	950.00
287/5	500	24/29	1210.00
287/6	1000	34/35	2145.00

- 288 **Dropping Funnels, "JSGW"**, Cylindrical, with Screw type PTFE Needle Valve Stopcock and Interchangeable Stopper, Plain Stem.

Cat. No.	Capacity ml.	Socket Size	Price/Piece (₹)
288/1	50	14/23	420.00
288/2	100	19/26	470.00
288/3	150	24/29	590.00
288/4	250	24/29	750.00
288/5	500	24/29	1085.00
288/6	1000	34/35	1860.00

- 289 **Dropping Funnels,"JSGW"**, Cylindrical, Graduated, with Screw type PTFE Needle Valve Stopcock and Interchangeable Stopper, Plain Stem.

Cat. No.	Capacity ml.	Socket Size	Price/Piece (₹)
289/1	50	14/23	525.00
289/2	100	19/26	610.00
289/3	150	24/29	830.00
289/4	250	24/29	940.00
289/5	500	24/29	1415.00
289/6	1000	34/35	2365.00

- 290 **Dropping Funnels, "JSGW"**, Cylindrical, with Open top Glass Key Stopcock, Stem with Cone.

Cat. No.	Capacity ml.	Cone Size	Price/Piece (₹)
290/1	50	19/26	470.00
290/2	100	19/26	487.00
290/3	100	24/29	510.00
290/4	250	19/26	645.00
290/5	500	24/29	810.00

- 291 **Dropping Funnels, "JSGW"**, Cylindrical, open top, with Screw type PTFE Needle Valve Stopcock, Stem with Cone.


Cat. No.	Capacity ml.	Cone Size	Price/Piece (₹)
291/1	50	19/26	420.00
291/2	100	19/26	487.00
291/3	100	24/29	500.00
291/4	250	19/26	695.00
291/5	500	24/29	825.00


- 292 **Separating Funnels, "JSGW"**, pear shape, with socket, Glass Key stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
292/1	25	14/23	14/23	560.00
292/2	50	14/23	14/23	600.00
292/3	50	19/26	19/26	650.00
292/4	100	14/23	14/23	695.00
292/5	100	19/26	19/26	710.00
292/6	250	14/23	14/23	765.00
292/7	250	19/26	19/26	780.00
292/8	500	19/26	19/26	970.00
292/9	500	24/29	24/29	990.00
292/10	1000	19/26	19/26	1485.00
292/11	1000	24/29	24/29	1505.00

- 293 **Separating Funnels, "JSGW"**, Pear shape, with socket, screw type PTFE Needle Valve Stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
293/1	25	14/23	14/23	545.00
293/2	50	14/23	14/23	595.00
293/3	50	19/26	19/26	610.00
293/4	100	14/23	14/23	660.00
293/5	100	19/26	19/26	675.00
293/6	250	14/23	14/23	820.00
293/7	250	19/26	19/26	840.00
293/8	500	19/26	19/26	1005.00
293/9	500	24/29	24/29	1015.00
293/10	1000	19/26	19/26	1540.00
293/11	1000	24/29	24/29	1575.00





- 294 **Dropping Funnels, "JSGW"**, Cylindrical, with socket, Glass Key stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
294/1	25	14/23	14/23	535.00
294/2	50	14/23	14/23	560.00
294/3	100	14/23	14/23	615.00
294/4	100	19/26	19/26	625.00
294/5	250	19/26	19/26	755.00
294/6	500	19/26	19/26	1105.00
294/7	1000	19/26	19/26	1690.00

- 295 **Dropping Funnels, "JSGW"**, Cylindrical, with socket, Screw type PTFE Needle Valve Stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
295/1	25	14/23	14/23	470.00
295/2	50	14/23	14/23	520.00
295/3	100	14/23	14/23	610.00
295/4	100	19/26	19/26	625.00
295/5	250	19/26	19/26	940.00
295/6	500	19/26	19/26	1325.00
295/7	1000	19/26	19/26	1990.00

- 296 **Pressure Equalising Funnels, "JSGW"**, Pear shape, with socket, Glasskey stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
296/1	100	19/26	19/26	1100.00
296/2	100	24/29	24/29	1140.00
296/3	250	19/26	19/26	1175.00
296/4	250	24/29	24/29	1230.00
296/5	500	19/26	19/26	1495.00
296/6	500	24/29	24/29	1540.00
296/7	500	34/35	34/35	1720.00

- 296A **Pressure Equalising Funnels, "JSGW"**, Pear shape, with socket, PTFE Key stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
296A/1	100	19/26	19/26	1480.00
296A/2	100	24/29	24/29	1530.00
296A/3	250	19/26	19/26	1565.00
296A/4	250	24/29	24/29	1610.00
296A/5	500	19/26	19/26	1900.00
296A/6	500	24/29	24/29	1965.00
296A/7	500	34/35	34/35	2290.00

- 297 **Pressure Equalising Funnels, "JSGW"**, Cylindrical, with socket, Glass Key stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket Size	Cone Size	Price/Piece (₹)
297/1	250	19/26	19/26	1090.00
297/2	250	24/29	24/29	1120.00
297/3	500	19/26	19/26	1460.00
297/4	500	24/29	24/29	1510.00
297/5	50	19/26	19/26	895.00
297/6	100	19/26	19/26	955.00

- 297A **Pressure Equalising Funnels, "JSGW"**, Cylindrical, with socket, PTFE Key stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece (₹)
297A/1	250	19/26	19/26	1530.00
297A/2	250	24/29	24/29	1540.00
297A/3	500	19/26	19/26	2070.00
297A/4	500	24/29	24/29	2085.00
297A/5	50	19/26	19/26	1280.00
297A/6	100	19/26	19/26	1400.00

- 297B **Pressure Equalising Funnels, "JSGW"**, Cylindrical, **Graduated** with socket, PTFE Key stopcock and stem with cone.





Cat. No.	Capacity ml.	Socket	Cone	Price/Piece (₹)
297B/1	250	19/26	19/26	1880.00
297B/2	250	24/29	24/29	1895.00
297B/3	500	19/26	19/26	2325.00
297B/4	500	24/29	24/29	2405.00
297B/5	50	19/26	19/26	1635.00
297B/6	100	19/26	19/26	1720.00

- 298 **Dropping Funnels, "JSGW"**, Cylindrical, open top, with Gas outlet tube, Stem with 24/29 Cone, Capacity 100 ml. 715.00

- 299 **Plug Type Funnels, "JSGW"**, Capacity 50 ml., Socket 10/19, Cone 19/26 545.00

- 300 **Seprating Funnel Stand** : Rectangular Cast Iron Painted Base with mild steel Chrome Plated or powdered coated rod and retort ring with fixed boss head.

Cat. No.	Funnel Capacity	Base	Rod	Retort Ring Dia	Price/Piece (₹)
300/1	60 ml	6" x 4"	18" x 3/8"	2.5"	780.00
300/2	125 ml	6" x 4"	18" x 3/8"	2.5"	780.00
300/3	250 ml	8" x 5"	24" x 1/2"	3"	1070.00
300/4	500 ml	9" x 6"	30" x 1/2"	3"	1070.00
300/5	1000 ml	9" x 6"	30" x 1/2"	4"	1510.00
300/6	2000 ml	10" x 8"	30" x 1/2"	6"	2550.00



FRACTIONATING COLUMNS

301 Fractionating Columns, "JSGW", Vigrex.

Cat. No.	Effective length mm.	Socket	Cone	Price/Piece (₹)
301/1	360	24/29	24/29	720.00
301/2	600	24/29	24/29	935.00
301/3	360	29/32	29/32	830.00
301/4	750	34/35	34/35	1480.00

302 Fractionating Columns, "JSGW", Dufton.

Cat. No.	Effective length mm.	Socket	Cone	Price/Piece (₹)
302/1	150	24/29	19/26	690.00
302/2	300	24/29	19/26	810.00
302/3	150	24/29	24/29	720.00
302/4	300	24/29	24/29	840.00

303 Fractionating Columns, "JSGW", Pear Bulb.

Cat. No.	Effective length mm.	Socket	Cone	Price/Piece (₹)
303/1	130	34/35	24/29	935.00
303/2	250	34/35	24/29	1235.00
303/3	500	34/35	24/29	2060.00

304 Fractionating Columns, "JSGW", Plain, designed for use with various types of columns packing.

Cat. No.	Effective length mm.	Socket	Cone	Price/Piece (₹)
304/1	250	24/29	24/29	390.00
304/2	500	24/29	24/29	545.00
304/3	750	24/29	24/29	730.00
304/4	250	34/35	24/29	825.00
304/5	500	34/35	24/29	935.00
304/6	600	34/35	34/35	1005.00

305 Packing for Plain Columns, "JSGW".

Cat. No.	Description	Approx. dia. mm.	Approx. length mm.	Qty/Pack	Price/Pack (₹)
305/2	Rasching ring N.G.	8	8	100 gm	170.00
305/3	Rasching ring N.G.	10	10	100 gm	170.00
305/6	Glass Beads N.G. without Holes	3/4		500 gm	1395.00
305/7	— do —	4/5		500 gm	1240.00
305/8	— do —	5/6		500 gm	1140.00

306 Packing Support, "JSGW".

Cat. No.	To fit Socket Size	Diameter mm	Price/Piece (₹)
306/1	19/26	16	110.00
306/2	24/29	21	120.00
306/3	34/35	29	155.00
306/4	40/38	35	182.00



301




302



303



304



305



306

SINTERED GLASSWARE

POROSITY GRADES AND THEIR GENERAL USE

Porosity	Pore Size	General Use
G-0	150-250	Coarse Filtration, Gas dispersion and support for other filter material.
G-1	90-150	Coarse Precipitate, Filtration, Gas dispersion, Coarse grain material filtration.
G-2	40-90	Medium & Crystalline precipitate filtration, medium filtration & washing of gases.
G-3	15-40	Fine Gas filtration and dispersion, mercury filtration, fine grain material filtration, collection of fine precipitates, Analytical Work with medium precipitates.
G-4	5/15	"Valves for mercury collection of very fine precipitates. Analytical work with fine precipitate".

Price/Piece
(₹)

- 325 Filtering Apparatus Witt's, "JSGW", Complete with flanged jar, flanged lid, funnel and 250 ml. beaker.

11055.00

- 326 Filter Apparatus, "JSGW", Complete with Filtering Flask, gooch crucible with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, glass adapter and rubber cone.

Cat. No.	Flask Cap. ml.	Crucible Cap. ml.	Price/Piece (₹)
326/1	250	30	1005.00
326/2	500	30	1155.00
326/3	1000	50	1830.00

Note : Please mention Porosity of Sintered Disc, while placing order.

- 327 Filter Apparatus, "JSGW", Complete, Filter Flask with Socket and buchner funnel with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, having cone.


Cat. No.	Flask Cap. ml	Buchner Funnel Cap. ml	Joint	Price/Pair (₹)
327/1	250	80	24/29	1500.00
327/2	500	200	24/29	2205.00
327/3	1000	500	29/32	4365.00
327/4	2000	1000	29/32	9715.00


Note : Please mention Porosity of Sintered Disc, while placing order.

- 328 Crucible, "JSGW", Gooch type with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4.

Cat. No.	Capacity ml.	Price/Piece (₹)
328/1	15	132.00
328/2	30	150.00
328/3	50	282.00

Note : Please mention Porosity of Sintered Disc, while placing order.






329

- 329 Buchner Funnel, "JSGW", with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, plain stem. *(Please mention Porosity of Sintered Disc, while placing order).*

Cat. No.	Capacity ml.	Disc dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
329/1	35	30	5	295.00
329/2	80	40	5	497.00
329/3	200	65	5	1005.00
329/4	500	90	5	2340.00
329/5	1000	120	2	5805.00
329/6	125	50	5	805.00




330

- 330 Buchner Funnel, "JSGW", with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, cone at stem. *(Please mention Porosity of Sintered Disc and cone size, while placing order).*

Cat. No.	Capacity ml.	Disc Dia mm.	Cone Size	Minimum Qty/Pack	Price/Piece (₹)
330/1	35	30	14/23	5	530.00
330/1A	35	30	19/26	5	535.00
330/2	80	40	14/23	5	730.00
330/2A	80	40	19/26	5	735.00
330/3	200	65	19/26	5	1340.00
330/3A	200	65	24/29	5	1355.00
330/4	500	90	24/29	2	2815.00
330/4A	500	90	29/32	2	2890.00
330/5	1000	120	24/29	2	6900.00
330/5A	1000	120	29/32	2	6970.00
330/6	125	50	19/26	5	1145.00
330/6A	125	50	24/29	5	1155.00

- 330 V Buchner Funnel, "JSGW", with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, cone and Vacuum Connection at stem.



330 V

Cat. No.	Capacity ml.	Disc Dia mm.	Cone Size	Minimum Qty/Pack	Price/Piece (₹)
330V/1	35	30	14/23	5	735.00
330V/1A	35	30	19/26	5	740.00
330V/2	80	40	14/23	5	935.00
330V/2A	80	40	19/26	5	940.00
330V/3	200	65	19/26	5	1550.00
330V/3A	200	65	24/29	5	1560.00
330V/4	500	90	24/29	2	3025.00
330V/4A	500	90	29/32	2	3095.00
330V/5	1000	120	24/29	2	7110.00
330V/5A	1000	120	29/32	2	7185.00
330V/6	125	50	19/26	5	1355.00
330V/6A	125	50	24/29	5	1360.00

Please mention Porosity of Sintered Disc and cone size, while placing order.

331 Membrane Filter Holder Assembly, "JSGW", with support formembrane, Funnel, Flask and Clamp, Standard Joint Fitting.

Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Flask Cap. ml.	Minimum Qty/Pack	Price/Piece (₹)
331/1	25	25	250	1	3585.00
331/2	25	50	500	1	3870.00
331/3	47	300	1000	1	6445.00
331/4	47	300	2000	1	7455.00
331/5	90	1000	5000	1	50175.00

331A Spare Flask for Membrane Filter Holder Assembly, "JSGW".

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
331A/1	250	2	790.00
331A/2	500	2	1105.00
331A/3	1000	2	1850.00
331A/4	2000	2	2920.00
331A/5	5000	1	8605.00

331 BT Membrane Filter Holder Assembly, "JSGW", with support for membrane, Funnel, Bottle and Clamp, Silicone Rubber Cork fitting.

Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Bottle Cap. ml.	Price/Piece (₹)
331BT/3	47	300	1000	6385.00
331BT/4	47	300	2000	7160.00

332 Membrane Filter Holder Assembly, "JSGW", with support for membrane, Funnel, Flask and Clamp, Silicone Rubber Cork fitting.


Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Flask Cap. ml.	Price/Piece (₹)
332/1	25	25	250	3230.00
332/2	25	50	500	3585.00
332/3	47	300	1000	6020.00
332/4	47	300	2000	6595.00

332A Filter Holders, Stainless Steel, (To hold Membrane Filters)



Cat. No.	Description	Price/Piece (₹)
332A/3	Vacuum Filter Holder 47 mm Complete S.S.	9970.00
332A/4	3 Branch Sterility Test, 47 mm, S.S.	63125.00
332A/5	6 Branch Sterility Test, 47 mm, S.S.	122320.00

332 SS Filter Holder assembly, Stainless Steel, supplied with filter flask and high pressure natural rubber tube, 1 meter long.


Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Flask Cap. ml.	Price/Piece (₹)
332SS/1	47	200	1000	13180.00
332SS/2	47	200	2000	14155.00



331A




331 BT




332



332A/3



332-A/4



332B Oil Free Portable Vacuum Pumps (Diaphragm Type)

Cat. No.	Max. Flow (Its. min/in.Hg)	Max Vacuum	Max (Psig)	Motor HP	Price/Piece (₹)
332B/1	15	22"	25	1/20	14640.00
332B/2	25	27"	35	1/16	19735.00
332B/3	45	22"	35	1/8	23655.00
332B/4	45	22"	55	1/4	32570.00

Chemical Resistant Pump, value made of Teflon

332B/5	28	27"	55	1/8	42330.00
--------	----	-----	----	-----	----------

332C Hand Vacuum Pump Plastic, with Gauge

7375.00

333 Tube Sealed, "JSGW", with reduced ends, with Sintered Disc (Pipe line filter) Porosity G-1 or G-2 or G-3 or G-4. *Please mention Porosity of Sint. Disc, while placing order.*

Cat. No.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
333/1	30	5	595.00
333/2	40	5	890.00
333/3	50	5	1200.00
333/4	65	5	2325.00
333/5	90	5	3660.00

334 Conical Filter, "JSGW", (Hirsch type) with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4. *Please mention Porosity of Sintered Disc, while placing order.*

Cat. No.	Capacity ml.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
334/1	20	20	5	445.00
334/2	60	30	5	530.00
334/3	175	30	5	625.00

335 Sintered Glass Filter Tube, "JSGW", with Sintered Disc sealed in Center. Porosity G-1 or G-2 or G-3 or G-4. *Please mention Porosity of Sintered Disc, while placing order.*

Cat. No.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
335/1	10	5	290.00
335/2	20	5	370.00
335/3	30	5	505.00
335/4	40	5	845.00
335/5	50	5	1330.00
335/6	90	2	4685.00

INTERCHANGEABLE GROUND JOINT ASSEMBLIES

- 341 Distillation Apparatus, "JSGW", Consists of 500 ml. (Phenol Distillation) Flask, 200 mm. Graham condenser, and stopper 2035.00
- 342 Distillation Apparatus, "JSGW", Consists of 2000 ml. Flask Friedrich condenser, and stopper. 5560.00
- 343 Distillation Apparatus, "JSGW", compact, Consists of 1000 ml. Erlenmeyer Flask, and Friedrich condenser. 3785.00
- 344 Distillation Apparatus Ammonia, "JSGW" Consists of 500 ml. Kjeldahl Flask, splash head and Graham condenser. 2470.00
- 345 Reflux Assemblies, "JSGW", Consists of R.B. Flask and Air Condenser.


Cat. No.	Flask Capacity ml.	Condenser effective length mm.	Price/Piece (₹)
345/1	100	500	720.00
345/2	250	750	740.00
345/3	500	1000	920.00


- 346 Reflux Assemblies, "JSGW", Consists of R.B. Flask and Liebig Condenser.

Cat. No.	Flask Capacity ml.	Condenser effective length mm.	Price/Piece (₹)
346/1	100	300	920.00
346/2	250	400	1060.00
346/3	500	500	1235.00

- 347 Reflux Assembly, "JSGW" consists of R.B. Flask 1000 ml., and a reversible Coil Condenser. 1800.00
- 348 Reflux Assembly, "JSGW" consists of R.B. Flask 500 ml., multiple adapter two necks, stirrer guide, rubber sleeve gland, Link stirrer 450 mm., vertical Allihn condenser 300 mm. 2605.00
- 349 Reflux with Stirrer Assembly, "JSGW" consists of R.B. Flask 1000 ml. multiple adapter three necks, stirrer guide, rubber sleeve gland, collapsible paddle stirrer 450 mm., coil condenser 150 mm., drying tube, separating funnel 100 ml. and stopper. 4085.00
- 350 Reaction Assembly, "JSGW", consists of R.B. flask 500 ml., multiple adapter two necks, stirrer gland with pulley, links stirrer 450 mm., still head, thermometer pocket, Liebig condenser 400 mm., receiver adapter bend with vent, R.B. flask 100 ml. 6615.00
- 351 Reaction Assembly, "JSGW", consists of R.B. flask 500 ml., Liebig condenser 400 mm., adapter T. Connection, separating funnel 100ml. and stopper. 2185.00
- 352 Distillation Assembly, "JSGW", consists of R.B. flask, splash head, double surface condenser and receiver adapter.

Cat. No.	Flask Capacity ml.	Condenser effective length mm.	Price/Piece (₹)
352/1	2000	200	3520.00
352/2	3000	300	5350.00
352/3	5000	400	7285.00
352/4	10000	600	13165.00





353 Distillation Apparatus, "JSGW", consists of R.B. Flask 500 ml., still head, Liebig condenser 400 mm., Receiver adapter, separating funnel 100 ml. and stopper. 2540.00

354 Alcohol Distillation unit, "JSGW", used for distilling alcohol in laboratory to produce the purest grade. Thoper's revenue still is for purification of ethyl alcohol popularly used in Pharma Industries. Consists of R.B. Flask 1000 ml., recovery bend, Inland revenue condenser 200 mm and receiver adapter. 2955.00

355 Distillation Apparatus, "JSGW", consists of R.B. flask recovery bend, Liebig condenser and receiver adapter.

Cat. No.	Flask Capacity ml.	Condenser effective length mm.	Price/Piece (₹)
355/1	250	200	1420.00
355/2	500	300	1725.00
355/3	1000	350	1975.00
355/4	2000	400	3095.00

356 Preparation Assembly, "JSGW", consists of R.B. Flask, Still head, Thermometer, Liebig Condenser and receiver adapter.

Cat. No.	Flask Capacity ml.	Condenser effective length mm.	Price/Piece (₹)
356/1	500	300	2535.00
356/2	1000	350	2890.00
356/3	2000	400	4160.00

357 Vacuum Distillation, "JSGW", consists of R.B. Flask 1000 ml., recovery bend, jacketed coil condenser 150 mm., Receiver adapter bent with vent and R.B. flask 250 ml. 2955.00

358 Kjeldahl Distillation Assembly, "JSGW", consists of R.B. Flask 1000 ml., multiple adapter two necks, splash head vertical, Liebig condenser, receiver adapter and dropping funnel 100 ml. 3095.00

359 Kjeldahl Dist Assembly "JSGW" consists of Kjeldhal flask 500 ml multiple adapter two necks, splash head vertical, Liebig condenser receiver adapter and dropping funnel 100 ml. 3375.00

363 Steam Distillation Assembly, "JSGW", consists of R.B. flask 2 necks 500 ml, splash head, Liebig condenser 200 mm, receiver adapter and air leak tube. 2675.00


364 Steam Distillation Assembly, "JSGW", consists of R.B. flask 500 ml, steam distillation head, Liebig condenser 400 mm, receiver adapter. 2040.00


365 Steam Distillation Assembly, "JSGW", consists of R.B. Flask 1000 ml, multiple adapter two necks, recovery bend sloping, jacketed coil condenser and receiver adapter. 2825.00

366 Vacuum Sublimation Assembly, "JSGW", consists of Test tube, adapter with T connection and immersion condenser. 845.00


367 Recovery Assembly, "JSGW", consists of R.B. flask 250 ml., multiple adapter two necks, recovery condenser 400 mm. receiver adapter and dropping funnel 100 ml. 2465.00

368	Recovery Assembly, "JSGW" , consists of R.B. flask 2000 ml., still head, jacketed coil condenser 150 mm., receiver adapter, separating funnel 100 ml. and stopper.	4240.00
369	Solvent Recovery Assembly, "JSGW" , consists of R.B. Flask 150 ml., recovery bend, jacketed coil condenser 150 mm. And receiver adapter.	2185.00
370	Solvent Recovery Assembly, "JSGW" , consists of R.B. Flask 250 ml., recovery bend, sloping, Liebig condenser 400 mm., Receiver adapter bend with vent and R.B. flask 250 ml.	2115.00
371	Solvent Recovery Assembly, "JSGW" , consists of R.B. Flask 500 ml., recovery bend sloping, air condenser 200 mm., Ether condenser and Buchner flask 250 ml.	5915.00
372	Solvent Recovery Assembly, "JSGW" , consists of R.B. Flask 3000 ml., splash head adapter vertical, still head recovery with thermometer socket, Air condenser, Ether condenser, Receiver adapter, Conical flask 1000 & Thermometer	9570.00
373	Fractionation Assembly, "JSGW" , consists of R.B. Flask 500 ml., Cup joint adapter, Ball joint adapter, Joint Clip S-35, Air Condenser, Multiple adapter two necks parallel, Immersion Condenser, Still head recovery, thermometer pocket, Liebig condenser and receiver adapter straight.	4645.00
374	Fractionation Assembly, "JSGW" , consists of R.B. flask 250 ml., Air condenser, Still head recovery, Thermometer, Leibig condenser, Bend with multiple connections and vacuum connection and 3 R.B. flasks 25 ml.	3665.00
375	Fractionation Assembly, "JSGW" , consists of R.B. Flask 1000 ml., Swan neck adapter, Air condenser, Multiple adapter two neck at 45°, Immersion condenser, Still head, Thermometer, Leibig condenser, Ball joint adapter with socket, Cup joint adapter with cone, separating funnel 100 ml. Reduction adapter, R.B. flask 2 neck 500 ml., vacuum release stopcock and joint clip.	7600.00
376	Continuous Water Distillation Assembly, "JSGW" , consists of two neck flask 2000 ml., dropping funnel 100 ml., Splash head, jacketed coil condenser, receiver adapter and conical funnel.	5005.00
383	Vacuum Drying Pistol, "JSGW" , consists of Desiccant flask 100 ml., Boiling flask 250 ml. etc.	4645.00
384	Alkoxy and Alkylimino Group Determination Apparatus, "JSGW" , (Micro Zeisel).	2965.00
385	Micro Acetyl Group Determination Apparatus, "JSGW" , (Wiesenberger).	2955.00
386	Mercury Distillation Assembly, "JSGW" , Hulett, consists of distillation flask 500 ml., stopcock controlled air bleeding tube, air condenser 500 mm Liebig condenser 200 mm., vacuum receiver adapter and receiving bottle.	3595.00
390	Cavett Blood Test Apparatus, "JSGW" , Conical Flask 100 ml.	955.00
392	Kozellka and Hine Blood Test Apparatus, "JSGW"	7680.00
393	Carbaryl Content Determination Apparatus, "JSGW" , as per I.S. Specification.	5485.00







394




397




401



402



403



420-1

394	Steam Distillation Apparatus for Fluoride Determination as per I.S. Specification.	5210.00
395	Cyanide Distillation Apparatus, "JSGW".	4930.00
396	Assembly of Apparatus for the Determination of Mancozeb Content, "JSGW" IS 8707:1978.	7815.00
397	Sulfur Dioxide Assembly, as per USP, "JSGW"	5985.00
398	Congealing Temperature Apparatus, without Thermometer	7315.00
398T	Congealing Temperature Apparatus, "JSGW" with NABL Certified Thermometer. Range : -20°C to 150° C, Sub. Div. 0.2°C.	14775.00
399	Hydroxypropoxy Determination Apparatus, "JSGW"	10560.00
400	Methoxy Determination Assembly as per USP, "JSGW".	11260.00

UTILITY SETS

401	Complete set comprising 5 items of Glassware, 29BU/M Pear Shaped Flask 50 ml, Still Head, Liebig Condenser, Receiver Adapter Bend, Receiver Adapter Long. 1 each.	(₹) 3095.00
402	Complete set comprising 9 items of Glassware, 27BU/M Pear Shaped Flask 50 ml, Still Head, Liebig Condenser, Screw Cap Adapter, Receiver Adapter, Air Leak/Steam Inlet Tube, Dropping Funnel 50 ml R/F STPK, Stopper & Thermometer. 1 each	(₹) 4505.00
403	Complete set comprising 16 items of Glassware, 34 BU/M Still Head, Receiver, Air Leak/Steam Inlet Tube, Liebig Condenser, Dropping Funnel 100 ml, Reducing Adapter, Multiple Adapter, R/B Flask 50 ml, 100 ml & 250 ml, Conical Flask 250 ml, Stoppers 3, Thermometer Pocket, Receiver Adapter & Thermometer.	(₹) 9005.00

WATER STILLS

420/1	Water Still : Comprises of a horizontal borosilicate glass boiler fitted with a 3KW chromium plated immersion heater with cut off, high efficiency coil condenser ensure a reliable output of single distillate. The still is fitted on a sheet metal epoxy coated stand, suitable for bench or wall mounting. For use on 220/240 V. 50/60 Hz single phase supply. As per Picture. Distillate Output : 4 Liters/hr Approx, ph : 5 to 6.5 Pyrogen free.	(₹) 30820.00
-------	--	--------------

Note : ph & conductivity and sensitivity are affected by temperature and the presence of absorbed carbon dioxide. The basis of tests are at 20°C on distilled water free of carbon dioxide. Care is needed to obtain Pyrogen free water and the distillate must be tested before use. Pretreated input water (use of softner) is recommended for obtaining better results and to increase the still life.

Spares :

420/A	Boiler for Water Still	(₹) 14430.00
420/B	Condenser for Water Still	(₹) 9115.00
420/C	Heater 3KW fitted with thermostat	(₹) 9050.00

WATER STILLS WITH SILICA SHEATHED HEATERS

- 421 Water stills are carefully designed to produce high purity pyrogen free distilled water. The water still of borosilicate glass comprises of horizontal type boiler, condenser, constant level device, silica sheathed (Quartz) heater, along with stand and clamps.

Compact Design. All parts are replaceable.

Features:

- Borosilicate condenser & boiler are fitted with a removable silica sheathed heater & screw threaded connectors for ease of cleaning when scaling is formed.
- Distillate temp. is around 25 to 45° C which is ensured by an efficient condenser.
- The stand is powder coated for rust free operation and lustrous appearance.
- The unit automatically switches off if water level in the boiler falls below heater.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Boiler is provided with a Replaceable Side Over Flow for easy draining and cleaning of boiling chamber, which also reduces the chances of breakage.
- Fuse is provided for safety in case of voltage fluctuation or short circuit.
- Electrical Power: 220/240 V, 50/60Hz, Single Phase Supply.
- Unique Feature: **This model is equipped with in Built Safety Cut Off Device which protect the glass in case of water failure & Overheating.**

Single Still

Conductivity	1 to 2.0 $\mu\text{S}/\text{cm}$			
pH	5.5-6.0			
Cat No.	Output	Cooling Water Consumption(ltr/hr)	Power Rating KW	Price/Piece (₹)
421/1	1.5 ltr/hr	40 ltr/hr	1.5 Kw	33260.00
421/2	2.5 ltr/hr	60 ltr/hr	1.7 Kw	40845.00
421/5	4.0 ltr/hr	120 ltr/hr	3.0 Kw	47265.00

Double Still

Conductivity	0.8 to 1 $\mu\text{S}/\text{cm}$			
pH	6.0-7.0			
Cat No.	Output	Cooling Water Consumption(ltr/hr)	Power Rating KW	Price/Piece (₹)
421/3	1.5 ltr/hr	80 ltr/hr	3.0 Kw	46150.00
421/4	2.5 ltr/hr	120 ltr/hr	3.4 Kw	63335.00
421/6	4.0 ltr/hr	150 ltr/hr	6.0 Kw	92830.00

** Models upto 10 ltr/hr is also available

Spares for above Water Stills

Cat. No.	Description	Capacity ltr/hr	Price/Piece (₹)
421/7	Boiling Chamber with water leveler	1.5	9175.00
421/8	Boiling Chamber with water leveler	2.5	9845.00
421/9	Boiling Chamber with water leveler	4.0	14110.00
421/10A	Coil Condenser	1.5	7320.00
421/10	Coil Condenser	2.5	7850.00
421/11	Coil Condenser	4.0	8755.00
421/12	Silica Sheathed heater with Bakelite	1.5	5940.00
421/13	Silica Sheathed heater with Bakelite	2.5	7800.00
421/14	Silica Sheathed heater with Bakelite	4.0	11140.00

Installation Charges for Cat. No. : 421 -R4500.00 extra.



Single Still



Double Still

422 Automatic Water Distillation Equipment (Cabinet Model)

Compact & User Friendly

- This is a fully automatic water distillation equipment has been designed for better and accurate control of the distillation unit and can be used in research laboratories, hospitals etc.
- It has been incorporated with advanced microprocessor based electronic circuitry.
- The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine.
- Also there is alarm system which beeps as and when user attention is required.

The distillation has following features:

- **Replaceable silica sheathed (Quartz) heater:** The horizontal quartz jacket is fitted with removable silica heater and screw threaded connectors for ease of cleaning when scaling is formed.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Boiler is provided with a **Replaceable Side over Flow** for easy draining and cleaning of boiling chamber, which also reduces the chances of breakage.
- The front cover is easily removable making the access to the glass parts very easy.
- Electrical Power: 220/240 V, 50/60Hz, Single Phase Supply.

Additional In-built Safety Features:

- **Gate Valve:** Conserves cooling water wastage in case of power failure.
- **Flow Switch:** Additional in-built safety feature for the equipment unit shut off in case of cooling water failure.
- **Temperature switch:** The boiler is equipped with a safety temperature switch which shuts off the unit if water level in the boiler falls below the heater, thus saving the glass parts from any damages.
- **Reservoir Level Sensor:** This helps in automatic working of the water distillation equipment. Depending on the water level in the reservoir it will automatically switch On/Off the equipment, thus saving energy. (Reservoir can also be provided with a storage capacity of 5 ltr, 10 ltr & 20 ltr made of Borosilicate Glass or polypropylene at an extra cost)

Technical Specifications:

Cat. No.	Output	Cap. ltr/hr	Stage	Price/Piece (₹)
422/1	2.0		Single Stage	78770.00
422/2	4.0		Single Stage	104710.00
422/3	2.0		Double Stage	132080.00
422/4	4.0		Double Stage	154045.00

Distillate Quality

Cat. No.	Output Cap.	pH	Conductivity $\mu\text{s/cm}$	Cooling Water Requirement	Power Rating
422/1	2.0	5.5-6.0	<3.0	1.5 ltr/min	1.5 Kw
422/2	4.0	5.5-6.0	<3.0	2.5 ltr/min	3.0 Kw

** Output quality would depend upon the quality of the inlet feed water to the boiler.

**For high purity & low conductivity water we recommend quartz water distillations.

** All parameters are under standard test conditions



422

WATER DISTILLATIONS

425


Automatic Electrically Heated All glass Distillation Unit, N.P.L. Design, heater embedded in spiral glass tube complete with C.I. heavy base, S.S. Rod, Clamps, Board etc.

Cat. No.	Flask Cap.	Description	Price/Piece (₹)
425/1	3 Litre	Single Distillation without cut off	22330.00
425/2	3 Litre	Single Distillation with thermal sensor auto cut off	29305.00
425/3	5 Litre	Single Distillation without cut off	23165.00
425/4	5 Litre	Single Distillation with thermal sensor auto cut off	30565.00
425/5	10 Litre	Single Distillation without cut off	27630.00
425/6	10 Litre	Single Distillation with thermal sensor auto cut off	35725.00
425/7	3 Litre	Double Distillation without cut off	39775.00
425/8	3 Litre	Double Distillation with thermal sensor auto cut off	46890.00
425/9	5 Litre	Double Distillation without cut off	43540.00
425/10	5 Litre	Double Distillation with thermal sensor auto cut off	51495.00
425/11	10 Litre	Double Distillation without cut off	55125.00
425/12	10 Litre	Double Distillation with thermal sensor auto cut off	60705.00
425/13	3 Litre	Tripple Distillation without cut off	58615.00
425/14	3 Litre	Tripple Distillation with thermal sensor auto cut off	66430.00
425/15	5 Litre	Tripple Distillation w/o cut off	63915.00
425/16	5 Litre	Tripple Distillation with thermal sensor auto cut off	70895.00
425/17	10 Litre	Tripple Distillation without cut off	77455.00
425/18	10 Litre	Tripple Distillation with thermal sensor auto cut off	84430.00

Spare Parts :

425/19	Flask with heater 3 Litre	10885.00
425/20	Flask with heater 5 Litre	12000.00
425/21	Flask with heater 10 Litre	18145.00
425/22	Condenser for 3 Litre Distillation with 40/38 Cone	3910.00
425/23	Condenser for 5 Litre Distillation with 40/38 Cone	3910.00
425/24	Condenser for 10 Litre Distillation with 50/42 Cone	4325.00
425/25	Automatic thermal sensor cut off for Single Distillation	10050.00
425/26	— do — for Double Distillation	10465.00
425/27	— do — for Tripple Distillation	11720.00
425/28	Receiving tube for condensor	725.00
425/31	Water Softner suitable for above Distillations	16745.00

Installation Charges for Cat. No. : 421, 425, 426 & 427 ₹4500.00 extra.



425

426 Single Stage Water Distillation Unit

The apparatus consists of a boiler made from high purity quartz with built in heater and bottom discharge joint for easy cleaning of deposits. A spiral condenser is fitted on the boiler with receiving adapter. The unit comes with Safety Control Unit (Optional) to protect the Glass parts in case of water failure or overheating.

Conductivity	<3 $\mu\text{S}/\text{cm}$ with Borosilicate Condenser <2 $\mu\text{S}/\text{cm}$ with Quartz Condenser
Distilled Water Quality	Pyrogen Free
Distillate Temperature	50-60°C

Advanced features:

- Distillate is pyrogen free; also it is free of heavy metals.
- Switch on time is less than minute providing distilled water instantly.
- Low maintenance is required.

Single Stage Distillation with Borosilicate Glass Condenser

Cat No.	Output	Cooling Water Consumption(ltr/hr)	Power Rating KW	Price/Piece (₹)
426/1	2.5 ltr/hr	35 ltr/hr	2.0 Kw	45090.00
426/3	5 ltr/hr	65 ltr/hr	4.4 Kw	76915.00
426/6	10 ltr/hr	120 ltr/hr	9.0 Kw	168895.00

Single Stage Distillation with Quartz Condenser

Cat No.	Output	Cooling Water Consumption(ltr/hr)	Power Rating KW	Price/Piece (₹)
426/1Q	2.5 ltr/hr	35 ltr/hr	2.0 Kw	69490.00
426/3Q	5 ltr/hr	65 ltr/hr	4.4 Kw	125715.00

Spares for above Water Distillation units

Cat. No.	Description	Capacity ltr/hr	Price/Piece (₹)
426/A	Quartz Boiler	2.5	34480.00
426/B	Quartz Boiler	5.0	50075.00
426/C	Borosilicate Condenser	2.5	6045.00
426/D	Borosilicate Condenser	5.0	13260.00
426/E	Quartz Condenser	2.5	32890.00
426/F	Quartz Condenser	5.0	50130.00

Safety Cut off Device for above distillations.

Automatic Thermal Sensor Safety Cut off Device which switches off the distillation unit in case of water failure or overheating.

Cat. No.	Description	Capacity ltr/hr	Price/Piece (₹)
426/G	Safety Cut Off with thermal sensors	2.5	14640.00
426/H	Safety Cut Off with thermal sensors	5.0	16125.00
426/I	Safety Cut Off with thermal sensors	10.0	34480.00

Installation Charges for Cat. No. : 426 - ₹ 4500.00 extra.



426

426/J Safety Cut off Device with Digital LCD Display

This new dual - safety cut off has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry.

This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction.

The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine.

Also there is alarm system which beeps as and when user attention is required.

Extra Cost for the above Safety cut off device (₹) 33470.00

427 All Quartz Double Distillation

- It has been designed keeping in view customer requirements & easy serviceability of the equipment. All Quartz Double Distillation consists of demountable upper & lower boiler
- The lower boiler has a built in heater enclosed in a quartz boiler with a cup on top.
- The upper boiler has a built in quartz coil and condensing unit which is mounted on the boiler with the help of ball and socket joint.
- Double walled condenser ensures separate condensation of vapours coming from the two boilers using a single cooling circuit.
- The unit is mounted on a specially designed powder coated stand and is also provided with automatic Safety Control Unit.
- This new dual - safety cut off device has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry.
- This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction.
- The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine.
- Also there is alarm system which beeps as and when user attention is required.

Double Distillate Quality

Parameters	Values
Specific Conductivity	< 1 μ s/cm
Biological Activity (distillate quality)	Pyrogen Free
Organic Matter	Nil
Total Solids	0.1 mg/ltr
Silica	<0.01 mg/ltr

*** All parameters are under standard test conditions.*

***We recommend a Quartz Reservoir for storage of High Purity Water.*

Cat. No.	Output Cap. Apprx.	Power Rating	Cooling Water Consumption	Price/Piece (₹)
427/1	1.5 ltr/hr	3.0 Kw	50 ltr/hr	141715.00
427/2	2.5 ltr/hr	5.0 Kw	70 ltr/hr	215365.00
427/3	4.0 ltr/hr	8.0 Kw	120 ltr/hr	350625.00
427/4	5.0 ltr/hr	9.0 Kw	150 ltr/hr	397840.00

*** Cat No. 427/3 & 427/4 are with 3 phase power supply. **Cost of safety cut off device included.*

Spares :

427/1A	Lower Boiler 1.5 ltr./hr. for Cat. No. 427/1	33155.00
427/2A	Lower Boiler 2.5 ltr./hr. for Cat. No. 427/2	42860.00
427/3A	Lower Boiler 4.0 ltr./hr. for Cat. No. 427/3	62065.00
427/4A	Lower Boiler 5.0 ltr./hr. for Cat. No. 427/4	74265.00
427/5UB	Upper Boiler with Condenser for Cat. No. 427/1	107680.00
427/6UB	Upper Boiler with Condenser for Cat. No. 427/2	160725.00
427/7UB	Upper Boiler with Condenser for Cat. No. 427/3	275305.00
427/8UB	Upper Boiler with Condenser for Cat. No. 427/4	298995.00



426J



427

428A All Quartz Double Distillation (Horizontal Model)

Features

- **Replaceable Silica Heater** : The horizontal quartz jacket is fitted with removable silica heater and screw threaded connectors for ease of cleaning.
- Distillate temperature is approx. between 25° to 45° C which is ensured by an efficient condenser.
- The stand is powder coated for rust free operation and lustrous appearance.
- Cooling water from the condenser is re-circulated into the boiling chamber, hence saving energy.
- Teflon Stop cork should be provided for easy draining, cleaning and maintenance.

Additional In-built Safety Features

- **Gate Valve** : Conserves cooling water wastage in case of power failure.
- **Flow Switch** : In-built safety feature for the equipment unit shut off in case of cooling water failure.
- **Temperature switch** : The boiler is equipped with a safety temperature switch which shuts off the unit if water level in the boiler falls below the heater, thus saving the glass parts from any damages.

This new dual - safety cut off has been designed for better and accurate control of the distillation unit. It has been incorporated with advanced microprocessor based electronic circuitry. This has the latest electronic technology that has been introduced by our company which gives an easy user machine interaction.

The alpha numeric LCD which has been used shows all messages that correspond to the running of the machine. Also there is alarm system which beeps as and when user attention is required.



Double Distillate Quality

Parameters	Values
Specific Conductivity	0.1-0.5 $\mu\text{S}/\text{cm}$
Biological Activity (distillate quality)	Pyrogen Free
pH	6.9 - 7
Organic Matter	Nil
Total Solids	0.1 mg/ltr
Silica	<0.01 mg/ltr

*** All parameters are under standard test conditions.*

***We recommend a Quartz Reservoir for storage of High Purity Water.*

Cat. No.	Output Cap. Apprx.	Power Rating	Cooling Water Consumption	Price/Piece (₹)
428AH/1	1.5 ltr/hr	3.0 Kw	50 ltr/hr	182155.00
428AH/2	2.5 ltr/hr	5.0 Kw	70 ltr/hr	252790.00
428AH/3	4.0 ltr/hr	7.0 Kw	120 ltr/hr	371745.00
428AH/4	5.0 ltr/hr	9.0 Kw	150 ltr/hr	421115.00

Indicates 3 Phase

*** Cat No. 428AH are with 3 phase power supply.*

- 428** Horizontal Single Stage Quartz Distillation, Horizontal Quartz Boiler fitted with removable Silica sheathed (Quartz) heater and coil condenser with complete stand, Clamp etc. Conductivity of Distilled water produced is 1-1.5 μ S cm⁻¹, with Borosilicate Condenser and 0.5 - 0.8 μ S cm⁻¹ with Quartz Condenser. pH 6-7, Screw threaded Connectors are provided for easy cleaning when scaling is formed. (All parts replaceable) .

Cat. No.	Boiler Type	Condenser Type	Safety Cut Off	Output Per Hr. (approx.)	Power Rating	Price/Piece (₹)
428/1	Quartz	Borosilicate	✓	2 ltr.	1.7 kw.	68430.00
428/1Q	Quartz	Quartz	✓	2 ltr.	1.7 kw.	93490.00
428/2	Quartz	Borosilicate	✓	5 ltr.	3.5 kw.	78770.00
428/2Q	Quartz	Quartz	✓	5 ltr.	3.5 kw.	137280.00



428

429 Water Softner

It softens the hard water and provides good quality water for use in laboratories. It helps to remove all the calcium and magnesium ions in hard water and the soft water thus obtained has hardness less than 5 ppm as CaCO₃. It is specially designed for easy serviceability and recharging the resin with sodium chloride solution. The softened water can be used as feed water to the Distillation Units.

The use of hard water in boilers, would leave the boiler with a lot of scaling and sedimentation, hence to improve the quality of the distillate and for longer life of the glass/quartz boilers, it is recommended to use softened water.

(₹) 16745.00



429

430 Chiller

Chiller Refrigerated Circulator has built in circulating pump and water tank of rust proof stainless steel. The built in pump has a flow rate of 2.5 meters and internal tank capacity 25 litres. The temperature is controlled by a digital temp. Indicator cum controller.

Construction: The body of the chiller is mounted on a sturdy angle frame with inner chamber consisting of thick polished stainless steel reservoir with cooling coil duly soldered on the outside of the same to ensure perfect cooling from -5°C to below ambient: The hollow space between the inner chamber and outer wall is filled with high grade insulation to prevent loss of temperature the refrigeration system consisting of hermetically sealed ISI marked reputed make compressor for minimum noise level and smooth operation.

P.O.R.

EXTRACTORS

431 Soxhlet Extraction, "JSGW", consists of Flask, Extractor and Condenser.

Cat. No.	Extractor Capacity ml.	Extractor Socket	Extractor Cone	Flask Capacity	Minimum Qty/Pack	Price/Piece (₹)
431/1	20	24/29	19/26	50	2	1400.00
431/2	40	29/32	24/29	100	2	1565.00
431/3	60	34/35	24/29	150	2	1775.00
431/4	100	34/35	24/29	250	2	1840.00
431/5	100	40/38	24/29	250	2	1945.00
431/6	200	50/42	24/29	500	2	2635.00
431/7	400	50/42	24/29	1000	2	3805.00
431/8	600	50/42	24/29	2000	1	4645.00
431/9	1000	55/44	34/35	3000	1	9020.00
431/10	2000	55/44	34/35	5000	1	17505.00
431/11	3000	55/44	34/35	10000	1	19955.00

432 Spare Extractor, "JSGW", for Soxhlet. Cat No. 431

Cat. No.	Capacity ml.	Socket	Cone	Qty/Pack	Price/Piece (₹)
432/1	20	24/29	19/26	2	575.00
432/2	40	29/32	24/29	2	705.00
432/3	60	34/35	24/29	2	885.00
432/4	100	34/35	24/29	2	920.00
432/5	100	40/38	24/29	2	995.00
432/6	200	50/42	24/29	2	1375.00
432/7	400	50/42	24/29	2	1885.00
432/8	600	50/42	24/29	2	2145.00
432/9	1000	55/44	34/35	1	3325.00
432/10	2000	55/44	34/35	1	8280.00
432/11	3000	55/44	34/35	1	9575.00

Note : For spare Condensers ref. Cat. No. 134, for spare Flasks ref. Cat. No. 165.

437 Soxhlet Extraction, "JSGW", consists of R.B. Flask, Extractor with Flat flange, reduction adapter with flat flange and socket and double surface condenser.


Cat. No.	Extractor Cap. ml.	Flask Cap. ml.	Price/Piece (₹)
437/1	600	2000	13605.00
437/2	1000	3000	19145.00
437/3	2000	5000	22695.00
437/4	3000	10000	27005.00

438 Soxhlet Extraction, "JSGW", consists of R.B. Flask, Globular type Extractor and double surface condenser.

Cat. No.	Extractor Cap. ml.	Flask Cap. ml.	Price/Piece (₹)
438/1	1000	2000	10475.00
438/2	2000	3000	17020.00
438/3	3000	5000	21990.00
438/4	4000	10000	30720.00
438/5	6000	10000	46415.00

439 Soxhlet Fat Extraction, "JSGW", consists of R.B. Flask, Aspirator type extractor with fitting, and double surface condenser.

Cat. No.	Extractor Cap. ml.	Flask Cap. ml.	Price/Piece (₹)
439/1	5000	5000	26075.00
439/2	10000	10000	46415.00
439/3	20000	20000	63870.00



431



432



437



438

CHROMATOGRAPHY

445 **Chromatography Assembly Semi Micro, "JSGW"**, consisting of funnel Reservoir 50 ml. capacity with 14/23 cone and socket, column tube with tap, 12 mm. dia 10mm. Effective length with 14/23 socket, 19/26 cone and fused sintered disc. Filtering flask 100 ml. with 19/26 socket tamping rod 40 cm. Long. 2505.00

446 **Chromatography Assembly, "JSGW"**, consisting of dropping funnel 250 ml. with 19/26 cone, reduction adapter with 19/26 socket and 24/29 cone. Column tube 2 cm. dia 20mm. Effective length with 24/29 socket, 19/26 cone and fused sintered disc. Adapter with tap 19/26 socket 24/29 cone, filtering flask 250 ml with 24/29 socket, tamping rod 50 cm. Long. 3520.00

449 **Chromatography Columns, "JSGW"**, with integral sintered disc., without stopcock.

Cat. No.	Effective Length cm.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
449/1	15	10	2	370.00
449/2	20	15	2	382.00
449/3	30	15	2	395.00
449/4	40	20	2	465.00
449/5	40	30	2	670.00
449/6	50	30	2	720.00
449/7	50	40	2	1110.00
449/8	60	40	2	1165.00
449/9	100	40	2	1565.00

450 **Chromatography Columns, "JSGW"**, with integral sintered disc and Glasskey stopcock.

Cat. No.	Effective Length cm.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
450/1	15	10	2	595.00
450/2	20	15	2	610.00
450/3	30	15	2	625.00
450/4	40	20	2	690.00
450/5	40	30	2	820.00
450/6	50	30	2	870.00
450/7	50	40	2	1380.00
450/8	60	40	2	1420.00
450/9	100	40	2	1885.00

451 **Chromatography Columns, "JSGW"**, with integral sintered disc and screw type PTFE Needle Valve stopcock.

Cat. No.	Effective Length cm.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
451/1	15	10	2	570.00
451/2	20	15	2	575.00
451/3	30	15	2	590.00
451/4	40	20	2	650.00
451/5	40	30	2	820.00
451/6	50	30	2	930.00
451/7	50	40	2	1380.00
451/8	60	40	2	1420.00
451/9	100	40	2	1885.00





452



453



454



455

- 452 Chromatography Columns, "JSGW", with integral sintered disc and PTFE key stopcock.

Cat. No.	Effective Length cm.	Disc Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
452/1	15	10	2	855.00
452/2	30	10	2	880.00
452/3	30	20	2	1000.00
452/4	45	20	2	1060.00
452/5	45	30	2	1375.00
452/6	60	30	2	1430.00

- 453 Plain Chromatography Absorption Columns, "JSGW", without stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
453/1	20	10	2	95.00
453/2	30	15	2	135.00
453/3	50	20	2	295.00
453/4	60	25	2	342.00
453/5	60	40	2	745.00
453/6	100	50	2	1695.00
453/7	115	100	2	7050.00
453/8	180	100	2	11255.00

- 454 Chromatography Columns, "JSGW", Plain with stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
454/1	20	10	2	310.00
454/2	30	15	2	335.00
454/3	50	20	2	525.00
454/4	60	25	2	570.00
454/5	60	40	2	845.00
454/6	100	50	2	2120.00
454/7	115	100	2	7740.00
454/8	180	100	2	11545.00

- 455 Chromatography Columns, "JSGW", Plain with screw type PTFE Needle Valve stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
455/1	20	10	2	270.00
455/2	30	15	2	315.00
455/3	50	20	2	465.00
455/4	60	25	2	535.00
455/5	60	40	2	970.00
455/6	100	50	2	2735.00
455/7	100	60	2	3950.00

Chromatography Column with Standard Interchangeable Joint, with Reservoir. P.O.R.

456 Chromatography Columns, "JSGW", Plain, with PTFE key stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
456/1	15	10	2	680.00
456/2	30	10	2	690.00
456/3	30	20	2	830.00
456/4	45	20	2	870.00
456/5	45	30	2	970.00
456/6	60	30	2	1095.00
456/7	100	40	2	2250.00
456/8	115	100	2	9925.00

457 Chromatography Columns, "JSGW", with integral sintered disc, Glasskey stopcock, socket and cone.

Cat. No.	I.D. mm.	Effective Length mm.	Socket	Cone	Minimum Qty/Pack	Price/Piece (₹)
457/1	10	100	14/23	19/26	2	985.00
457/2	10	200	14/23	19/26	2	1000.00
457/3	10	300	14/23	19/26	2	1020.00
457/4	20	300	24/29	19/26	2	1065.00
457/5	20	400	24/29	19/26	2	1085.00
457/6	20	400	24/29	24/29	2	1100.00

458 Chromatography Columns, "JSGW", with integral sintered disc, socket & cone.

Cat. No.	I.D. mm.	Effective Length mm.	Socket	Cone	Minimum Qty/Pack	Price/Piece (₹)
458/1	20	200	24/29	19/26	2	625.00
458/2	20	300	24/29	19/26	2	655.00
458/3	20	400	24/29	19/26	2	690.00

459 Chromatography Column, "JSGW", Plain with socket & PTFE Stopcock.

Cat. No.	Effective Length cm	Outer Dia mm	Socket	Minimum Qty/Pack	Price/Piece (₹)
459/1	45	20	24/29	2	1025.00
459/2	50	25	24/29	2	1125.00
459/3	60	30	24/29	2	1200.00
459/4	60	40	24/29	2	1905.00
459/5	100	50	24/29	2	2515.00
459/6	100	60	24/29	2	2775.00


459A Chromatography Column, "JSGW", with integral sintered disc with socket & PTFE Stopcock.


Cat. No.	Effective Length cm	Outer Dia mm	Socket	Minimum Qty/Pack	Price/Piece (₹)
459A/1	45	20	24/29	2	1270.00
459A/2	45	30	24/29	2	1435.00
459A/3	60	30	24/29	2	1480.00
459A/4	60	40	24/29	2	2025.00
459A/5	100	40	24/29	2	2465.00

459B Reservoir for Chromatography Column, "JSGW", with Socket & Cone.

Cat. No.	Reservoir Capacity (ml)	Socket	Cone	Minimum Qty/Pack	Price/Piece (₹)
459B/1	100	24/29	24/29	2	470.00
459B/2	250	24/29	24/29	2	535.00
459B/3	500	24/29	24/29	2	685.00
459B/4	1000	24/29	24/29	2	1010.00

Note : Any other size of Chromatography Columns can also be supplied on Request.





460

460

Chromatography Columns, "JSGW", with reservoir plain with glass key stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Reservoir Capacity(ml)	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
460/1	45	20	100	24/29	2	1740.00
460/2	45	20	250	24/29	2	1800.00
460/3	45	20	500	24/29	2	2110.00
460/4	45	20	1000	24/29	2	2385.00
460/5	50	25	100	24/29	2	1825.00
460/6	50	25	250	24/29	2	1885.00
460/7	50	25	500	24/29	2	2255.00
460/8	50	25	1000	24/29	2	2365.00
460/9	60	30	100	24/29	2	1885.00
460/10	60	30	250	24/29	2	1960.00
460/11	60	30	500	24/29	2	2360.00
460/12	60	30	1000	24/29	2	2545.00
460/13	60	40	100	24/29	2	2730.00
460/14	60	40	250	24/29	2	2830.00
460/15	60	40	500	24/29	2	3095.00
460/16	60	40	1000	24/29	2	3330.00
460/17	100	50	100	24/29	2	3425.00
460/18	100	50	250	24/29	2	3500.00
460/19	100	50	500	24/29	2	3785.00
460/20	100	50	1000	24/29	2	4115.00
460/21	100	60	100	24/29	2	3730.00
460/22	100	60	250	24/29	2	3815.00
460/23	100	60	500	24/29	2	4195.00
460/24	100	60	1000	24/29	2	4550.00



460A

460A

Chromatography Columns with reservoir, "JSGW", with integral Sintered Disc with glass key stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Reservoir Capacity(ml)	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
460A/1	45	20	100	24/29	2	2085.00
460A/2	45	20	250	24/29	2	2160.00
460A/3	45	20	500	24/29	2	2445.00
460A/4	45	20	1000	24/29	2	2695.00
460A/5	50	30	100	24/29	2	2160.00
460A/6	50	30	250	24/29	2	2230.00
460A/7	50	30	500	24/29	2	2620.00
460A/8	50	30	1000	24/29	2	2810.00
460A/9	60	30	100	24/29	2	2150.00
460A/10	60	30	250	24/29	2	2240.00
460A/11	60	30	500	24/29	2	2750.00
460A/12	60	30	1000	24/29	2	3070.00
460A/13	60	40	100	24/29	2	3045.00
460A/14	60	40	250	24/29	2	3115.00
460A/15	60	40	500	24/29	2	3385.00
460A/16	60	40	1000	24/29	2	3745.00
460A/17	100	40	100	24/29	2	3730.00
460A/18	100	40	250	24/29	2	3815.00
460A/19	100	40	500	24/29	2	4160.00
460A/20	100	40	1000	24/29	2	4655.00

460B Chromatography Columns, "JSGW", with reservoir plain with PTFE key stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Reservoir Capacity(ml)	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
460B/1	45	20	100	24/29	2	1985.00
460B/2	45	20	250	24/29	2	2050.00
460B/3	45	20	500	24/29	2	2360.00
460B/4	45	20	1000	24/29	2	2630.00
460B/5	50	25	100	24/29	2	2075.00
460B/6	50	25	250	24/29	2	2135.00
460B/7	50	25	500	24/29	2	2500.00
460B/8	50	25	1000	24/29	2	2615.00
460B/9	60	30	100	24/29	2	2200.00
460B/10	60	30	250	24/29	2	2270.00
460B/11	60	30	500	24/29	2	2670.00
460B/12	60	30	1000	24/29	2	2855.00
460B/13	60	40	100	24/29	2	3070.00
460B/14	60	40	250	24/29	2	3170.00
460B/15	60	40	500	24/29	2	3440.00
460B/16	60	40	1000	24/29	2	3670.00
460B/17	100	50	100	24/29	2	3800.00
460B/18	100	50	250	24/29	2	3875.00
460B/19	100	50	500	24/29	2	4160.00
460B/20	100	50	1000	24/29	2	4490.00
460B/21	100	60	100	24/29	2	4105.00
460B/22	100	60	250	24/29	2	4190.00
460B/23	100	60	500	24/29	2	4570.00
460B/24	100	60	1000	24/29	2	4955.00

460C Chromatography Columns with reservoir, "JSGW", with integral Sintered Disc with PTFE key stopcock.

Cat. No.	Effective Length cm.	O.D. mm.	Reservoir Capacity(ml)	Socket Size	Minimum Qty/Pack	Price/Piece (₹)
460C/1	45	20	100	24/29	2	2470.00
460C/2	45	20	250	24/29	2	2555.00
460C/3	45	20	500	24/29	2	2745.00
460C/4	45	20	1000	24/29	2	3130.00
460C/5	50	30	100	24/29	2	2535.00
460C/6	50	30	250	24/29	2	2490.00
460C/7	50	30	500	24/29	2	2880.00
460C/8	50	30	1000	24/29	2	3045.00
460C/9	60	30	100	24/29	2	3330.00
460C/10	60	30	250	24/29	2	2960.00
460C/11	60	30	500	24/29	2	3050.00
460C/12	60	30	1000	24/29	2	3235.00
460C/13	60	40	100	24/29	2	3450.00
460C/14	60	40	250	24/29	2	3550.00
460C/15	60	40	500	24/29	2	3770.00
460C/16	60	40	1000	24/29	2	4135.00
460C/17	100	40	100	24/29	2	4170.00
460C/18	100	40	250	24/29	2	4315.00
460C/19	100	40	500	24/29	2	4570.00
460C/20	100	40	1000	24/29	2	4890.00



460B




460C




461



461A



461B



462



462A

461

Vials, storage, Screw Cap, made from clear glass tubing with Silicon 1mm Septa & Cap.

Cat. No.	Capacity approx.	Dia x Length x Neck Dia mm.	Price/Pack of 100 (₹)
461/1	4ml	15 x 45 x 13	4565.00
461/2	6ml	23 x 40 x 15	5885.00
461/3	10ml	23 x 46 x 15	6090.00
461/4	20ml	23 x 75 x 15	7610.00

461A

Vials, storage, Screw cap, made from Amber Glass tubing with silicon 1mm Septa & Cap.

Cat. No.	Capacity approx.	Dia x Length x Neck Dia mm.	Price/Pack of 100 (₹)
461A/1	4ml	15 x 45 x 13	5120.00
461A/2	6ml	23 x 40 x 15	6505.00
461A/3	10ml	23 x 46 x 15	6780.00
461A/4	20ml	23 x 75 x 15	7960.00

461B

Vials, working standard, made from Amber Glass tubing with PP Plug, PTFE Septa & Cap.

Cat. No.	Capacity (ml)	O.D. x Length (mm)	Minimum Qty/Pack	Price/Piece (₹)
461B/1A	3	16 x 50	100	33.00
461B/1	5	16 x 55	100	40.00
461B/2	10	25 x 50	100	56.00
461B/3	15	25 x 57	100	62.00
461B/4	20	25 x 72	100	77.00
461B/5	30	25 x 95	100	100.00

461C

Storage Box for Vials, working standard, made of 4 mm Perplex Sheets, Air tight, with individual numbering and silicone spacing.

Cat. No.	Number of Holes	Capacity (ml)	Minimum Qty/Pack	Price/Piece (₹)
461C/1	50	5 ml	5	5140.00
461C/2	50	10 ml	5	6170.00

462

CHROMATOGRAPHY VIALS, Crimp Neck, made from Clear glass tubing with Aluminium cap and rubber stopper.

Cat. No.	Capacity approx.	Dia x Length x Neck Dia mm.	Price/Pack of 100 (₹)
462/1	4ml	16 x 33 x 13	2610.00
462/2	6ml	20 x 41 x 20	3150.00
462/3	10ml	24 x 44 x 20	3395.00
462/4	20ml	24 x 71 x 20	4840.00

462A

CHROMATOGRAPHY VIALS, Crimp Neck, made from Amber glass tubing with Aluminium cap and rubber stopper.

Cat. No.	Volume	Dia x Length x Neck Dia mm.	Price/Pack of 100 (₹)
462A/1	4ml	16 x 33 x 13	2980.00
462A/2	6ml	20 x 41 x 20	3670.00
462A/3	10ml	24 x 44 x 20	3875.00
462A/4	20ml	24 x 71 x 20	5915.00

463 Crimping Tools for sealing vial.


Cat. No.	Size (mm)	Price/Piece (₹)
463/1	13	12730.00
463/2	20	14090.00



463

463A Decrimping Tools for De sealing vial.


Cat. No.	Size (mm)	Price/Piece (₹)
463A/1	13	12730.00
463A/2	20	14090.00



463A

464 2ml HPLC clear Glass vial With closures (Dia 12mm x length 32mm)

Cat No.	Description	Price/Pack of 100 (₹)
464/1	9 mm, PTFE, Silicon Septa, Screw Cap with Vial	2400.00
464/2	9 mm, Preslit, PTFE, Silicon Septa, Screw Cap with Vial	2460.00
464/3	9 mm, PTFE, Silicon Septa Bonded, Screw Cap with Vial	2585.00
464/4	9mm, Preslit, PTFE, Silicon Septa, Bonded, Screw Cap with Vial	2715.00




464

Refer Cat. No. 1287 for Storage Boxes for Vials

MOISTURE DETERMINATION UNITS

465 Moisture Determination Unit, "JSGW", Dean & Stark.

Cat. No.	Cap. of Receiver with Stopcock	Cap. of R.B. Flask ml.	Minimum Qty/Pack	Price/Piece (₹)
465/1	2 ml	250	2	2165.00
465/2	5 ml	500	2	2455.00
465/3	10 ml	1000	2	2745.00
465/4	25 ml	1000	2	2890.00



465


465 N

465 N Moisture Determination Unit, "JSGW", Dean & Stark, with NABL Certificate.

Cat. No.	Cap. of Receiver with Stopcock	Cap. of R.B. Flask ml.	Minimum Qty/Pack	Price/Piece (₹)
465N/1	2 ml	250	2	2745.00
465N/2	5 ml	500	2	3030.00
465N/3	10 ml	1000	2	3320.00
465N/4	25 ml	1000	2	3465.00

466 Moisture Determination Unit, "JSGW", Dean & Stark.

Cat. No.	Cap. of Receiver without Stopcock	Cap. of R.B. Flask ml.	Minimum Qty/Pack	Price/Piece (₹)
466/1	2 ml	250	2	1880.00
466/2	5 ml	500	2	2095.00
466/3	10 ml	1000	2	2385.00
466/4	25 ml	1000	2	2530.00




466

466 N Moisture Determination Unit, "JSGW", Dean & Stark, with NABL Certificate.

Cat. No.	Cap. of Receiver without Stopcock	Cap. of R.B. Flask ml.	Minimum Qty/Pack	Price/Piece (₹)
466N/1	2 ml	250	2	2455.00
466N/2	5 ml	500	2	2745.00
466N/3	10 ml	1000	2	3030.00
466N/4	25 ml	1000	2	3175.00

466 N




467 Spare receiver for Dean and Stark with stopcock.

Cat. No.	Cap. of Receiver with Stopcock	Minimum Qty/Pack	Price/Piece (₹)
467/1	2 ml	2	1375.00
467/2	5 ml	2	1375.00
467/3	10 ml	2	1375.00
467/4	25 ml	2	1375.00

467 N Spare receiver for Dean & Stark with stopcock, Class A with NABL Certificate.

Cat. No.	Cap. of Receiver with Stopcock	Minimum Qty/Pack	Price/Piece (₹)
467N/1	2 ml	2	1880.00
467N/2	5 ml	2	1880.00
467N/3	10 ml	2	1880.00
467N/4	25 ml	2	1880.00




468 Spare receiver for Dean and Stark without stopcock.

Cat. No.	Cap. of Receiver with Stopcock	Minimum Qty/Pack	Price/Piece (₹)
468/1	2 ml	2	1115.00
468/2	5 ml	2	1115.00
468/3	10 ml	2	1115.00
468/4	25 ml	2	1115.00

468 N Spare receiver for Dean & Stark without stopcock, Class A with NABL Certificate.

Cat. No.	Cap. of Receiver with Stopcock	Minimum Qty/Pack	Price/Piece (₹)
468N/1	2 ml	2	1755.00
468N/2	5 ml	2	1755.00
468N/3	10 ml	2	1755.00
468N/4	25 ml	2	1755.00



469

469 Soil moisture gauge, "JSGW", For rapid determination of soil moisture content. The device takes less than 5 minutes, simple, inexpensive, suitable for field use. Highly useful in irrigation and compaction control programmes.

1755.00

ESSENTIAL OIL DETERMINATION UNIT



- 475** Essential Oil Determination Unit, "JSGW" (Clevenger Type) Vertical tube combined with condenser and measuring tube with stopcock. A return tube for the aqueous part of the distillate connects the bottom of the measuring tube & the vertical tube.

Cat. No.	Flask Capacity (ml.)	Minimum Qty/Pack	Price/Piece (₹)
475/1	1000	2	3610.00
475/2	2000	2	4265.00
475/3	3000	1	8345.00
475/4	5000	1	10180.00
475/5	10000	1	17710.00
475/6	20000	1	28770.00


- 475 S** Stand for Essential Oil Determination Unit, "JSGW" (Clevenger Type). Rectangular Cast Iron Painted Base with mild steel Chrome Plated or powdered coated rod and with boss head & 3 finger clamp.

Cat. No.	Flask Capacity	Base	Rod	Price/Piece (₹)
475S/1	1000 ml	9" x 6"	30" x 1/2"	2220.00
475S/2	2000 ml	9" x 6"	30" x 1/2"	2220.00
475S/3	3000 ml	10" x 8"	36" x 1/2"	3200.00
475S/4	5000 ml	10" x 8"	36" x 1/2"	3200.00
475S/5	10000 ml	C Type	45" x 3/4"	6745.00
475S/6	20000 ml	C Type	45" x 3/4"	7600.00

- 476** Clevenger Assembly, "JSGW" for determination of volatile oil lighter than water, comprising of 1000 ml flask, oil separatory tube and condenser. 2675.00
- 476A** Spare oil Separatory Tube. 1415.00
- 477** Clevenger Assembly, "JSGW" for determination of volatile oil heavier than water, comprising of 1000 ml flask, oil separatory tube and condenser. 2675.00
- 477A** Spare oil Separatory Tube. 1415.00



NITROGEN DETERMINATION ASSEMBLIES



481 Macro Kjeldahl Distillation, "JSGW", Comprising of 500 ml Kjeldahl flask, multiple adapter, dropping funnel with plug, splash head, condenser and receiver adapter, as per Quickfit. 3380.00

482 Macro Kjeldahl Distillation, "JSGW", Comprising of similar parts as per Cat. No. 481, but with spherical joints in between splash head and condenser but without receiver adapter. 4070.00

483 Micro Nitrogen Determination, "JSGW" (Leurquin Apparatus) Ammonia is entertained in a steam of air which may be drawn through the tubes using an ordinary filter pump, digestion and distillation can be carried out in the same test tube and a number of determination can be carried out simultaneously. Alkalisisation unit comprising of absorption head with plug, aeration head and 2 test tubes. 2110.00

484 Semi Micro Kjeldahl Unit, "JSGW"

Cat. No.	Description	Price/Piece (₹)
484/1	Comprising of 50 ml. flask, distillation head with funnel, plug and condenser.	2535.00
484/2	Comprising of parts of 484/1 apparatus but with flask capacity of 100 ml.	2675.00
484/3	Comprising of parts of 484/1 apparatus but with conical joints instead of spherical joints.	2045.00
484/4	Comprising of parts of 484/2 apparatus but with conical joints instead of spherical joints.	2025.00

485 Micro Kjeldahl Nitrogen Distillation Assembly, "JSGW", (Pregl. Parnas and Wagner Apparatus) comprising of steam generation flask, steam trap, vacuum jacketed flask with funnel, condenser tube of silver and receiving flask, complete with heavy duty stand, brass clamps but without burner.

Cat. No.	Description	Price/Piece (₹)
485/1	— do — with 1000 ml steam generating flask	19285.00
485/2	— do — with 2000 ml steam generating flask	20155.00
485/3	— do — glass tube condenser and 1000 ml. Steam generating flask	8800.00
485/4	— do — with glass tube condenser and 2000 ml. Steam generating Flask.	9645.00

Spare Parts :

486 Spare Silver Tube with Condenser for Cat. No. 485/1 or 485/2 9855.00

487 Spare vacuum Jacket for Cat. No. 485 1905.00

488 Parnas and Wagner Assembly 8865.00

489 Markham Semi Micro Distillation Unit, "JSGW"

Cat. No.	Description	Price/Piece (₹)
489/1	Comprising of Markham still body with enclosed evaporator vessel in a combined steam jacket & trap, funnel plug, condenser and spherical joint clip.	4225.00
489/2	Comprising similar parts but with conical joints and receiver adapter.	3520.00

490 Nitrogen Distillation Assembly, "JSGW" (Kemmerer, Hellet Design) Micro.

Cat. No.	Description	Price/Piece (₹)
490/1	Double stage for distillation of two samples.	10365.00
490/2	Single stage for distillation of one sample.	7410.00

STOPCOCKS

501 Stopcock, Straight Bore, "JSGW"

Cat. No.	Description	Price/Piece (₹)	Price/Piece (₹)
		Bore 2 mm.	Bore 4 mm.
501/1	With Solid Plug, side Tube	175.00	290.00
501/2	With Solid Plug, Side Capillary	182.00	295.00

502 Stopcock, Oblique Bore, "JSGW"

Cat. No.	Description	Price/Piece (₹)	Price/Piece (₹)
		Bore 2 mm.	Bore 4 mm.
502/1	With Solid Plug, side Tube	221.00	335.00
502/2	With Solid Plug, Side Capillary	235.00	355.00

503 Stopcock, Three Way, T, Bore, "JSGW"

Cat. No.	Description	Price/Piece (₹)	Price/Piece (₹)
		Bore 2 mm.	Bore 4 mm.
503/1	With Solid Plug, side Tube	335.00	395.00
503/2	With Solid Plug, Side Capillary	370.00	430.00

504 Stopcock, Three Way Double Oblique Bore, "JSGW"

Cat. No.	Description	Minimum Qty/Pack	Price/Piece (₹)
			Bore 2 mm.
504/1	With Solid Plug, side Tube	10	390.00
504/2	With Solid Plug, Side Capillary	10	405.00

507 Stopcock for Burette, "JSGW"

Cat. No.	Description	Minimum Qty/Pack	Price/Piece (₹)
507/1	With Solid Plug	10	150.00
507/2	With Hollow Plug	10	435.00
507/3	With PTFE Plug	10	550.00
507/4	With PTFE Needle Valve Screw type	10	150.00

508 Stopcock C Bore, "JSGW" Three way.

Cat. No.	Description	Minimum Qty/Pack	Price/Piece (₹)
			Bore 2 mm.
508/1	With Solid Plug, side tube	10	435.00
508/2	With solid Tube, Side Capillary	10	450.00

509 Stopcock for Seprating Funnels.


Cat. No.	Bore mm.	Minimum Qty/Pack	Price/Piece (₹)
509/1	2	10	240.00
509/2	4	10	295.00
509/3	6	10	680.00

510 Stopcock for Aspirators 4 mm. Bore.


Cat. No.		Minimum Qty/Pack	Price/Piece (₹)
510/1	Plain	10	230.00
510/2	With 24/29 Cone	10	430.00
510/3	With 29/32 Cone	10	497.00

511 Stopcock for Kipp's Apparatus, with Cone.


5 430.00




501/1




501/2




502/1




502/2



503/1




503/2




504/1




504/2




507/1




507/3




507/4




508



509



510/1



510/2, 510/3

SCREW TYPE, PTFE KEY STOPCOCKS

515 Stopcock screw type, PTFE key, with Two Plain limbs.

Cat. No.	Limbs O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
515/1	8	10	140.00
515/2	10	10	295.00
515/3	12	10	405.00

516 Stopcock, Screw Type, PTFE key, with two limbs, Capillary Bore 2 mm.

155.00

517 Stopcock Screw Type, PTFE key, with Two Plain Limbs at Right Angle.

Cat. No.	Limbs O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
517/1	8	10	162.00
517/2	10	10	315.00
517/3	12	10	450.00

518 Stopcock, Screw Type, PTFE key, with two Limbs at Right Angle, Capillary Bore 2 mm.

202.00

PTFE KEY STOPCOCKS

525 Stopcock Straight Bore with PTFE key, "JSGW".

Cat. No.	Body Wide End I.D. mm.	Key Bore mm.	Minimum Qty/Pack	Price/Piece (₹)
525/2	12	2	5	545.00
525/3	14	3	5	665.00
525/4	16	4	5	885.00
525/5	19	6	5	1270.00
525/6	24	8	5	2395.00

526 Stopcock for Burette, Straight Bore, with PTFE key "JSGW".

530.00

527 Stopcock for Burettes, Double Oblique Bore, with PTFE key "JSGW".

945.00

528 Stopcock for Separating Funnel, 2 m.m. Bore, with PTFE key "JSGW". Body Wide End I.D. 14 mm.

700.00

528/1 Same as Cat. No. 528, 4 m.m. Body Size I.D. 16 mm.


920.00

530 Stopcock Double Oblique Bore with PTFE key, "JSGW".

Cat. No.	Key Bore mm.	Minimum Qty/Pack	Price/Piece (₹)
530/1	2	2	1690.00
530/2	4	2	2110.00

531 Stopcock, T Bore with PTFE key, "JSGW".

Cat. No.	Key Bore mm.	Minimum Qty/Pack	Price/Piece (₹)
531/1	2	2	1270.00
531/2	4	2	2110.00



HIGH VACUUM STOPCOCKS

536 Stopcock, Straight Bore, with hollow plug, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
536/1	2	10	465.00
536/2	4	10	645.00
536/3	6	2	970.00
536/4	8	2	1240.00

537 Stopcock Single Oblique Bore, with hollow plug, High Vacuum "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
537/1	2	5	505.00
537/2	4	5	690.00
537/3	6	5	1060.00
537/4	8	5	1340.00

538 Stopcock, Three Way Double Oblique Bore, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
538/1	2	5	775.00
538/2	4	5	935.00
538/3	6	5	1535.00

539 Stopcock, T Bore, Hollow Plug, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
539/1	2	5	935.00
539/2	4	5	1535.00

540 Stopcock, L Type, Lower Limb bent at Right Angle, Hollow Plug, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
540/1	2	5	390.00
540/2	4	5	497.00
540/3	6	5	635.00

541 Stopcock, L Type, Lower Limb Vertical, Hollow Plug, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
541/1	2	5	390.00
541/2	4	5	497.00
541/3	6	5	615.00

542 Stopcock, L Type, Two Limb with Mercury Cup, Lower Limb Vertical, Hollow Plug, High Vacuum, "JSGW".

Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
542/1	2	5	525.00
542/2	4	5	635.00
542/3	6	5	720.00

543 Stopcock, L Type, Three Limb, Hollow Plug, High Vacuum, "JSGW".










Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
543/1	2	5	900.00
543/2	4	5	1510.00

544 Stopcock, Mercury Cup, Two Limb, Hollow Plug, High Vacuum, "JSGW".


Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
544/1	2	5	1000.00
544/2	4	5	1690.00

545 Stopcock, Mercury Cup, Three Limb, Hollow Plug, High Vacuum, "JSGW".


Cat. No.	Plug Bore mm.	Qty/Pack	Price/Piece (₹)
545/1	1	5	1000.00
545/2	2	5	1690.00




BEAKERS




547




548



548A



549



549 A

547 Beakers, Low form, "JSGW" with spout & plastic handle.

Cat. No.	Capacity ml.	Minimum Qty/pack	Price/Piece (₹)
547/5	500	5	550.00
547/8	800	5	645.00
547/10	1000	5	720.00

548 Beakers Low form, "JSGW" with spout, Graduated.

Cat. No.	Capacity ml.	Minimum Qty/pack	Price/Piece (₹)
548/1	50	20	89.00
548/1-ISI	50	20	96.00
548/2	100	20	92.00
548/2-ISI	100	20	105.00
548/3	150	20	96.00
548/3-ISI	150	20	110.00
548/4	250	20	105.00
548/4-ISI	250	20	115.00
548/5	400	12	170.00
548/6	500	12	170.00
548/7	600	12	220.00
548/8	1000	12	350.00
548/9	2000	4	895.00
548/10	3000	2	1800.00
548/11	5000	2	2585.00
548/12	10000	1	8130.00
548/13	5	20	112.00
548/14	10	20	112.00
548/15	25	20	100.00

548A Amber Colour Beakers Low form, "JSGW" with spout, Graduated.

Cat. No.	Capacity ml.	Minimum Qty/pack	Price/Piece (₹)
548A/1	50	10	221.00
548A/2	100	10	310.00
548A/3	150	10	335.00
548A/4	250	6	385.00
548A/5	500	6	595.00

549 Beakers Tall form, "JSGW" with spout, Graduated.

Cat. No.	Capacity ml.	Minimum Qty/pack	Price/Piece (₹)
549/1	50	20	135.00
549/2	100	20	155.00
549/3	150	20	170.00
549/4	250	12	175.00
549/5	500	12	235.00
549/6	1000	12	460.00

549 A Beakers Tall form, "JSGW" without spout, Graduated.

Cat. No.	Capacity ml.	Minimum Qty/pack	Price/Piece (₹)
549A/1	50	20	135.00
549A/2	100	20	155.00
549A/3	150	20	170.00
549A/4	250	12	170.00
549A/5	500	12	235.00
549A/6	1000	12	460.00

550 Beakers Philips, Conical with spout. "JSGW".

Cat. No.	Capacity ml.	Minimum Qty./pack	Price/Piece (₹)
550/1	250	2	580.00
550/2	500	2	735.00

550 A Tong for holding Beaker 12" long, Stainless Steel 410.00

550 B Brush, Beaker, made of Nylon Bristle. (Pk. of 10 Pcs.) 870.00

BOTTLES

551 Weighing Bottles, "JSGW", with interchangeable stopper.

Cat. No.	O.D. x Ht. mm. (approx.)	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
551/1 Squate form	40 x 30	20	12	342.00
551/2	50 x 25	15	12	430.00
551/3	50 x 35	25	12	457.00
551/4	50 x 50	50	12	475.00
551/5	60 x 40	40	12	600.00
551/6 Tall form	20 x 40	5	12	195.00
551/7	25 x 60	15	12	215.00
551/8	30 x 65	25	12	260.00
551/9	40 x 90	60	12	405.00

551 A Amber Colour Weighing Bottles, "JSGW", with interchangeable stopper.




Cat. No.	O.D. x Ht. mm. (approx.)	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
551A/1 Squate form	40 x 30	20	12	475.00
551A/2	50 x 25	15	12	585.00
551A/3	50 x 35	25	12	640.00
551A/4	50 x 50	50	12	670.00
551A/5	60 x 40	40	12	795.00
551A/6 Tall form	20 x 40	5	12	280.00
551A/7	25 x 60	15	12	305.00
551A/8	30 x 65	25	12	390.00
551A/9	40 x 90	60	12	575.00


553 Weighing Bottles, "JSGW", Tall Form, Cap Type.

Cat. No.	O.D. x Ht. mm. (approx.)	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
553/1	18 x 40	7	12	245.00
553/2	28 x 50	25	12	277.00
553/3	38 x 60	55	12	420.00
553/4	45 x 80	100	12	470.00

554 Weighing Bottles, "JSGW", Squate Form, Cap Type.

Cat. No.	O.D. x Ht. mm. (approx.)	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
554/1	38 x 30	25	12	415.00
554/2	45 x 30	45	12	457.00





- 555 Bottles Wide Mouth, "JSGW", with interchangeable stopper for 15 mm. Suba Seals.

Cat. No.	O.D. x Ht. mm. (approx.)	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
555/1	30 x 60	25	12	305.00
555/2	40 x 80	60	12	405.00
555/3	50 x 80	100	12	495.00
555/4	60 x 100	250	12	705.00
555/5	75 x 130	500	12	1180.00
555/6	90 x 180	1000	12	1695.00

- 556 Weighing Bottle Lunge's, 25 ml. "JSGW", for weighing Corrosive liquids. 805.00

- 557 Specific Gravity Bottles, "JSGW", with Capillary Bore interchangeable Teflon stopper, Class A, with Works Certificate. *Note : * With Glass Capillary Stopper.*

Cat. No.	Capacity ml.	Tolerance ± ml.	Minimum Qty./Pack	Price/Piece (₹)
*557/1	* 5	0.1	5	580.00
557/2	10	0.3	5	550.00
557/3	20	0.8	5	655.00
557/4	25	0.8	5	665.00
557/5	50	1.0	5	695.00
557/6	100	2.0	5	835.00

- 557 N Specific Gravity Bottles, "JSGW", Capillary Bore interchangeable Teflon stopper, Class A, with NABL Works Certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Minimum Qty./Pack	Price/Piece (₹)
*557N/1	* 5	0.1	2	1090.00
557N/2	10	0.3	2	1065.00
557N/3	20	0.8	2	1170.00
557N/4	25	0.8	2	1180.00
557N/5	50	1.0	2	1205.00
557N/6	100	2.0	2	1515.00

- 558 Specific Gravity Bottles, "JSGW", Capillary Bore interchangeable Teflon stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
558/1	5	12	335.00
558/2	10	12	322.00
558/3	20	12	322.00
558/4	25	12	335.00
558/5	50	12	360.00
558/6	100	6	425.00

- 559A Specific Gravity Bottles, "JSGW", Class A with Ground in thermometer range 0 to 50 °C, with works Certificate. (Pyknometer)

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
559A/1	25	4	1155.00
559A/2	50	4	1220.00
559A/3	10	4	1180.00

559AN Specific Gravity Bottles, (Pyknometer) "JSGW", Class A with NABL Work Certificate of Flask & Thermometer. Ground in thermometer range 0 to 50°C.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
559AN/1	25	4	1675.00
559AN/2	50	4	1735.00
559AN/3	10	4	1700.00

560 Specific Gravity Bottles, Weld,"JSGW", with Cap.

Cat. No.	Capacity ml.	Inner Joint	Outer Joint	Price/Pair (₹)
560/1	10	10/19	14/23	850.00
560/2	25	10/19	14/23	855.00
560/3	50	10/19	14/23	1245.00

561 Specific Gravity Bottle, "JSGW", Hubbard, Conical, 25 ml. Cap. 660.00

562 Specific Gravity Bottle, "JSGW", Hubbard, Cylindrical, 25 ml. Cap. 605.00


562 M Antibiotic Moisture Content Flask "JSGW" as per USP, Class A with Certificate, 2.2 ml. 2215.00

563 Reagent Bottles, "JSGW", Narrow Mouth, with interchangeable flat head, Solid Glass Stopper.

Cat. No.	Capacity ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
563/1	30	14/23	12	252.00
563/2	60	14/23	12	305.00
563/3-1	100	19/26	12	405.00
563/3	125	19/26	12	405.00
563/4	250	19/26	12	440.00
563/5	500	24/29	12	540.00
563/6	1000	29/32	6	775.00
563/7	2000	34/35	6	1480.00
563/7-3	3000	45/40	2	3050.00
563/8	5000	45/40	1	7960.00
563/9	10000	55/44	1	12455.00

563A Amber Colour, Reagent Bottles, "JSGW", Narrow Mouth, with interchangeable flat head, Solid Glass Stopper.


Cat. No.	Capacity ml.	Stopper Size	Minimum Qty/Pack	Price/Piece (₹)
563A/1	30	14/23	12	415.00
563A/2	60	14/23	12	555.00
563A/3-1	100	19/26	12	585.00
563A/3	125	19/26	12	585.00
563A/4	250	19/26	12	730.00
563A/5	500	24/29	12	905.00
563A/6	1000	29/32	6	1375.00
563A/7	2000	34/35	6	2320.00




559 AN



560




561




562




562M




563




563A




564



565



566



566A

564 Reagent Bottles, "JSGW", Wide Mouth, with interchangeable hollow Stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
564/1	30	6	270.00
564/2	60	6	325.00
564/3	125	6	510.00
564/4	250	2	800.00
564/5	500	2	1015.00
564/6	1000	1	1555.00
564/7	2000	1	2035.00

565 Reagent Bottles, "JSGW", Narrow Mouth, with Bakelite Screw Cap and PTFE/Rubber liner.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
565/1	30	6	240.00
565/2	60	6	297.00
565/3	125	6	450.00
565/4	250	2	575.00
565/5	500	2	810.00
565/6	1000	1	1455.00
565/7	2000	1	1870.00

566 Reagent Bottles, "JSGW", Wide Mouth, with Bakelite screw cap and Rubber liner.


Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
566/1	30	6	252.00
566/2	60	6	305.00
566/3	125	6	385.00
566/4	250	2	625.00
566/5	500	2	905.00

566A Reagent Bottle "JSGW" Clear, wide mouth with PP Blue screw cap and pouring ring, repeatedly autoclaveable, Graduated. Printed with Retrace Code.

Cat. No.	Capacity ml.	DIN Thread	Minimum Qty/Pack	Price/Piece (₹)
566A/1	25	GL25	10	332.00
566A/2	50	GL32	10	375.00
566A/3	100	GL45	10	380.00
566A/3A	150	GL45	10	415.00
566A/4	250	GL45	10	385.00
566A/5	500	GL45	10	430.00
566A/6	1000	GL45	10	715.00
566A/7	2000	GL45	2	1225.00
566A/7-3	3000	GL45	2	5725.00
566A/8	5000	GL45	1	6140.00
566A/9	10000	GL45	1	10430.00
566A/10	20000	GL45	1	20210.00
566A/11	10	GL25	10	315.00

566B Reagent Bottle “JSGW” Amber Colour, wide mouth with PP Blue screw cap & pouring ring, repeatedly autoclaveable, Graduated. Printed with Retrace Code.

Cat. No.	Capacity ml.	DIN Thread	Minimum Qty/Pack	Price/Piece (₹)
566B/1	25	GL25	10	475.00
566B/2	50	GL32	10	530.00
566B/3	100	GL45	10	630.00
566B/3A	150	GL45	10	675.00
566B/4	250	GL45	10	675.00
566B/5	500	GL45	10	800.00
566B/6	1000	GL45	10	1075.00
566B/7	2000	GL45	2	2025.00
566B/7-3	3000	GL45	2	10530.00
566B/8	5000	GL45	2	10950.00
566B/9	10000	GL45	1	15885.00
566B/10	20000	GL45	1	24120.00
566B/11	10	GL25	10	497.00



566B

566C Caps, PP Screw Cap with Pouring Ring for Laboratory Reagent Bottles.

Cat. No.	Colour	DIN Thread	Minimum Qty/Pack	Price/Piece (₹)
566C/1	Blue	GL 45	10	80.00
566C/2	Orange	GL 45	10	95.00
566C/3	Yellow	GL 45	10	95.00
566C/4	Green	GL 45	10	95.00
566C/5	Grey	GL 45	10	95.00
566C/6	Blue	Pouring Ring	10	23.00



566 C

567 Reagent Bottle “JSGW” Clear, extra wide mouth with Polypropylene Blue screw cap and with pouring ring, repeatedly autoclaveable, Graduated.


Cat. No.	Capacity ml.	DIN Thread	Minimum Qty/Pack	Price/Piece (₹)
567/5	500	GL80	10	1290.00
567/6	1000	GL80	10	1925.00
567/7	2000	GL80	2	3500.00
567/8	5000	GL80	1	9240.00
567/9	10000	GL80	1	15880.00
567/10	20000	GL80	1	31760.00




567

567A Reagent Bottle “JSGW” Amber Colour, extra wide mouth with Polypropylene Blue screw cap & pouring ring, repeatedly autoclaveable, Graduated.

Cat. No.	Capacity ml.	DIN Thread	Minimum Qty/Pack	Price/Piece (₹)
567A/5	500	GL80	10	1650.00
567A/6	1000	GL80	10	2450.00
567A/7	2000	GL80	2	4500.00
567A/8	5000	GL80	1	13715.00
567A/9	10000	GL80	1	18770.00
567A/10	20000	GL80	1	38980.00



567A



- 568** Reagent Bottle, High Recovery, "JSGW" Clear, wide mouth with Conical Bottom delivers all solvent without tilting with autoclavable PP Screw Cap GL45.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
568/1	500	1	2100.00
568/2	1000	1	3325.00
568/3	2000	1	6300.00
568/4	3000	1	8750.00
568/5	5000	1	12250.00

- 569** Reagent Bottle, Clear Glass, "JSGW", with Multi-Neck with autoclavable PP Screw Cap GL45 (These bottles are used for additional solvent pouring or purging).

Cat. No.	Capacity ml.	No. of Necks	Minimum Qty./Pack	Price/Piece (₹)
569/1	500	2	1	1500.00
569/2	500	5	1	3500.00
569/3	1000	2	1	2200.00
569/4	1000	5	1	5500.00
569/5	2000	2	1	4500.00
569/6	2000	5	1	7800.00

- 570** Dropping Bottles, "JSGW", fitted with I/C stopper and silicone rubber teat.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
570/1	30	12	335.00
570/2	60	12	390.00
570/3	125	12	505.00
570/4	250	12	665.00

- 570A** Amber Colour, Dropping Bottles, "JSGW", fitted with interchangeable stopper & rubber teat.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
570A/1	30	12	525.00
570A/2	60	12	705.00
570A/3	125	12	775.00
570A/4	250	12	1005.00

- 571** Bottles Aspirator, "JSGW", with Screw Cap, Glass key stopcock with interchangeable joint.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
571/1	1000	2	2610.00
571/2	2000	2	3030.00
571/2-3	3000	2	9010.00
571/3	5000	1	10915.00
571/4	10000	1	15455.00
571/5	20000	1	22520.00

- 571A** Bottles Aspirator, "JSGW", with I/C Socket & Tubulation.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
571A/1	250	2	480.00
571A/2	500	2	615.00
571A/3	1000	2	980.00
571A/4	2000	2	1515.00

573 Woulf Bottles, "JSGW", with two standard joint necks.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
573/1	250	6	665.00
573/2	500	6	780.00

574 Mac-Cartney Bottles, "JSGW", Complete with Aluminium Cap.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
574/1	15	25	89.00
574/2	30	25	95.00
574/3	60	25	125.00

575 Bottles, B.O.D. with I/C glass stopper "JSGW", with Individual number.


Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
575/1	125	12	505.00
575/2	300	12	650.00
575/3	60	12	425.00


576 Roux, Culture Bottle, Off-Set Neck "JSGW"

Cat. No.	Capacity ml.	Neck I.D. (approx.) mm.	Approx. Ht.	Approx. Cross Section mm.	Price/Piece (₹)
576	1000	26	255	120 x 55	2055.00

CLINICAL LABORATORY GLASSWARE

		Minimum Qty/Pack	Price/Piece (₹)	
580	Albuinometer, "JSGW", Esbach's in case.	10	375.00	
581	Ureometer Doremus, "JSGW", with stop cock for rapid determination in urine.	2	805.00	
582	Ureometer Doremus, "JSGW", without stopcock.	2	560.00	
583	Blood Sugar Tubes, "JSGW", Folin Wu, as per I.S. 3740 : 1966, Capacity 25 ml., marked at 4 ml, 12.5 ml. And 25 ml.	10	277.00	
584	Tubes, Digestion, "JSGW", Folin-Wu, marked at 35 ml. and 50 ml., 25 mm O.D. x 200 mm. length.	10	106.00	
585	Wintrobe Tubes, "JSGW", 100 mm. graduated.	25	59.00	
587	E.S.R. Tube, 200 mm. graduated, 300 mm. Long.	10	100.00	
588	Tube for Kahn and Wasserman test, 75 x 12 mm.	50	11.00	
589	Kahn's Antigen Dilution Tube, "JSGW", 55 x 18 mm. Flat bottom	50	27.00	
590	Wasserman Tube, "JSGW", Rimless.			
	Cat. No.	Size mm.	Minimum Qty/Pack	Price/Piece (₹)
	590/1	50 x 10	100	11.00
	590/2	75 x 10	100	11.00
591	Dreyer's Agglutination Tube, Conical bottom.	50	22.00	





592 Durham Tube, "JSGW"

Cat. No.	Size mm.	Minimum Qty/Pack	Price/Piece (₹)
592/1	25 x 6	100	9.00
592/2	37 x 6	100	9.00
592/3	50 x 6	100	11.00

594 Widal Tube Conical Bottom, "JSGW"

50 28.00

595 Co-Agulation Tubes (melting point tube)

capillary length, 100 mm. one end sealed, Pack of 100 pcs. 152.00

595/1 Co-Agulation Tubes (melting point tube)

capillary length, 100 mm. both end open, Pack of 100 pcs. 146.00

595A Graduated Micro Capillary Pipettes, Disposable, calibrated "to contain"

Cat. No.	Cap. μ l.	Graduation μ l.	Colour Code	Price/250 Pcs. (₹)
595A/1	05	1,2,3,4 & 5	White	1155.00
595A/2	05	5	White	1105.00
595A/3	10	10	Orange	1105.00
595A/4	10	5 & 10	Orange	1155.00
595A/5	20	10 & 20	Black	1105.00
595A/6	20	20	Black	1105.00
595A/7	25	25	White	1105.00
595A/8	44	44.7	Purple	1155.00
595A/9	50	50	Green	1105.00
595A/10	100	100	Blue	1105.00
595A/11	200	200	Red	1155.00

595B Graduated Micro Capillary Pipettes, without colour coded and single mark.

Cat. No.	Capacity μ l.	Length mm.	Price/250 Pcs. (₹)
595B/1	5	90	1155.00
595B/2	10	90	1155.00
595B/3	20	90	1155.00
595B/4	25	90	1155.00
595B/5	50	90	1155.00
595B/6	100	90	1155.00
595B/7	200	90	1155.00

595C End to End Capillary Pipettes, Disposable

Cat. No.	Capacity μ l.	Length mm.	Price/250 Pcs. (₹)
595C/1	01.0	32.00	1100.00
595C/2	02.0	32.00	1100.00
595C/3	03.0	41.10	1100.00
595C/4	04.0	53.50	1100.00
595C/5	05.0	67.00	1100.00
595C/6	10.0	50.00	1100.00
595C/7	20.0	66.00	1100.00
595C/8	25.0	76.00	1100.00
595C/9	44.7	57.00	1100.00
595C/10	50.0	64.00	1100.00
595C/11	100.0	90.00	1100.00
595C/12	TLC	100.00	1060.00

595D Haematocrit Capillaries, colour Blue for Non Heparinised and Red for heparinised.

Cat. No.	Description	Price/Vial (₹)
595D/1	75mm non heparinised capillary (100/vial)	140.00
595D/2	75mm heparinised capillary (100/vial)	211.00
595D/3	125mm non heparinised blood gas analyzer (100/vial)	555.00
595D/4	125mm heparinised blood gas analyzer (100/vial)	930.00
595D/5	90mm B.T.C.T. (100/Vial)	105.00
595D/6	Mice bleeding capillary (100/vial)	370.00
595D/7	Rat bleeding capillary (100/vial)	370.00
595D/8	Rabbit bleeding capillary (100/vial)	370.00
595D/9	32mm strmia non heparinised capillary (100/vial)	105.00
595D/10	32mm strmia heparinised capillary (100/vial)	185.00

597 Micro Slide : 75 x 25mm Prepared from high quality thin glass, 1.00-1.2mm thick packed with Paper in between each slide and sealed in transparent P.P. Envelope, Pk. of 50.

Cat. No.	Type	Price/Pk. (₹)
597/1	Ground Edges	145.00
597/4	Ground Edges & one side at one end 19mm frosted surface	186.00

597A Micro Concavity Slides : 75x75x1.45mm, spherical concavities are 15-18 mm dia, 0.5 to 0.6mm deep, bevelled and polished edges, Pk. of 10.

Cat. No.	No. of Concavities	Price/Pk. (₹)
597A/1	One	115.00
597A/2	Two	132.00
597A/3	Three	160.00

597B V.D.R.L. Slides (Kline Concavity Slides) : 75x56x3mm., Concavities 16mm. Dia, 1.75mm. deep, Polished edges, frosted surface. 12 concavities.

Price/Pk.
186.00

597C Blood Grouping Slides : 100 x 100 x 10mm. thick, 12 concavities of 21mm. Dia x 1.5mm. deep, frosted surface (One slide).

445.00

599 Counting Chamber, Neubauer, Double Ruling, Silverlite.

3505.00

600 Haemocytometer in box with counting chamber, Cover glasses pair, R.B.C. and W.B.C. Pipettes with rubber suction tubing and mouth piece.

3980.00

601 R.B.C. Pipette with suction tube and mouthpiece

195.00

602 W.B.C. Pipette with suction tube and mouthpiece

195.00

603 Petri Dishes, Borosilicate 33 expansion Glass

Cat. No.	O.D. x Ht. mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
603/1	50x17	10	170.00
603/2	62x17	10	195.00
603/3	80x17	10	202.00
603/4	100x17	10	240.00
603/5	150x20	10	810.00
603/6	200x20	10	1855.00
603/7	90x17	10	216.00




595D



597/1




597/4




597A



597B




597C



599



600




602



601



603



603A Amber Colour Petri Dishes, Borosilicate 33 expansion Glass

Cat. No.	O.D. x Ht. mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
603A/1	50x17	10	390.00
603A/2	62x17	10	465.00
603A/3	80x17	10	550.00
603A/4	100x17	10	590.00

603B Glass Spreader

		Min. Qty/Pack	Price/Piece (₹)
603B/1	Spreader L Shape	10	162.00
603B/2	Spreader Lower Portion at angle	10	221.00
603B/3	Spreader Triangular 50mm	10	290.00

604 Haemometer Tube

10 130.00

605 Haemometer Pipette 20µl

10 105.00

606 Haemometer Complete Set

1 1480.00

TISSUE HOMOGENISERS

631 Tissue Grinders Ten Broeck Type, "JSGW"

Cat. No.	Vessel length mm.	Vessel O.D. mm.	Capacity Approx. ml.	Minimum Qty/Pack	Price/Piece (₹)
631/1	100	13	2	5	545.00
631/2	130	16	7	5	570.00
631/3	150	18	15	5	680.00
631/4	210	25	40	5	750.00

632 Tissue Grinders, "JSGW", Homogenisers.

Cat. No.	Vessel length mm.	Vessel O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
632/1	100	13	5	365.00
632/2	150	16	5	435.00
632/3	150	18	5	485.00
632/4	200	18	5	510.00

633 Teflon Pestle Tissue Homogenisers, "JSGW", having stainless steel rod, replaceable vessel of Borosilicate glass for the preparation of tissue homogenates.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
633/1	10	5	665.00
633/2	30	5	1000.00
633/3	50	5	1395.00
633/4	100	5	1655.00
633/5	5	5	635.00


634 Spare Glass Vessel, "JSGW", for Cat. No. 633.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
634/1	10	5	315.00
634/2	30	5	445.00
634/3	50	5	575.00
634/4	100	5	665.00
634/5	5	5	310.00

CONWAY DIFFUSION UNIT

640 Conway Type Diffusion Unit, "JSGW", with Cover.

Cat. No.	Outer Dish O.D. x Ht. (mm)	Inner Chamber O.D. x Ht. (mm)	Minimum Qty./Pack	Price/Piece (₹)
640/1	50 x 17	25 x 5	5	575.00
640/2	80 x 17	35 x 5	5	610.00
640/3	100 x 17	40 x 5	5	905.00




640

CULTURE FLASKS

645 Trypsinising Flasks, "JSGW", for Culture, with four Baffles.

Cat. No.	Flask Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
645/1	25	12	265.00
645/2	50	12	422.00
645/3	100	12	465.00
645/4	250	6	685.00
645/5	500	6	830.00
645/6	1000	4	1275.00



645

655 Ampoules Freeze Drying, "JSGW", Round/Flat Bottom

Cat. No.	Capacity ml.	Neck O.D. mm.	Overall length mm.	Minimum Qty./Pack	Price/Piece (₹)
655/1	1	7	80	50	18.00
655/2	2	8	140	50	32.00
655/3	3	8	163	50	34.00
655/4	5	8	167	50	39.00
655/5	10	8	180	50	45.00
655/6	15	8	180	50	52.00
655/7	20	8	195	50	80.00
655/8	25	8	200	50	82.00
655/9	50	8	230	50	130.00
655/10	100	8	240	50	182.00



655

658 Ampoules Freeze Drying, "JSGW", Tubular.

Cat. No.	Capacity ml.	Neck O.D. mm.	Overall length mm.	Minimum Qty./Pack	Price/Piece (₹)
658/1	0.5	6	112	50	13.00
658/2	1	7	127	50	14.00
658/3	2	8	147	50	16.00
658/4	3	10	147	50	20.00
658/5	4	10	170	50	22.00



658


GLASSWARE FOR GASES

661 Gas Desorber, "JSGW"


9150.00

662 Impinger, "JSGW", graduated for sampling small gas volumes as per standard specification.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
662/1	35	10	475.00
662/2	50	10	525.00
662/3	80	10	615.00
662/4	150	5	790.00
662/5	275	5	1060.00



662



- 663 Large Size Impinger, "JSGW"**, used in an impinger train to collect gases and particles from air and gases. Cap. 500 ml. graduated at 100 ml., 250 ml. and 500 ml. 2210.00
- 664 Impinger Bubbler Type, "JSGW"**, Graduated in 5 ml interval with standard joint and sintered disc for measurement of air pollutants.
- | Cat. No. | Capacity ml. | Pore Size microns | Minimum Qty./Pack | Price/Piece (₹) |
|----------|--------------|-------------------|-------------------|-----------------|
| 664/1 | 35 | 170-200 | 10 | 730.00 |
| 664/2 | 35 | 90-150 | 10 | 730.00 |
| 664/3 | 35 | 49-90 | 10 | 730.00 |
- 671 Calcium Chloride Tube, "JSGW"**, Straight or bent.
- | | | | |
|-------|----------------|----|-------|
| 671/1 | with one bulb | 10 | 73.00 |
| 671/2 | with two bulbs | 10 | 80.00 |
- 672 Calcium Chloride Tube, "JSGW"**, U Shape
- | Cat. No. | Ht. x Tube O.D. mm. (approx.) | Minimum Qty./Pack | Price/Piece (₹) |
|----------|-------------------------------|-------------------|-----------------|
| 672/1 | 100 x 12 | 10 | 130.00 |
| 672/2 | 125 x 15 | 10 | 140.00 |
| 672/3 | 150 x 18 | 10 | 175.00 |
- 673 Calcium Chloride Tube, "JSGW"**, U shape with side tube.
- | Cat. No. | Ht. x Tube O.D. mm. (approx.) | Minimum Qty./Pack | Price/Piece (₹) |
|----------|-------------------------------|-------------------|-----------------|
| 673/1 | 100 x 12 | 10 | 195.00 |
| 673/2 | 125 x 15 | 10 | 215.00 |
| 673/3 | 150 x 18 | 10 | 235.00 |
- 674 Calcium Chloride Tube, "JSGW"**, U shape with side tube and I/C stopper.
- | Cat. No. | Ht. x Tube O.D. mm. (approx.) | Minimum Qty./Pack | Price/Piece (₹) |
|----------|-------------------------------|-------------------|-----------------|
| 674/1 | 100 x 12 | 10 | 550.00 |
| 674/2 | 125 x 15 | 10 | 565.00 |
| 674/3 | 150 x 18 | 10 | 605.00 |
- 676 Absorption Bulbs, "JSGW"**
- | Cat. No. | Type | Minimum Qty./Pack | Price/Piece (₹) |
|----------|---------|-------------------|-----------------|
| 676/1 | Nesbitt | 10 | 615.00 |
| 676/2 | Midvale | 10 | 615.00 |
- 678 Calcium Chloride Tower, "JSGW"**, Tubular at bottom and stopcock at top.
- | Cat. No. | Body O.D. x Ht. mm. (approx.) | Minimum Qty./Pack | Price/Piece (₹) |
|----------|-------------------------------|-------------------|-----------------|
| 678/1 | 38 x 250 | 10 | 1105.00 |
| 678/2 | 50 x 300 | 10 | 1345.00 |
| 678/3 | 60 x 300 | 10 | 1970.00 |
- 679 Tutwiler Gas Burette, "JSGW"**, for determination of hydrogen sulphide, with stopcock at top and bottom and only two graduation marks at 100 ml. and 110 ml. Complete with Cylindrical reservoir at top, graduation downward from 0-9 ml. 5630.00
- 680 Bunte Gas Burette, "JSGW"**, with stop-cocks at both ends, graduated 100 x 0.2 ml. 5630.00
- 681 Hample Gas Burette, "JSGW"**, with two way stopcock at top and three way stopcock at bottom, 100 x 0.2 ml. With levelling tube, without stand. 5630.00

- 684 Nitrometer Lunge's, "JSGW", 50 ml. x 0.1 ml. Graduated tube, with cup graduated 0 to 10 ml. with double oblique bore stopcock, complete with plain levelling bulb. 5210.00
- 685 — do — with stand and clamps. 6755.00
- 686 Nitrometer Schiff's, "JSGW", 100 x 0.2 ml. Graduated tube, stopcock and levelling bulb. 2110.00
- 687 — do — with stand and clamps. 3800.00
- 688 Gas Collecting Tubes, "JSGW", with two three way double oblique bore stopcocks one on each side.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
688/1	15	4	970.00
688/2	30	4	985.00
688/3	70	4	1040.00
688/4	100	4	1075.00
688/5	250	4	1155.00
688/6	500	4	1690.00

- 689 Gas Collecting Tubes, "JSGW", with two three way double oblique bore, PTFE key stopcocks one on each side.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
689/1	15	4	2535.00
689/2	30	4	2610.00
689/3	70	4	2610.00
689/4	100	4	2620.00
689/5	250	4	2675.00
689/6	500	4	2815.00

- 690 Gas Collecting Tubes, "JSGW", with two, two way stopcocks one on each side.


Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
690/1	125	4	690.00
690/2	250	4	790.00
690/3	500	4	1010.00


- 690A Gas Collecting Tubes, "JSGW", with two, two way stopcocks one on each side, with side tube, screw cap and rubber septa.

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
690A/1	125	4	985.00
690A/2	250	4	1085.00
690A/3	500	4	1305.00

- 691 Gas Collecting Tubes, "JSGW", with two, two way PTFE key stopcocks, one on each side

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
691/1	125	4	1395.00
691/2	250	4	1510.00
691/3	500	4	1650.00





- 691A Gas Collecting Tubes, "JSGW", with two, two way PTFE key stopcocks, one on each side, with side tube screw cap and rubber septa.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
691A/1	125	4	1690.00
691A/2	250	4	1760.00
691A/3	500	4	1945.00

- 692 Gas Washing Bottles, "JSGW", Dreshle's type, interchangeable joints.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
692/1	125	4	825.00
692/2	250	4	1025.00
692/3	500	4	1210.00

- 693 Spare Head, for Gas Washing Bottles.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
693/1	125	4	407.00
693/2	250	4	407.00
693/3	500	4	407.00

- 694 Gas Washing Bottles, "JSGW", with sintered disc, interchangeable joints.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
694/1	125	4	1060.00
694/2	250	4	1245.00
694/3	500	4	1415.00

- 695 Spare Head, for Gas Wash Bottles with Sintered Disc.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
695/1	125	4	690.00
695/2	250	4	690.00
695/3	500	4	690.00

- 696 Gas Jar, "JSGW", with ground Glass flat flange.**

Cat. No.	Height mm. (approx.)	O.D. mm. (approx.)	Minimum Qty./Pack	Price/Piece (₹)
696/1	150	50	4	750.00
696/2	200	50	4	890.00
696/3	200	75	4	1220.00
696/4	300	75	4	1455.00

- 697 Gas Generator - Kipp's, "JSGW", with interchangeable joints.**

Cat. No.	Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
697/1	250	1	3525.00
697/2	500	1	4695.00
697/3	1000	1	6460.00
697/4	100	1	1615.00

- 700 Oxygen Determination Assembly, "JSGW", as per I.S. Specification, fitted on wooden stand.**

10560.00

- 701 Complete Glass Parts, for Cat. No. 700.**

6335.00

- 702 Gas Burette, Only for Cat. No. 700.**

2675.00


ORSAT GAS ANALYSIS

- 705 Orsat Gas Analysis Unit**, with **3** absorption pipettes of two compartment type, 100ml Gas Burette with outer Jacket, manifold with Stopcocks & aspirator bottle, for the analysis of CO, O₂, CO₂ particularly in fuel & furnace gases, complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **17950.00**
- 707 Orsat Gas Analysis Unit**, with **3** absorption pipettes of two compartment type, 100 ml Gas Burette with outer Jacket, manifold with **PTFE Stopcocks** & aspirator bottle, for the analysis of CO, O₂, CO₂ particularly in fuel & furnace gases, complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **21135.00**
- 711 Orsat Gas Analysis Unit**, with **4** absorption pipettes of two compartment type, 100 ml Gas Burette with outer Jacket, manifold with Stopcocks & aspirator bottle, Palladium, asbestos tube, adjustable spirit lamp for the analysis of CO, CO₂, H₂ and nitrogen (by difference) complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **21430.00**
- 713 Orsat Gas Analysis Unit**, with **4** absorption pipettes of two compartment type, 100 ml Gas Burette with outer Jacket, manifold with **PTFE Stopcocks** & aspirator bottle, Palladium, asbestos tube, adjustable spirit lamp for the analysis of CO, CO₂, H₂ and nitrogen (by difference) complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **25130.00**
- 714 Orsat Gas Analysis Unit**, with **5** absorption pipettes for determining CO₂, CO, H₂ illuminants methane, ethane & nitrogen (by difference). There are four absorption pipettes, of which two of the two compartments type filled with glass tubes to increase absorption area and two bubbling type with three way stopcock and one slow combustion pipette with platinum wire coil, & rheostat to operate on 220 volts, complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **28525.00**
- 716 Orsat Gas Analysis Unit**, with **5** absorption pipettes for determining CO₂, CO, H₂ illuminants methane, ethane & nitrogen (by difference). There are four absorption pipettes, of which two of the two compartments type filled with glass tubes to increase absorption area and two bubbling type with three way **PTFE Stopcock** and one slow combustion pipette with platinum wire coil, & rheostat to operate on 220 volts, complete in wooden cabinet with sliding doors. *The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.* **32400.00**

720 Spares of Orsat Gas Analysis.

Cat. No.	Item	Price/Piece (₹)
720/1*	100 ml. burette only	870.00
720/2	Water Jacket with Rubber Corks	590.00
720/3	Absorption pipette filled with tubes	800.00
720/3A	Absorption pipette filled with tubes with copper wire	1125.00
720/4	Bubbler pipette with three way stopcock	1295.00
720/4A	Bubbler pipette with PTFE three way stopcock	1970.00
720/5	Slow combustion pipette	4470.00
720/6	Manifold for Cat. No. 705	1355.00
720/7	Manifold for Cat. No. 707	4155.00
720/8	Manifold for Cat. No. 711	1675.00
720/9	Manifold for Cat. No. 713	4440.00
720/10	Manifold for Cat. No. 714	1580.00
720/11	Manifold for Cat. No. 716	4155.00
720/14	U Tube fitted with glass wool	535.00
720/15	Levelling bottle 250 ml.	565.00
720/16	Palladium Asbestos Tube	1155.00

* The lower portion of burette graduated at 0.2ml upto 30ml & the remaining 70ml in 5ml Div.



MANOMETER

756	Manometer , U tube mounted on wooden stand with scale 250-0-250 mm. without mercury.	1270.00
757	Same as Cat. No. 756 with scale 120-0-120 mm.	1125.00
758	Vacustat Gauge , Modified form of McLeod gauges, Range 10 mm to 0.01 mm. Hg. Pressure.	9855.00

ELECTRODES GLASSWARE

770	Hoffman's Voltameter , "JSGW", to demonstrate that H ₂ O consists of two volumes of Hydrogen and one volume of Oxygen with 50 ml. Graduated limbs with stopcocks, central limb with reservoir and removable platinum electrodes.	1540.00
771	— do — with 25 ml. graduated limbs.	1380.00
772	Spare Platinum Electrodes Pair for Hoffman's Voltameter.	560.00
773	Spare Carbon Electrodes Pair for Hoffman's Voltameter.	315.00
785	Transport Number, Determination Unit , "JSGW", Findly U form with silver electrodes.	2610.00
788	Calomel Potential Vessel "JSGW" Ordinary.	355.00
789	Calomel Potential Vessel , "JSGW", with stopcock and side tube.	595.00
790	Calomel Electrode Vessel , "JSGW", Ordinary, Plain with rubber connected side tube.	355.00


791 Calomel Electrodes, "JSGW".

Cat. No.	Description	Price/Piece (₹)
791/1	With Platinum foil of 8 mm square	1455.00
791/2	With Platinum foil of 4 mm square	865.00
791/3	With Silver foil of 8 mm square	350.00
791/4	With Silver foil of 4 mm square	286.00
791/5	With Platinum Wire of 10 mm length	475.00
791/6	With Platinum Wire of 20 mm length	775.00
791/7	With Silver Wire and Copper Wire connected	250.00

793	pH Meter combined electrode , glass round.	1510.00
-----	---	---------

MOLECULAR WEIGHT GLASS PRODUCTS

811	Beckmann's Depression of Freezing Point , "JSGW", for the determination of molecular Weight, Comprising of 2 litre glass cooling jar, cover, two stirrers, air jacket, freezing tube fitted with cork, glass syphon, but without thermometers.	6650.00
814	Cottrell Crown , "JSGW", Boiling point apparatus.	3095.00
815	Molecular Weight Determination , "JSGW", McCoy's, ground glass fittings	1690.00
817	Molecular Weight Determination , "JSGW", (Land Berger's) Boiling point method, modified by Walker and Lunsden without wall thermometer	1550.00
818	Vapour Density , Victor Meyer's Apparatus.	1690.00
819	Spare Inner Tube , "JSGW", only for Victor Meyer's App.	497.00
820	Victor Meyer's Apparatus , "JSGW", with copper Jacket and inner glass tube.	5915.00



MISCELLANEOUS GLASSWARE

825	Dissolution Bowl, Clear Glass, with Graduation, "JSGW"	3095.00
826	Dissolution Bowl, Amber Glass, with Graduation, "JSGW"	4970.00
830	Sampling Tube (Dip Tube) 105 cm long, Dia 19 mm, Heavywall	825.00

831	Schoinger Micro Combustion Flask, "JSGW", (Oxygen Flask) 500 ml with Platinum wire gauge sample carrier, for determination of Halogens, Sulphur, Phosphorous metal etc.	50925.00
-----	--	----------

832	Schoinger Micro Combustion Flask, "JSGW", (Oxygen Flask) 1000 ml with Platinum wire gauge sample carrier, for determination of Halogens, Sulphur, Phosphorous metal etc.	51985.00
-----	---	----------

834 Dishes Crystallizing "JSGW"

Cat. No.	Approx. O.D. x Ht. mm.	Approx. Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
834/4	70 x 40	100	10	270.00
834/5	80 x 45	150	10	355.00
834/7	100 x 50	300	10	510.00
834/10	150 x 75	1000	5	1200.00
834/11	190 x 100	2000	5	1905.00

835 Dishes Evaporating, Flat Bottom, with Spout, "JSGW"

Cat. No.	Approx. O.D. x Ht. mm.	Approx. Capacity ml.	Minimum Qty./Pack	Price/Piece (₹)
835/4	80 x 45	90	10	380.00
835/6	105 x 55	180	10	515.00
835/8	150 x 80	650	10	1210.00
835/10	200 x 100	1600	5	2360.00

836 Kjeldahl bulb, "JSGW", connecting, sloping, single.

Cat. No.	Bulb O.D. mm.	Tube O.D. mm.	Price/Piece (₹)
836/1	50	10	230.00
836/2	65	10	290.00

837 Kjeldahl bulb, "JSGW", connecting, Vertical

838 – do – with two bulbs, "JSGW".


839	Particle Size Determination Pipette "JSGW", (Sedimentation Pipette, Anderson) consisting of 500 ml. graduated Cylinder, graduation from 0 to 20 cm. and fitted with 10 ml. Pipette with three way stopcock, the tip of Pipette at the level of 0 mark at the Cylinder scale.	3230.00
-----	--	---------


840 Dirt Correction, "JSGW", 1000 ml with stopcock.

840/1	Plain	2515.00
840/2	Graduated	2930.00

845 Wash Bottles, "JSGW", with interchangeable joints.

Cat. No.	Capacity ml.	Joint Size mm	Minimum Qty/Pack	Price/Piece (₹)
845/1	250	24/29	6	705.00
845/2	500	24/29	6	825.00
845/3	1000	29/32	6	1105.00





846 Thiele's Melting Point Tubes, "JSGW".

Cat. No.	Size mm.	M. Qty/Pack	Price/Piece (₹)
846/1	150 x 18	6	120.00
846/2	150 x 25	6	150.00

849 Melting Point Apparatus, "JSGW", (Junge's) with standard joint fittings, without Thermometer

1200.00

850 Viscometer, "JSGW", Ostwald, standard size, College Pattern, Centre support.

282.00

850/1	— do —	80-100 Sec.	2	355.00
850/2	— do —	100-120 Sec.	2	355.00

850A Viscometer, "JSGW", U-Tube as per BS/U and ASTM D446 for Transparent Liquids with Calibration Certificate at 20°C.

Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850A/1	0	0.001		1	9940.00
850A/2	A	0.003	0.9-3	1	9760.00
850A/3	B	0.01	2-10	1	9760.00
850A/4	C	0.03	6-30	1	9760.00
850A/5	D	0.1	20-100	1	9760.00
850A/6	E	0.3	60-300	1	9760.00
850A/7	F	1	200-1000	1	9760.00
850A/8	G	3	600-3000	1	9760.00
850A/9	H	10	2000-10000	1	9760.00

850B Viscometer, "JSGW", Suspended Level as per BS/IP and ASTM D446 with Calibration Certificate at 20°C.


Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850B/1	1	0.01	3.5-10	1	10250.00
850B/2	1A	0.03	6.0-30	1	10250.00
850B/3	2	0.1	20-100	1	10250.00
850B/4	2A	0.3	60-300	1	10250.00
850B/5	3	1	200-1000	1	10250.00
850B/6	3A	3	600-3000	1	10250.00
850B/7	4	10	2000-10000	1	10250.00
850B/8	4A	30	6000-30000	1	10250.00

850C Viscometer, "JSGW", U-Tube, Reverse Flow for Opaque liquids as per BS/IP and ASTM D446 with Calibration Certificate at 20°C.

Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850C/1	1	0.003	0.6-3	1	9760.00
850C/2	2	0.01	2-10	1	9760.00
850C/3	3	0.03	6-30	1	9760.00
850C/4	4	0.1	20-100	1	9760.00
850C/5	5	0.3	60-300	1	9760.00
850C/6	6	1	200-1000	1	9760.00
850C/7	7	3	600-3000	1	9760.00
850C/8	8	10	2000-10000	1	9760.00
850C/9	9	30	6000-30000	1	9760.00

850D Viscometer, “JSGW”, Cannon-Fenske Direct Flow for Transparent Liquid as per BS/IP and ASTM D446 with Calibration Certificate at 20°C.

Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850D/1	25	0.002	0.5-2	1	9760.00
850D/2	50	0.004	0.8-4	1	9760.00
850D/3	75	0.008	1.6-8	1	9760.00
850D/4	100	0.015	3-15	1	9760.00
850D/5	150	0.035	7-35	1	9760.00
850D/6	200	0.1	20-100	1	9760.00
850D/7	300	0.25	50-250	1	9760.00
850D/8	350	0.5	100-500	1	9760.00
850D/9	400	1.2	240-1200	1	9760.00
850D/10	450	2.5	500-2500	1	9760.00
850D/11	500	8	1600-8000	1	9760.00
850D/12	600	20	4000-20000	1	9760.00



850D

850F Viscometer, “JSGW”, Cannon-Fenske Reverse Flow for Transparent Liquid as per BS/IP and ASTM D446 with Calibration Certificate at 20°C.

Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850F/1	25	0.002	0.4-2	1	10740.00
850F/2	50	0.004	0.8-4	1	10005.00
850F/3	75	0.008	1.6-8	1	10005.00
850F/4	100	0.015	3-15	1	10005.00
850F/5	150	0.035	7-35	1	10005.00
850F/6	200	0.1	20-100	1	10005.00
850F/7	300	0.25	50-200	1	10005.00
850F/8	350	0.5	100-500	1	10005.00
850F/9	400	1.2	240-1200	1	10005.00
850F/10	450	2.5	500-2500	1	10005.00
850F/11	500	8	1600-8000	1	10005.00
850F/12	600	20	4000-20000	1	10005.00




850F

850G Viscometer, “JSGW”, Ubbelohde for Transparent Liquids as per ASTM D446 with Calibration Certificate at 20°C.

Cat. No.	Size	Nominal Constant	Viscosity Range	Minimum Qty/Pack	Price/Piece (₹)
850G/1	0	0.001	0.3-1	1	10740.00
850G/2	0C	0.003	0.6-3	1	9760.00
850G/3	0B	0.005	1-5	1	9760.00
850G/4	1	0.01	2-10	1	9760.00
850G/5	1C	0.03	6-30	1	9760.00
850G/6	1B	0.05	10-50	1	9760.00
850G/7	2	0.1	20-100	1	9760.00
850G/8	2C	0.3	60-300	1	9760.00
850G/9	2B	0.5	100-500	1	9760.00
850G/10	3	1.0	200-1000	1	9760.00
850G/11	3C	3.0	600-3000	1	9760.00
850G/12	3B	5.0	1000-5000	1	9760.00
850G/13	4	10	2000-10000	1	9760.00
850G/14	4C	30	6000-30000	1	9760.00



850G



851 Viscometer, "JSGW", Falling sphere type, standard joint fitting.

Cat. No.	O.D. of Tube mm.	Minimum Qty/Pack	Price/Piece (₹)
851/1	25	2	625.00
851/2	40	2	745.00

852 Stalganometer, "JSGW" Straight, graduated 180.00

852A Stalganometer, "JSGW" Straight, graduated with Rota Flow Stopcock 365.00

853 Stalganometer, "JSGW", Bent, graduated 195.00

854 Stalganometer, "JSGW", Set of Three (one straight, two bent) 955.00

855 Weight Thermometers "JSGW"

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
855/1	5	10	87.00
855/2	10	10	93.00
855/3	25	10	126.00

856 Pyknometers, "JSGW"

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
856/1	5	10	132.00
856/2	10	10	146.00
856/3	25	10	185.00

857 Dilatometer, "JSGW", Designed for measuring the expansion of edible oil and fats, over the temperature range during melting. The ratio of solid to liquid present can be obtained. 765.00

858 Dilatometer, "JSGW", consists of 50 ml. flask with 30 cm long graduated capillary of 1 mm bore with standard 14/23 joint fitting. 490.00

860 Retorts, "JSGW", with interchangeable stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
860/1	100	2	470.00
860/2	150	2	500.00
860/3	250	2	555.00
860/4	500	2	745.00

861 Filter Pump, "JSGW", University pattern. 277.00

862 – do – superior quality 350.00

863 Filter Pump, "JSGW", Edward's type heavy pattern, Brass. 1105.00

865 Adapter, "JSGW", for Gooch Crucible.

Cat. No.	I.D. x Ht. mm.	Stem (mm) Lt. x O.D.	Suitable for Crucible (ml.)	Price/Piece (₹)
865/1	31 x 60	75 x 9	15	120.00
865/2	40 x 68	75 x 9	30	126.00
865/3	47 x 78	75 x 9	50	165.00

866 Syphon, "JSGW", with suction tube 18" long. 730.00

867 – do – with suction tube and stopcock 18" long, "JSGW". 1160.00

868 Funnel Filtering, "JSGW", 60° angle with stem.

Cat. No.	Diameter mm.	Minimum Qty/Pack	Price/Piece (₹)
868/1	25	12	66.00
868/2	38	12	74.00
868/3	50	12	81.00
868/4	65	12	96.00
868/5	75	12	116.00
868/6	100	12	171.00
868/7	125	12	360.00

868A Funnel-Powder, Short Plain Stem "JSGW"

Cat. No.	Diameter mm.	Minimum Qty/Pack	Price/Piece (₹)
868A/3	55	4	137.00
868A/5	80	4	185.00
868A/6	100	4	287.00
868A/7	125	4	485.00
868A/8	150	4	935.00
868A/9	200	4	2215.00

868B Powder Funnel with 24/29 cone at stem "JSGW"

868B/11	100	4	360.00
868B/12	125	4	560.00
868B/13	150	4	970.00

869 Thistle Funnel, "JSGW", 30 cm stem 152.00

870 Thistle Funnel for Kipp's apparatus, "JSGW" 195.00

871 Polarimeter Tubes, "JSGW", with Centre Bulb, screw caps and cover glasses.








Cat. No.	Length mm.	Minimum Qty/Pack	Price/Piece (₹)
871/1	100	2	1565.00
871/2	200	2	1610.00
871/4	400	2	1660.00


872 Polarimeter Tubes, "JSGW", with Centre Cup, screw caps and cover glasses.

Cat. No.	Length mm.	Minimum Qty/Pack	Price/Piece (₹)
872/1	100	2	1610.00
872/2	200	2	1635.00
872/4	400	2	1675.00

873 Dewar Flask, "JSGW", Double walled, cylindrical, evacuated, unsilvered.

Cat. No.	Inner Tube mm.	Approx. Cap. ml.	Minimum Qty/Pack	Price/Piece (₹)
873/1	50 x 200	300	1	2800.00
873/2	50 x 250	400	1	3090.00
873/3	60 x 200	475	1	3420.00
873/4	60 x 250	600	1	3490.00
873/5	75 x 200	750	1	4580.00
873/6	75 x 250	950	1	5120.00
873/7	100 x 300	2000	1	8300.00





875 Connection Tubes, "JSGW", T shape.

Cat. No.	Tube dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
875/1	7	10	78.00
875/2	10	10	88.00
875/3	12	10	105.00

876 Connection Tubes, "JSGW", Y shape.

Cat. No.	Tube dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
876/1	7	10	78.00
876/2	10	10	88.00
876/3	12	10	105.00

877 Connection Tubes, "JSGW", U shape.

Cat. No.	Tube dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
877/1	7	10	74.00
877/2	10	10	80.00
877/3	12	10	96.00

878 Filter Tubes, "JSGW", with side tube.

Cat. No.	Tube Size mm.	Minimum Qty/Pack	Price/Piece (₹)
878/1	100 x 12	10	50.00
878/2	125 x 15	10	56.00
878/3	150 x 18	10	74.00
878/4	150 x 25	10	87.00

879 Chromatography Sprayers, "JSGW", with rubber bellow.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
879/1	100	6	680.00
879/2	150	6	705.00
879/3	250	6	730.00

880 Chromatography Sprayers, "JSGW", Bottle type with interchangeable joints, rubber bellow.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
880/1	25	6	745.00
880/2	50	6	785.00
880/3	100	6	845.00

880A Chromatography Sprayers, "JSGW", Tapper type with interchangeable joints, rubber bellow.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
880A/1	25	6	780.00
880A/2	50	6	845.00

881 Dessicator Plain with knobbed lid, Ground Flanges Neutral Glass, with Perforated Porcelain Plate.

Cat. No.	Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
881/1	160	1	2545.00
881/2	210	1	4315.00
881/3	240	1	6535.00
881/4	300	1	9440.00
881/5	120	1	1850.00

- 881A Dessicator Plain, Amber Colour, with knobbed lid, Ground Flangers, Neutral Glass with Perforated Porcelain Plate.**

Cat. No.	Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
881A/1	160	1	3530.00
881A/2	210	1	6235.00
881A/3	240	1	9520.00
881A/4	300	1	14190.00

- 882 Dessicator, Vacuum with tubular Lid, Ground Flanges with stopcock made of Neutral glass, supplied with Perforated Porcelain Plate.**

Cat. No.	Dia. mm.	Minimum Qty/Pack	Price/Piece (₹)
882/1	160	1	3070.00
882/2	210	1	6090.00
882/3	240	1	9435.00
882/4	300	1	13145.00

- 883 Specimen Jars, "JSGW", with bakelite screw cap, suitable for Culture, Autoclaveable.**

Cat. No.	O.D. x Ht. mm.	Approx. Cap. ml.	Minimum Qty/Pack	Price/Piece (₹)
883/1	50 x 75	100	10	330.00
883/2	60 x 110	250	10	470.00
883/3	75 x 130	500	10	665.00
883/4	90 x 185	1000	5	995.00

- 884 Weighing Scoops, "JSGW", with open tubular arm.**

Cat. No.	Capacity ml	Minimum Qty/Pack	Price/Piece (₹)
884/1	1	10	251.00
884/2	3	10	251.00
884/3	6	10	265.00
884/4	10	10	277.00
884/5	2	10	251.00
884/6	0.5	10	251.00


- 885 Spatula Ended Spoon, "JSGW" 120.00**

- 886 Kjeldahl Digestion Tubes, "JSGW", with constriction on top.**


Cat. No.	O.D. x Length mm.	Minimum Qty/Pack	Price/Piece (₹)
886/1	24 x 250	6	265.00
886/2	26 x 250	6	277.00
886/3	40 x 300	6	400.00

- 887 Kjeldahl Digestion Tube with Collar**

Cat. No.	O.D. x Length mm	Minimum Qty/Pack	Price/Piece (₹)
887/1	40x300 mm	6	390.00
887/2	42x300 mm	6	400.00
887/3	26x300 mm	6	277.00



881A



882




883



884




885



887

886



888 Charle's Law Apparatus, "JSGW", with one litre tall form beaker & graduated 3 limb tube with bulb, pinch cock & rubber tube. 1660.00

889 Jars, Rectangular, Museum, made of **Borosilicate 3.3 Exp. glass** with glass cover.

Cat. No.	Height mm.	Length mm.	Breadth mm.	Minimum Qty/Pack	Price/Piece (₹)
889/1	200	125	125	1	7520.00
889/2	200	150	100	1	8000.00
889/3	220	195	80	1	8860.00
889/4	250	165	140	1	9315.00
889/5	250	250	120	1	11170.00
889/6	360	150	100	1	18710.00

890 Jars, Rectangular, Museum, Neutral glass with glass cover.

Cat. No.	Height mm.	Length mm.	Breadth mm.	Minimum Qty/Pack	Price/Piece (₹)
890/1	140	215	100	2	2170.00
890/2	210	170	130	2	2355.00
890/3	225	225	125	2	2980.00
890/4	250	250	150	2	4475.00
890/5	220	140	140	2	2300.00
890/6	360	150	100	2	5325.00
890/7	380	280	230	2	11360.00

890A SS Lid for above jars.

Cat. No.	Height mm.	Length mm.	Breadth mm.	Minimum Qty/Pack	Price/Piece (₹)
890A/1	140	215	100	2	520.00
890A/2	210	170	130	2	655.00
890A/3	225	225	125	2	600.00
890A/4	250	250	150	2	690.00
890A/5	220	140	140	2	740.00

891 Trays, Drying, Heavy Wall, for withstanding Hot air or stream sterilization. Simplifies paper chromatography, made from 3.3 Borosilicate glass.

Cat. No.	Inner Dimn. L x B x H (mm)	Approx Capacity (ml)	Minimum Qty/Pack	Price/Piece (₹)
891/1	220 x 135 x 40	1000	1	570.00
891/2	260 x 165 x 45	1600	1	675.00
891/3	307 x 190 x 50	2200	1	925.00
891/4	285 x 210 x 55	2700	1	1075.00
891/5	350 x 225 x 50	3000	1	1290.00

894 Jars-Bell, Round Bottom, Edge Ground "JSGW".

Cat. No.	O.D. x Height mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
894/1	300x450	1	24425.00
894/2	300x400	1	19990.00
894/3	200x350	1	15645.00

898 Kettles-Resin Reaction "JSGW".

Cat. No.	Capacity ml	Minimum Qty/Pack	Price/Piece (₹)
898/1	500	1	12635.00
898/2	1000	1	13370.00
898/3	2000	1	16455.00
898/4	4000	1	20060.00

ARSENIC DETERMINATION APPARATUS


Cat. No.		Minimum Qty/Pack	Price/Piece (₹)
901	Arsenic Apparatus, Gutzeit modified form according to I.S. Specification.	2	565.00
902	Arsenic Apparatus, "JSGW", according to B.P. Specs.	2	945.00
903	Arsenic Apparatus, "JSGW", (Silver Diethyldithio carbonate method) according to I.S. Specifications.	2	1690.00
904	Arsenic Apparatus, "JSGW", for the determination of Arsenic and Sb. in brass, bronze, ferrous and non-ferrous alloys etc. by distillation, without stand, clamp, burner and Thermometer.	2	3940.00
905	Arsenic Determination Apparatus, "JSGW", Gutzeit (modified) comprising of 100 ml bottle with interchangeable fitting. The arsenic tube is in two parts with ground flange ends, together with 30 ml open top funnel attached in the bottle.	2	2610.00
906	Arsenic Apparatus as per USP 211, organic & Inorganic materials.	2	2185.00
907	Apparatus for Limit Test for Arsenic as per IP.	2	2045.00
908	Arsenic Limit Test Apparatus as per JP.	2	2045.00
909	Arsenic Limit Test Apparatus as per EP.	2	2045.00

CARBON, SULPHUR DETERMINATION GLASS PARTS

- 911 Absorption Vessel, "JSGW", with 3 valves, for KOH. 4225.00
- 912 Carbon Burettes Double Walled, "JSGW", Inner tube permanently graduated, with one valve at the top.

Cat. No.	Size %	Price/Piece (₹)
912/3	1.5	4185.00
912/4	4.5	4365.00


- 915 Sulphur Burette, "JSGW", 4 ml. with automatic zero, three way double oblique bore stopcock at the bottom. 1235.00
- 916 Stopcock, "JSGW" Three way, C bore, T shape. 1035.00
- 917 Stopcock, "JSGW", L Shaped, Long Glass Tube, Twin Bore stopper. 1035.00
- 918 Spiral Cooling Condenser, "JSGW" 670.00
- 919 Automatic Pipette, "JSGW", 15 ml. 590.00
- 920 Automatic Pipette, "JSGW", 10 ml. 535.00
- 921 Titration Vessel, "JSGW", 100 ml. 1330.00
- 922 Oxygen Purifying Assembly, "JSGW" 705.00
- 923 Aspirator Bottle (Levelling Bottle) for Carbon Burette, 1000 ml. 1075.00
- 924 Same as Cat. No. 923 long form. 1410.00
- 925 View Bulb, "JSGW", for combustion tube. 88.00




DAIRY & MILK TESTING APPARATUS




951



957



958



960

951	Butyrometer with plain neck with stem 10% Dr. Gerber's Design.	160.00
951N	Butyrometer with plain neck with stem 10% Dr. Gerber's Design. with NABL Certificate.	780.00
951A	Butyrometer with plain neck with stem 10% Dr. Gerber's Design. Double tested.	192.00
952	Butyrometer ISI marked.	160.00
953	Butyrometer Butter Grade 0-90% with cup and rubber stopper weighing type.	1225.00
953N	Butyrometer Butter Grade 0-90% with cup and rubber stopper weighing type with NABL Certificate.	1845.00
953/1	Butyrometer Butter, Milk Powder, Grade 0-35% with cup and rubber stopper, weighing type.	1225.00
953/1N	Butyrometer Butter, Milk Powder, Grade 0-35% with cup and rubber stopper, weighing type with NABL Certificate.	1845.00
954	Butyrometer Cream 0-70% weighing type as per ISI specifications.	1140.00
954N	Butyrometer Cream 0-70% weighing type as per ISI specifications with NABL Certificate.	1760.00
954/1	Butyrometer Cream 0-70% Volumetric Method as per ISI specs.	1140.00
954/1N	Butyrometer Cream 0-70% Volumetric Method as per ISI with NABL Certificate.	1760.00
954/2	Butyrometer Ice Cream, 0-20% Volumetric Method as per ISI.	1140.00
954/2N	Butyrometer Ice Cream, 0-20% Volumetric Method as per ISI with NABL Certificate.	1760.00
954/3	Butyrometer Cheese, 0-40% Volumetric Method as per ISI.	1140.00
954/3N	Butyrometer Cheese, 0-40% Volumetric Method as per ISI with NABL Certificate.	1760.00
954/4	Butyrometer Chocolate, 0-20% Volumetric Method as per ISI.	1140.00
954/4N	Butyrometer Chocolate, 0-20% Volumetric Method as per ISI with NABL Certificate.	1760.00
955	Butyrometer Skim Milk 0-0.5%	1140.00
955N	Butyrometer Skim Milk 0-0.5% with NABL Certificate.	1760.00
956	Lock Stopper for Butyrometer	24.00
956/1	SS Key for Butyrometer stopper	225.00
957	Mojjonier Flask as per ISI specifications, with Silicone Stopper	720.00
957A	Silicon Cork for Mojjonier Flask.	84.00
957S	Mojjonier Flask , Stand made from perpex sheet for 10 Pcs.	6695.00
958	Reichert Wollney's Apparatus, "JSGW" , for the determination of volatile fatty acids in margarine and butter, with rubber cork fitting without stand and burner.	1390.00
959	Same as Cat. No. 958 with standard joint fitting.	1800.00
960	Polenske's Apparatus, (R.M. Value Apparatus), "JSGW" , for the determination of butter fat and analysis of oil, fats, waxes with rubber cork fitting.	1390.00
960S	Stand for R.M. Value Apparatus.	1440.00
961	Same as Cat. No. 960 with standard joint fitting.	1935.00
962	Flask flat bottom 300 ml for cat no. 958 & 960	152.00
963	Flask Flat bottom 300 ml with 24/29 socket for cat no. 959 & 961	237.00
964	Condenser for Polenske's Apparatus or Reichert Wollney's Apparatus, "JSGW" .	535.00
965	Same as Cat. No. 964 with 24/29 socket.	575.00
966	Still head for Cat. No. 958 or 960	245.00
967	Still Head for Cat. No. 959 & 961 with standard joints.	410.00
968	Flask standard 100-110 marked, "JSGW" .	357.00

THERMOMETERS

- 971 Chemical Thermometers, "JSGW", Mercury Filled 30 cm. long, accuracy ± 1 division, made from Imported Capillary, Screen Printed Graduation.**

Cat. No.	Range	Division	Price/Pcs. (₹)
971/1	0-50°C	1/1	335.00
971/2	0-50°C	1/2	335.00
971/3	0-100°C	1/1	242.00
971/4	-10-110°C	1/1	242.00
971/5	-10-110°C	1/2	242.00
971/6	0-150°C	1/1	242.00
971/7	0-200°C	1/1	242.00
971/8	0-250°C	1/1	242.00
971/9	0-300°C	2/1	242.00
971/10	0-360°C	2/1	242.00
971/11	0-220°F	1/1	242.00

- 971N Chemical Thermometers, "JSGW", Mercury Filled 30 cm. long, accuracy ± 1 division, made from Capillary, Screen Printed Graduation with NABL Certificate.**

Cat. No.	Range	Division	Price/Pcs. (₹)
971N/1	0-50°C	1/1	940.00
971N/2	0-50°C	1/2	940.00
971N/3	0-100°C	1/1	940.00
971N/4	-10-110°C	1/1	940.00
971N/5	-10-110°C	1/2	940.00
971N/6	0-150°C	1/1	940.00
971N/7	0-200°C	1/1	940.00
971N/8	0-250°C	1/1	940.00
971N/11	0-220°F	2/1	940.00
971N/12	30-50°C	1/1	1155.00

- 971A Chemical Thermometer "JSGW" Red spirit filled 30cm long made from imported capillary, Screen Printed Graduation.**

Cat. No.	Range	Division	Price/Pcs. (₹)
971A/1	-10-50°C	1/1	145.00
971A/2	-10-110°C	1/1	145.00
971A/3	-10-110°C	1/2	145.00

- 971AN Chemical Thermometer "JSGW" Red spirit filled 30cm long made from imported capillary, Screen Printed Graduation with NABL Certificate.**


Cat. No.	Range	Division	Price/Pcs. (₹)
971AN/1	-10-50°C	1/1	900.00
971AN/2	-10-110°C	1/1	900.00
971AN/3	-10-110°C	1/2	900.00


- 972 Adjustable PTFE cone for holding Thermometers of Cat. No. 971.**

Cat. No.	Cone Size	Price/Pcs. (₹)
972/2	14/23	590.00
972/3	19/26	805.00
972/4	24/29	1000.00

- 973 Precision Chemical Thermometers, "JSGW". Accuracy ± 1 division, red Spirit filled.**

Cat. No.	Range	Division	Price/Pcs. (₹)
973/1	-10-50°C	1/5	285.00
973/2	-10-50°C	1/10	350.00
973/3	-10-110°C	1/5	360.00
973/4	-10-110°C	1/10	417.00





973N Precision Chemical Thermometers, "JSGW". Accuracy ± 1 division, red Spirit filled with **NABL** Certificate.

Cat. No.	Range	Division	Price/Pcs. (₹)
973N/1	-10-50 °C	1/5	1010.00
973N/2	-10-50 °C	1/10	1110.00
973N/3	-10-110 °C	1/5	1160.00
973N/4	-10-110 °C	1/10	1200.00

974 Thermometers, "JSGW" with cone, enclosed Type. Accuracy ± 1 division.

Cat. No.	Range	Cone	Price/Pcs. (₹)
974/1	-10-50 °C	10/19	635.00
974/2	-10-110 °C	14/23	700.00
974/3	0-250 °C	14/23	700.00
974/4	0-360 °C	14/23	700.00
974/5	-10-110 °C	19/26	775.00
974/6	0-250 °C	19/26	775.00
974/7	0-360 °C	19/26	775.00
974/8	-10-110 °C	24/29	940.00
974/9	0-250 °C	24/29	940.00
974/10	0-360 °C	24/29	940.00

974N Thermometers, "JSGW" with cone, enclosed Type. Accuracy ± 1 division. with **NABL** Certificate.

Cat. No.	Range	Cone	Price/Pcs. (₹)
974N/1	-10-50 °C	10/19	1210.00
974N/2	-10-110 °C	14/23	1370.00
974N/3	0-250 °C	14/23	1370.00
974N/5	-10-110 °C	19/26	1455.00
974N/6	0-250 °C	19/26	1455.00
974N/8	-10-110 °C	24/29	1620.00
974N/9	0-250 °C	24/29	1620.00

975 Immersion Thermometers, "JSGW" Mercury in glass, engraved on stem, Accuracy ± 1 division.

Cat. No.	Range	Immersion length cm.	Total length cm.	Price/Piece (₹)
975/1	110 °C	15	45	460.00
975/2	250 °C	15	45	460.00
975/3	360 °C	15	45	460.00
975/4	110 °C	30	60	460.00
975/5	250 °C	30	60	460.00
975/6	360 °C	30	60	460.00

975N Immersion Thermometers, "JSGW" Mercury in glass, engraved on stem, Accuracy ± 1 division with **NABL** Certificate.

Cat. No.	Range	Immersion length cm.	Total length cm.	Price/Piece (₹)
975N/1	110 °C	15	45	1125.00
975N/2	250 °C	15	45	1125.00
975N/4	110 °C	30	60	1210.00
975N/5	250 °C	30	60	1210.00

- 976 Low Temperature Thermometers, "JSGW" (Red Spiritfilled) 30 cm. long. Accuracy ± 1 division.

Cat. No.	Range	Division	Price/Piece (₹)
976/1	-30 to +50°C	1°C	335.00
976/2	-50 to +50°C	1°C	335.00
976/3	-50 to +100°C	1°C	335.00
976/4	-100 to +50°C	1°C	417.00

- 977 Oven/Incubator Thermometers, "JSGW" L shaped size 200 mm. x 200 mm., Mercury in Glass. Accuracy ± 1 division.

Cat. No.	Range	Division	Price/Piece (₹)
977/1	110°C	1°C	460.00
977/2	260°C	2°C	460.00
977/3	360°C	2°C	460.00


- 977N Oven/Incubator Thermometers, "JSGW" L shaped size 200 mm. x 200 mm., Mercury in Glass. Accuracy ± 1 division with NABL Certificate.

Cat. No.	Range	Division	Price/Piece (₹)
977N/1	110°C	1°C	1160.00
977N/2	260°C	2°C	1160.00

- 978 Straight Industrial Thermometers, "JSGW" enclosed type, Accuracy ± 1 division.

Cat. No.	Range	Immersion length cm.	Total length cm.	Price/Piece (₹)
978/1	50°C	10	30	480.00
978/2	110°C	10	30	480.00
978/3	250°C	10	30	480.00
978/4	360°C	10	30	480.00
978/5	110°C	20	40	560.00
978/6	250°C	20	40	575.00
978/7	360°C	20	40	580.00

- | | | |
|-----|--|---------|
| 979 | Maximum and Minimum Thermometer with Plastic Body | 417.00 |
| 980 | — do — Superior Quality, Plastic moulded frame similar to Zeal | 1210.00 |
| 981 | Wet and Dry Thermometer. | 417.00 |
| 982 | — do — Superior Quality, Plastic moulded frame similar to Zeal | 1210.00 |
| 983 | Wall Thermometer in Plastic Groove type Base Plate, 20 cm. | 242.00 |
| 985 | Wall Thermometer in Plastic Groove type Base Plate, 40 cm. | 400.00 |
| 986 | Wall Thermometer, "JSGW", wooden base, 50cm | 830.00 |
| 987 | Clinical Thermometer, ISI marked. | 242.00 |
| 990 | Soil Thermometer, with brass cone at bottom, fitted in wooden body, range 100°C or 180°F, 100 mm long brass cone | 875.00 |
| 993 | Psychrometer, (Whirling Hygrometer) in plastic frame, with chart | 1225.00 |



HYDROMETERS

1001 Specific Gravity Hydrometers, in 100° range, shot weighted with paper scale.

Cat. No.	Range Sp. Gr.	Price/Piece (₹)
1001/1	600-700	422.00
1001/2	700-800	335.00
1001/3	800-900	335.00
1001/4	900-1000	335.00
1001/5	1000-1100	335.00
1001/6	1100-1200	335.00
1001/7	1200-1300	335.00
1001/8	1300-1400	335.00
1001/9	1400-1500	375.00
1001/10	1500-1600	375.00
1001/11	1600-1700	375.00
1001/12	1700-1800	375.00
1001/13	1800-1900	840.00
1001/14	1900-2000	840.00

1002 Universal Hydrometer accurate Range 700-2000 Sp.Gr.

335.00

1003 Beaume Hydrometer, Shot weighted, with paper scale.

Cat. No.	Range	Price/Piece (₹)
1003/1	Light liquid range 10-70 Be, 0.700-1.000 Sp. Gr.	170.00
1003/2	Heavy liquid range 0-70 Be, 1.000-2.000 Sp. Gr.	170.00
1003/3	Beaume Hydrometer range 0-50 Be, 1.000-1.500 Sp. Gr.	335.00
1003/4	Beaume Hydrometer range 50-70 Be, 1.500-2.000 Sp. Gr.	375.00

1004 Beaume Hydrometer, In 20 degree range, shot weighted with paper scale.


Cat. No.	Range	Price/Piece (₹)
1004/1	0-10 Be	335.00
1004/2	10-20 Be	335.00
1004/3	20-30 Be	335.00
1004/4	30-40 Be	335.00
1004/5	40-50 Be	335.00
1004/6	50-60 Be	375.00
1004/7	60-70 Be	375.00

1005 Beaume Hydrometer, in 20 degree range shot weighted, with paper scale.

Cat. No.	Range	Price/Piece (₹)
1005/1	0 - 20 Be	375.00
1005/2	20-40 Be	375.00
1005/3	40-60 Be	375.00

1006 Brix Hydrometer, Shot weighted, with paper scale, without thermometer.

1006/1	0-10 Bx, 10-20 Bx, 20-30 Bx 30-40 Bx, 40-50 Bx, 50-60 Bx	585.00
1006/2	60-70 Bx, 70-80 Bx, 80-90 Bx	585.00
1006/3	0-30 Bx, 30-60 Bx, 60-90 Bx	585.00



1007 Brix Hydrometer, Shot weighted, with paper scale, built in thermometer.

Cat. No.	Range Bx.	Price/Piece (₹)
1007/1	0-10 Bx	1155.00
1007/2	10-20 Bx	1155.00
1007/3	20-30 Bx	1155.00
1007/4	30-40 Bx	1155.00
1007/5	40-50 Bx	1155.00
1007/6	50-60 Bx	1155.00

1008 Sike's Hydrometer, Shot weighted, with paper scale.

Cat. No.	Range Sike's	Price/Piece (₹)
1008/1	0-20	590.00
1008/2	20-40	590.00
1008/3	40-60	590.00
1008/4	60-80	590.00
1008/5	80-100	590.00

1009 Twaddle Hydrometers.

Cat. No.	Size No.	Range Tw	Price/Piece (₹)
1009/1	1	0-26	375.00
1009/2	2	24-50	375.00
1009/3	3	48-74	375.00
1009/4	4	72-104	395.00
1009/5	5	102-138	395.00
1009/6	6	136-174	395.00


1011 Lactometer, Sp. Gr. range 1.000 to 1.440, Silver Coated. 221.00

1015 Density Hydrometer ISI marked. Shot & wax poised, adjusted for use at 15°C, M - 50 SP

Cat. No.	Sp. Gr. Range	For Use	Price/Piece (₹)
1015/1	0.650-0.700	ATF(Sea)	525.00
1015/2	0.700-0.750	Petrol	525.00
1015/3	0.750-0.800	Kerosene	525.00
1015/4	0.800-0.850	Diesel	525.00
1015/5	0.850-0.900	Mobile Oil	525.00
1015/6	0.900-0.950	Oils	525.00
1015/7	0.950-0.1000	Petroleum Ether	525.00



1008



1009



1011



1015

SEMI MICRO ANALYSIS GLASSWARE

1028 Boiling Tubes with rim.

Cat. No.	Size mm	Minimum Qty/Pack	Price/Piece (₹)
1028/1	75 x 10	100	11.00
1028/2	75 x 12	100	11.00
1028/3	100 x 12	100	14.00
1028/4	60 x 15	50	26.00
1028/5	60 x 25	50	36.00

1029 Dropping Bottle, Soda glass, polythene stopper with dust proof head, glass dropper and rubber teat.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1029/1	30	12	126.00
1029/2	60	12	160.00
1029/3	120	12	180.00

1030 Dropping Bottle, Soda glass, Amber colour, PP stopper with dust proof head.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1030/1	30	12	211.00
1030/2	60	12	230.00
1030/3	120	12	297.00

1031 Dropping Bottle, T.K. Pattern Soda glass with grooved stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1031/1	30	12	132.00
1031/2	60	12	152.00
1031/3	120	12	200.00

1033 Dropper, with capillary jet and rubber teat.

Cat. No.	Description	Minimum Qty/Pack	Price/Piece (₹)
1033/1	5 cm. with 5 cm. jet	10	44.00
1033/2	8 cm. with 10 cm. jet	10	50.00

1034 Dropper, with rubber teat 15 cm.

39.00

1035 Micro Funnel, 20 mm. Dia.

64.00

1036 Gas Absorption Pipette, with rubber cork fitted in 75 x 10 mm. Test tube.

87.00

1037 Filter Tube, Test Tube 75 x 10 mm with 55x7 mm filter tube.

56.00

1041 Semi Micro, Test tube holder with wooden handle.

44.00

1042 Semi Micro, Test tube brush.

39.00

1044 Semi-Micro, Stainless steel spatula

52.00

1045 Centrifuge Machine, Hand driven with two tubes.

2210.00

1046 – do – Hand driven with four tubes.


2390.00

1048 Platinum Wire, 35 x 0.2 mm. Fused in glass rod and fitted in test tube.

540.00

1051 Spot Plate

Cat. No.	No. of Cavities	Price/Piece (₹)
1051/1	6	210.00
1051/2	12	210.00



1052 Watch Glass

Cat. No.	Dia mm.	Minimum Qty/Pack	Price/Piece (₹)
1052/1	50	10	24.00
1052/2	65	10	29.00
1052/3	75	10	34.00
1052/4	100	10	46.00
1052/5	125	10	80.00
1052/6	150	10	101.00

1053 Semi Micro Sintered Funnel, 10 ml. 260.00

1055 Stirring Rod, 250 mm. Indian glass. 18.00

1056 Semi Micro, Mortar and pestle 75 mm 140.00

1057 Semi Micro, Crucible porcelain 15 ml 70.00

1058 Kipp's Apparatus, 100 ml. 1520.00

1060 Wire Gauge with Frame. 50.00

1061 Agate Mortor & Pestle, Black.



Cat. No.	Size mm.	Minimum Qty/Pack	Price/Piece (₹)
1061/1	50	2	1120.00
1061/2	75	1	1825.00
1061/3	100	1	3320.00
1061/4	125	1	5120.00
1061/5	150	1	9260.00

1062 Porcelain Buchner Funnel

Cat. No.	Top Dia mm.	Filter Paper mm.	Minimum Qty/Pack	Price/Piece (₹)
1062/1	35	27	12	150.00
1062/2	50	40	12	160.00
1062/3	60	50	12	170.00
1062/4	75	70	6	252.00
1062/5	100	90	6	355.00
1062/6	125	110	6	500.00
1062/7	150	130	4	850.00
1062/8	200	170	2	2380.00
1062/9	250	230	2	3715.00
1062/10	300	260	2	6990.00

1063 Porcelain Crucible low form with lid.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1063/1	15	10	67.00
1063/2	25	10	91.00
1063/3	50	10	130.00
1063/4	75	10	155.00
1063/5	100	5	185.00
1063/6	150	5	206.00


1052

1053
1058

1060

1061

1062

1063



1064

1064 Porcelain Evaporatin Dish without lid.

Cat. No.	Capacity ml.	Top Dia mm	Minimum Qty/Pack	Price/Piece (₹)
1064/1	20	50	10	67.00
1064/2	100	75	10	88.00
1064/3	175	100	10	130.00
1064/4	400	125	10	290.00
1064/5	800	150	5	412.00
1064/6	1800	200	2	1125.00




1065

1065 Alumina Crucible without lid. With stand upto 1700° C.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1065/1	15	2	935.00
1065/2	25	2	1275.00
1065/3	40	2	1390.00
1065/4	65	2	2265.00
1065/5	100	2	2780.00
1065/6	140	2	3760.00


QUARTZ (Transparent) LABORATORY WARE



1071

1071 Beakers "JSGW", Low Form with spout, Quartz Glass.


Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1071/1	50	1	1990.00
1071/2	100	1	3835.00
1071/3	250	1	6695.00
1071/4	500	1	11480.00
1071/5	1000	1	19840.00
1071/6	25	1	1440.00



1072

1072 Flask "JSGW", (Round Bottom/Flat Bottom), Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1072/1	25	1	5025.00
1072/2	50	1	6000.00
1072/3	100	1	8895.00
1072/4	250	1	13980.00
1072/5	500	1	17220.00
1072/6	1000	1	31705.00




1073

1073 Flask Conical "JSGW", Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1073/1	25	1	5025.00
1073/2	50	1	6000.00
1073/3	100	1	8895.00
1073/4	250	1	13980.00
1073/5	500	1	17220.00
1073/6	1000	1	31705.00

1074 Flask Volumetric, "JSGW", with Stopper `Class A', Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1074/1	10	1	5740.00
1074/2	25	1	6815.00
1074/3	50	1	8070.00
1074/4	100	1	11125.00
1074/5	250	1	13850.00
1074/6	500	1	15900.00
1074/7	1000	1	28200.00



1074

1075 Measuring Cylinder, "JSGW", with Spout Class 'A', Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1075/1	10	1	7700.00
1075/2	25	1	8600.00
1075/3	50	1	11750.00
1075/4	100	1	24500.00
1075/5	250	1	34600.00
1075/6	500	1	48100.00

1075



1076 Pipettes Transfer Volumetric, "JSGW", Class 'A', Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1076/1	1	1	7600.00
1076/2	2	1	7650.00
1076/3	5	1	9700.00
1076/4	10	1	13500.00



1076

1077 Quartz Cell with PTFE Cover, 10mm path, 3.5 ml. in pair 4375.00

1078 Glass Cuvette with PTFE Cover, 10mm path, 3.5 ml in pair. 1610.00

1079 Quartz Basins, "JSGW", with spout, Round Bottom, transparent.

Cat. No.	Capacity ml.	Dia x Ht. Approx.	Minimum Qty/Pack	Price/Piece (₹)
1079/1	20	55 x 23	2	1265.00
1079/2	45	75 x 27	2	3595.00
1079/3	70	85 x 35	2	4485.00
1079/4	85	95 x 36	2	7350.00
1079/5	100	100 x 38	1	8920.00
1079/6	200	115 x 47	1	13495.00

1077



1079

1080 Test Tube with Rim, made from Quartz Glass.


Cat. No.	Capacity ml.	O.D. x Length	Minimum Qty/Pack	Price/Piece (₹)
1080/1	3	10x75	5	277.00
1080/2	5	12x75	5	295.00
1080/3	8	12x100	5	385.00
1080/4	10	16x125	5	640.00
1080/5	15	16x150	5	815.00
1080/6	25	18x150	2	1305.00
1080/7	35	25x100	2	1580.00
1080/8	50	25x150	2	1800.00
1080/9	75	25x200	2	1950.00
1080/10	100	32x200	2	2460.00
1080/11	175	40x200	2	3275.00




1080



1081




1083



1085



1085 L



1087

1081 Combustion Boats with Handle, made from Quartz Glass.

Cat. No.	O.D. x Length mm. (approx.)	Minimum Qty/Pack	Price/Piece (₹)
1081/1	16x49	2	765.00
1081/2	12x77	2	1005.00
1081/3	18x77	2	1125.00
1081/4	22x77	2	1440.00
1081/5	22x100	2	1755.00

1083 Quartz Glass, Reagent Bottle with Hollow Quartz I/C Stopper.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1083/1	25	1	3400.00
1083/2	50	1	4225.00
1083/3	100	1	6385.00
1083/4	250	1	10195.00
1083/5	500	1	13185.00

1084 Quartz Tubing, Clear, all sizes.

P.O.R.

1085 Quartz Crucibles, "JSGW".

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1085/1	15	5	675.00
1085/2	25	5	1010.00
1085/3	50	5	1545.00
1085/4	80	5	2170.00
1085/5	100	2	2470.00
1085/6	150	2	3855.00

1085 L Lids for Quartz Crucibles, "JSGW"

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1085 L/1	15	5	580.00
1085 L/2	25	5	905.00
1085 L/3	50	5	1445.00
1085 L/4	80	5	2050.00
1085 L/5	100	2	2350.00

1086 Quartz Glass Crucibles, Gooch type with sintered Disc of Porosity G-1 or G-2 or G-3 or G-4. Temperature Range upto 1000°C.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1086/1	15	5	9270.00
1086/2	30	5	9785.00
1086/3	50	5	10815.00


1087 Funnel Filtering, "JSGW", 60° angle with stem, made from Quartz Glass.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1087/1	50	1	3100.00
1087/2	75	1	4200.00
1087/3	100	1	7500.00

SILICA LABORATORY WARE

- 1091 Silica Crucibles, "JSGW", with lid, withstands 800°C. With Individual Numbering.**


Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1091/1	15	4	1005.00
1091/2	25	4	1170.00
1091/3	50	4	1950.00
1091/4	100	2	4430.00
1091/5	80	2	3740.00
1091/6	150	2	5240.00



1091

- 1092 Silica Crucibles, "JSGW", without lid, withstands 800°C. With Individual Numbering.**

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1092/1	15	5	505.00
1092/2	25	5	585.00
1092/3	50	5	1025.00
1092/4	100	5	2255.00
1092/5	80	5	1910.00
1092/6	150	2	3020.00



1092

- 1093 Silica Basins, "JSGW", with spout, Round Bottom, translucent, withstands 800°C. With Individual Numbering.**

Cat. No.	Capacity ml.	Dia x Ht. Approx.	Minimum Qty/Pack	Price/Piece (₹)
1093/1	20	55 x 23	5	865.00
1093/2	45	75 x 27	5	1370.00
1093/3	70	87 x 33	5	1820.00
1093/4	85	94 x 36	5	2480.00
1093/5	100	100 x 45	5	3435.00
1093/6	200	113 x 47	2	4010.00




1093

PLANT PHYSIOLOGY

1120	Apparatus for experiments on root pressure, T-tube with stopcock and Borosilicate Glass Graduated Jar, without pot.	1180.00
1121	High Pressure Manometer, Ganong's.	595.00
1122	Apparatus for the demonstration of Osmotic Pressure, Pfeffer's complete with Borosilicate Glass Jar.	1045.00
1123	Apparatus for determining the quality of water absorbed and given off by transpiring plants, Borosilicate Glass bottle, Borosilicate Glass side tubes.	1045.00
1124	Potometer, for observing the rate of absorption of water by transpiring plants under varying circumstances, complete.	1770.00
1125	Potometer, Farmer's Borosilicate Glass bottle, borosilicate glass fitting	1580.00
1126	Potometer, Ganong's	1055.00
1127	Apparatus for demonstrate suction due to transpiration. A capillary tube with funnel at top and scale attached.	520.00
1128	Apparatus for investigating transpiration, Complete on stand.	2350.00
1129	Respirometer, Complete with graduated and levelling tubes, rubber tubing and stand.	2065.00
1130	Fermentation Vessel, Kuhn's on stand.	660.00
1131	Demonstration Respiroscope, with Borosilicate Glass bottle	1415.00
1132	Retort Shaped Vessel, for the culture of plants in a space devoid of oxygen.	530.00
1133	Willmout Bubbler with Borosilicate Glass bottle.	1050.00

ANAEROBIC CULTURE JAR

1141	Anaerobic Culture Jar (Mcintosh and Fildes Pattern), "JSGW", for the safe growth of anaerobes through COLD CATALYST. It consists of a glass Jar approx. 23 cm. high x 13 cm. dia., metal cover fitted with two needle valves for evacuating and filling and a sachet for holding the Catalyst, but without catalyst. The jar can be used both with Gas cylinder as well as with Gas packs. Complete with petri dish holder.	21575.00
1142	— do — with pressure gauge.	23210.00
1146	Anaerobic Culture Jar and with vacuum cum Pressure gauge, Supplied with transparent, unbreakable polycarbonate jar of 3.5 litre capacity, having sturdy Aluminium Lid, clamp and sealing ring with built in Safety features, pressure valve with Safety Valve & 2 way Pressure Gauge. Supplied with SS Test Tube carrier, SS Petri plate Carrier for 10.	33330.00



PTFE LABORATORY WARES

1151 PTFE Interchangeable Stopper, "JSGW", Hexagonal head.


Cat. No.	Size	Minimum Qty/Pack	Price/Piece (₹)
1151/1	10/19	5	280.00
1151/2	14/23	5	500.00
1151/3	19/26	5	680.00
1151/4	24/29	5	950.00
1151/5	29/32	5	1135.00
1151/6	34/35	2	1520.00



1151

1152 PTFE Coated Magnetic Stirring Bar, "JSGW"

Cat. No.	Length x Dia mm.	Minimum Qty/Pack	Price/Piece (₹)
1152/1	10 x 6	10	175.00
1152/2	15 x 8	10	206.00
1152/3	20 x 8	10	240.00
1152/4	25 x 8	10	275.00
1152/5	30 x 8	10	315.00
1152/6	35 x 8	10	360.00
1152/7	50 x 8	10	515.00
1152/8	40 x 8	10	390.00
1152/9	60 x 10	10	755.00



1152

1152 A Oval Shaped, PTFE Magnetic Stirring Bar, "JSGW".

Cat. No.	Length x Dia mm.	Minimum Qty/Pack	Price/Piece (₹)
1152A/1	10 x 6	10	245.00
1152A/2	15 x 7	10	295.00
1152A/3	20 x 8	10	340.00
1152A/4	25 x 9	10	380.00
1152A/5	30 x 10	10	495.00
1152A/6	35 x 11	10	580.00
1152A/7	50 x 16	10	975.00



1152 A

1153 PTFE Beakers with lip, "JSGW".

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1153/1	25	2	885.00
1153/2	50	2	1640.00
1153/3	100	2	3000.00
1153/4	250	1	5565.00
1153/5	400	1	6270.00
1153/6	500	1	7410.00
1153/7	1000	1	11660.00
1153/8	2000	1	29645.00




1153

1154 PTFE Lid for Beakers

Cat. No.	Suitable for Beaker Capacity (ml.)	Minimum Qty/Pack	Price/Piece (₹)
1154/1	25	2	125.00
1154/2	50	2	270.00
1154/3	100	2	340.00
1154/4	250	1	500.00
1154/5	400	1	560.00
1154/6	500	1	715.00
1154/7	1000	1	930.00
1154/8	2000	1	1350.00



1154



1155 PTFE Bottle, "JSGW", with Screw Cap.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1155/1	100	1	6675.00
1155/2	125	1	7410.00
1155/3	150	1	7885.00
1155/4	250	1	8220.00
1155/5	500	1	15565.00
1155/6	1000	1	27720.00

1156 PTFE Centrifuge Tube, "JSGW", Round or Conical.

Cat. No.	Capacity ml.	Minimum Qty/Pack	Price/Piece (₹)
1156/1	15	1	1395.00
1156/2	25	1	1760.00
1156/3	50	1	2105.00
1156/4	100	1	2790.00

1160 PTFE Reduction Adapter

Cat. No.	Socket	Cone	Minimum Qty/Pack	Price/Piece (₹)
1160/1	14/23	19/26	2	1270.00
1160/2	19/26	24/29	2	1600.00
1160/3	24/29	34/35	2	1960.00
1160/4	34/35	55/42	2	3395.00

1161 PTFE Expansion Adapter

Cat. No.	Socket	Cone	Minimum Qty/Pack	Price/Piece (₹)
1161/1	19/26	14/23	2	1270.00
1161/2	24/29	19/26	2	1600.00
1161/3	34/35	24/29	2	1960.00
1161/4	55/42	34/35	2	3395.00

1162 PTFE Policeman (Magnet Retriever) Cylindrical permanent magnet sealed at the end for removal or insertion of bars.

Cat. No.	O.D. x Length	Minimum Qty/Pack	Price/Piece (₹)
1162/1	12x300 mm	2	1190.00
1162/2	12x400 mm	2	1615.00

1163 PTFE Stirrer Plain with S.S. Rod encapsulated for increased stiffness.

1163/1	8x200 mm	2	1040.00
1163/2	10x250 mm	2	1295.00
1163/3	12x300 mm	2	1825.00

1164 PTFE Stirrer Rod Plain

1164/1	8x200 mm	5	206.00
1164/2	10x250 mm	5	285.00
1164/3	12x300 mm	5	487.00
1164/4	19x500 mm	5	1615.00

1165 PTFE Stirrer Scraper

1165/1	10x200 mm	2	2290.00
1165/2	12x250 mm	2	2765.00
1165/3	12x300 mm	2	3200.00

1166 PTFE Stuffing Box Gland

Cat. No.	Cone Size	Minimum Qty/Pack	Price/Piece (₹)
1166/1	19/26	2	1015.00
1166/2	24/29	2	1215.00
1166/3	29/32	2	1420.00
1166/4	34/35	2	1685.00

CHROMATOGRAPHY

- 1175 Thin Layer Chromatography Kit "JSGW"**, Comprising of moveable applicator (Spreader) with builtin arrangement, 0-2 mm, perspex base plate 114 x 23 cm., Aluminium Carrier, perspex spotting temp. plate, developing chamber with lid, five T.L.C. plates 20 x 20 cm., two T.L.C. plates 20 x 5 cm., scriber for marking lines, micropipette and glass sprayer with rubber bellow.

Cat. No.	Description	Price/Piece (₹)
1175/1	With Chrome plated Brass Applicator	25875.00
1175/2	With Aluminium Applicator	20345.00

SPARES AND ACCESSORIES

1175/3	Applicator Brass	11860.00
1175/4	Applicator Aluminium	5630.00
1175/5	Spotting Temp plate, perspex	1140.00
1175/6	Aluminium Carrier for ten plates of 20 cm x 20 cm	2505.00
1175/7	Plate rack of S.S. for two plates, 20x20 cm.	1140.00
1175/8	T.L.C. Glass Plates 20x20 cm.	140.00
1175/9	— do — 20x10 cm.	91.00
1175/10	— do — 20x 5 cm.	84.00
1175/11	Chromatography Tank (Developing Chamber, 250x250x150mm) with cover for T.L.C. Plates of size 20 x 20 cm.	4930.00
1175/12	— do — 225x225x125 mm.	3285.00
1175/13	— do — 220x140x140 mm.	2535.00
1175/14	Perspex Base plate size approx. 114 x 23 cm.	3450.00
1175/15	Dessicator Cabinet 30x50x35cm.	16260.00

- 1176 Paper Chromatography Cabinet "JSGW"**, Ascending or Descending, made of teak wood and glass construction. It can accomodate two (troughs) and six glass rods.

Cat. No.	Description	Price/Piece (₹)
1176/1	Cabinet size : 60x30x60 cm. approx for 4 filter papers of 46x57 cm. Size	30500.00
1176/2	Cabinet size : 80x37.5x65 cms approx for 6 filter papers of 75 x 75 cm. size	33625.00
1176/3	Glass Boats for cabinet 1176/1	2115.00
1176/4	Glass Boats for cabinet 1176/2	2430.00


- 1177 Ultra Violet Chromatography Inspection Cabinet, "JSGW"** for viewing and detecting separated substances on T.L.C. Layers, fitted with long wave (365 nm.) U.V. Lamp for use on 220 volts A.C. 14180.00

- 1178 Ultra Violet Chromatography Inspection Cabinet, "JSGW"** for viewing and detecting separated substances on T.L.C. Layers, fitted with two long wave (365 nm.) U.V. tubes for use on 220 volts A.C., Same as Cat. No. 1177 15765.00


- 1179 Ultra Violet Fluorescence Inspection Cabinet, "JSGW"**, Dual wave, having filter fitted with separate low pressure mercury vapour tubes for short ultra violet (254 nm) and long UV (365 nm) plus separate lamp for visible light. The low pressure mercury vapour tubes facilitate immediate use. 25805.00

- 1179/1 Spare - Ultra Violet Tube, 254 nm** 1450.00

- 1179/2 Spare - Ultra Violet Tube, 365 nm** 1490.00



1175



1175/7




1176



1177 / 1178

ROTARY VACUUM EVAPORATOR



1187

1187. Rotary Vacuum Flash Evaporator (Digital Model) :

Fitted with 40W, AC motor, continuously frequency variable speed control 20-200 RPM, digital display, water bath with RT to 90°C temperature control, Heater 1.5KW, jack lifting upto 150mm, Boiling flask 2000 ml, vertical coil condenser, with automatic feed arrangement, receiver flask with ball cup joint etc.

(₹) 357870.00

1187 A Rotary Vacuum Flash Evaporator :

Rotary evaporator is supplied complete with Geared drive, fitted with Auto Lifting Assembly Arrangement for positioning glass assembly, **Variable Digital RPM cum temperature cum timer controller**. Stainless steel water bath, double coiled glass condenser with three openings for vacuum and cooling, Pear shape evaporator flask capacity 800 ml. Receiver flask capacity one litre.

- Graphical LCD display • Temperature range : 0-100°C
- Timer : upto 99:59 hh:mm • RPM 20-280 • Water Low Protection
- Digital Motor Drive • High Motor Torque Operation
- Heater : 1000 watts • Power : 220 V AC, 50 Hz • All Digital Key

(₹) 201080.00



1187A

1188. Rotary Vacuum Flash Evaporator (Buchhi Type) :

Comprising of AC non sparking geared drive unit, support stand fitted with Jack arrangement on S.S. rod, continuously variable speed regulator, thermostatically controlled water bath, double coil glass condenser, pear shaped evaporating flask cap. 800 ml, 1000 ml. Receiving flask with ball joints, feeding tube, rubber tube & vapour path tube, with teflon & rubber seals for maintaining complete vacuum.

(₹) 95095.00



1188

1188/1 Same as above, but Water Bath fitted with Digital Temperature Controller cum Indicator instead of thermostatically temp. Control

(₹) 110265.00

Spare Parts for Rotary Flash Evaporator :

1188/2	Condenser double coil with S-35 ball joint & Feed tube	11730.00
1188/3	Receiving flask 1 ltr cap. with S-35 cup joint.	1720.00
1188/4	Boiling Flask 800 ml. with 24/29 socket. For other capacities. Refer Cat. No. 168A.	1490.00
1188/5	Feed tube for condenser, with cone & Teflon tube	1805.00
1188/6	Vapour Path tube.	1405.00
1188/7	Silicon washer for condenser	360.00
1188/8	Oil seal rubber	262.00
1188/9	Tension spring for holding condenser	180.00
1188/10	Wire clip to hold boiling flask	80.00
1188/11	Vaccum pump for Rotary Flash Evaporator oil free	39605.00

1189 **Chiller Refrigerated Circulator** has built in circulating pump and water tank of rust proof stainless steel. The built in pump has a flow rate of 2.5 meters and internal tank capacity 10 litres. The temperature is controlled by a digital temp. Indicator cum controller. Cooling from -10°C to ambient.

(₹) 159640.00

KJELDHAL APPARATUS

1190. **Universal Combined Kjeldhal Digestion and Distillation Unit "JSGW"**
Electrically heated, comprising of one single mild steel tubular stand provided with two shelves one above the other. A specially designed glass fume duct with B 24) Cone openings (suitable for flasks having 24/29 socket) having such provision so that no leakage of fumes takes place. One heater box having individual energy regulators for 500 watts heaters are supplied in digestion part at the lower side. One heater box of above design is supplied in distillation part at the upper side. Distillation part is also provided with brass condenser rack with water circulation systems and clamps. The whole unit is operated on 220 volts AC mains.

Cat. No.	Description	Price/Piece (₹)
1190/1G	Complete unit with glass parts for 6 tests	85240.00
1190/2	-do- without glass parts for 6 tests	49735.00
1190/3G	Complete unit with glass parts for 3 tests	53175.00
1190/4	-do- without glass parts for 3 tests	33155.00

Note : For extra energy regulator Rs. 500/- extra.


***Installation charges extra on actual basis.**

1191. **Kjeldhal Digestion Unit, "JSGW"**, Complete with heating box and fume duct. The 500 watts heaters are 6 inches apart having individual on/off switches and energy regulators. The height of the side clamps provided, is adjustable to accommodate Kjeldhal flasks of 300 ml., 500 ml. or 800 ml. Without glass parts but with fume duct. Kindly place order for Kjeldhal flasks extra as per requirement.


Cat. No.	Description	Price/Piece (₹)
1191/1G	Unit with individual energy regulators for 3 Tests with 3x500ml flasks.	21585.00
1191/2	Unit with individual energy regulators for 3 Tests without flasks and fume duct.	12800.00
1191/3G	Unit with individual energy regulators for 6 Tests with 6x500ml flasks.	33155.00
1191/4	Unit with individual energy regulators for 6 Tests without flasks and fume duct.	22345.00
1191/5	Fume Duct for 3 Tests, Glass.	6205.00
1191/6	Fume Duct for 6 Tests, Glass.	7170.00
1191/7	Flasks Kjeldhal plain neck. 300 ml.	470.00
1191/8	Flasks Kjeldhal plain neck, 500 ml.	815.00
1191/9	Flasks Kjeldhal plain neck, 800 ml.	995.00



1190




1191



1192



1194



1195



1195A

1192. **Kjeldhal Digestion Unit "JSGW"** Complete with heating box & fume duct. 500 watts heaters are 6 inches apart having individual on/off switches & energy regulators. The height of the side clamps provided, is adjustable to accommodate Kjeldhal flasks of 300/500/or 800ml. With specially designed fume duct to totally avoid leakage of fumes with 24/29 cone adapters for openings suitable to fit Kjeldhal flasks having 24/29 Sockets but w/o flask.

Cat. No.	Description	Price/Piece (₹)
1192/1G	Unit with individual Energy regulators for 3 Tests with 3x500ml Kjeldhal flasks	23070.00
1192/2	Unit with individual Energy regulators for 3 Tests without flasks and fume duct.	12800.00
1192/3G	Unit with individual Energy regulators for 6 Tests with 6x500ml Kjeldhal flasks.	37845.00
1192/4	Unit with individual Energy regulators for 6 Tests without flasks and fume duct.	22340.00
1192/5	Specially designed Fume Duct with adapters, for 3 Tests for Cat. No. 1192/1G and 1192/2	7790.00
1192/6	Specially designed Fume Duct with adapters, for 6 Tests for Cat. No. 1192/3G & 1192/4	11795.00
1192/7	Kjeldhal Flasks suitable for above units 300 ml. Capacity with 24/29 socket.	585.00
1192/8	- do - 500 ml. with 24/29 socket.	1015.00
1192/9	- do - 800 ml. with 24/29 socket.	1155.00

- 1194 **Kjeldhal Distillation Unit, "JSGW"**, Complete with mild steel tubular stand provided with one heating Box, Brass condenser rack with water circulation system, condenser clamps. Heater box is provided with top to receive the Kjeldhal flasks, with electric heating elements of 500 watts each connected through individual on/off switches and energy regulators, supplied with or without glass parts.

Cat. No.	Description	Price/Piece (₹)
1194/2	Unit with individual Energy regulators for 3 Tests w/o glass parts	21895.00
1194/2G	---do---with glass parts	33570.00
1194/4	Unit with individual Energy regulators for 6 Tests w/o glass parts	30810.00
1194/4G	---do---with glass parts	54165.00
1194/5	Kjeldhal Distillation Unit Glass Parts consisting of Kjeldhal flask 500 ml, multiple adapter dropping funnel, Splash head, Liebig condenser, receiving adapter & receiving flask 250 ml. complete with standard joint fitting.	4620.00

- 1195 **Soxhlet Extraction Heating Unit, "JSGW"**, Suitable for flasks of 100 ml., 150 ml., 250 ml. or 500 ml. cap. Unit is supplied with Heating Box fitted with Heaters (Hot Plates or Heating Mantles) individual energy regulators, neon lights, etc. adjustable rod, clamps & boss heads, but without glass parts.

Cat. No.	Description	Price/Piece (₹)
1195/2	Unit With 3 Hot Plate Type Heaters	18150.00
1195/4	Unit With 6 Hot Plate Type Heaters	26400.00
1195/6	Unit with 3 Mantle Type Heaters	15820.00
1195/8	Unit with 6 Mantle Type Heaters	24140.00

Note : For Glass part refer Cat. No. 431.

- 1195A **Crude Fiber Estimation, Hot Plate type** for 6 Tests, complete with 6 x 1000 ml. Tall form beakers, 6 Bulb shape condensers, Clamps and Connecting Rubber Tube
- 44120.00

LABORATORY INSTRUMENTS

1196. **Heating Mantles, "JSGW"**, made of Knitted Glass Yarn, heaters are fitted beneath it, which provides uniform heating of flasks upto 400°C. The mantles are fitted in a nicely painted sheet metal case, filled with Glass Wool insulations, provided with an energy regulator, indicator and a cord.

Cat. No.	Capacity ml.	Watts (W)	Price/Piece (₹)
1196/1	50	60	3585.00
1196/2	100	60	3625.00
1196/3	250	150	3835.00
1196/4	500	200	4165.00
1196/5	1000	300	4660.00
1196/6	2000	450	5830.00
1196/7	3000	450	7160.00
1196/8	5000	600	7955.00
1196/9	10000	2x600	13655.00
1196/10	20000	3x600	19115.00
1196/11	50000	6x600	38685.00

SPARE MANTLES WITH HEATERS FOR REPLACEMENT

Cat.No	Capacity ml.	Watts	Price/Piece (₹)
1196/12	50	60	870.00
1196/13	100	60	870.00
1196/14	250	150	935.00
1196/15	500	200	995.00
1196/16	1000	300	1240.00
1196/17	2000	450	1655.00
1196/18	3000	450	1880.00
1196/19	5000	600	2620.00
1196/20	10000	2x600	3780.00
1196/21	20000	2x600	7100.00
1196/22	50000	6x600	15930.00



1196





1197



1197-2



1198



1199



1200

1197. **Hot Plates, "JSGW"**, Mounted on a thick M.S. sheet body, a smooth surface cast iron plate fitted with an electrically operated element laid under the plate. **Fitted with Energy Regulator.** A three step rotary switch works on 220/230 volts A.C. controls heating. The plate is finished in heat resistant black and the body in stove blue white painted.

Cat. No.	Top Type	Dimension cm	Power Rating	Price/Piece (₹)
1197/2	Round	20	1 Kw	8540.00
1197/6	Rectangular	30 x 25	1 Kw	11580.00
1197/8	Rectangular	40 x 25	1.5 Kw	13655.00
1197/10	Rectangular	45 x 30	2 Kw	14245.00
1197/12	Rectangular	45 x 60	3 Kw	23720.00

- 1197A **Hot Plate, "JSGW"**, Mounted on a thick M.S. sheet body, a smooth surface of **Stainless Steel Plate** fitted with an electrically operated element laid under the plate. A three step rotary switch works on 220/230 volts A.C. controls heating.

Cat. No.	Top Type	Dimension cm	Power Rating	Price/Piece (₹)
1197A/1	Round	20	1 Kw	11730.00
1197A/2	Rectangular	40 x 25	1.5 Kw	17750.00
Fitted with Digital Controller (PID)				
1197A/3	Round	20	1 Kw	27200.00
1197A/4	Rectangular	40 x 25	1.5 Kw	33225.00

1198. **Laboratory Stirrers, "JSGW"**, Equipped with noiseless universal motor fitted with chuck, stainless steel stirring shaft fitted with three bladed propeller and retort stand having cast iron base, S.S. vertical and horizontal rods and a mount, continuous speed control for varying speed upto 4000 RPM. 25035.00

- 1198/1 -do- with Digital RPM Display 34135.00

1199. **Magnetic Stirrer, "JSGW"**, A Fractional Horse Power motor mounted in a sheet metal housing, fitted with speed regulator, max. Speed 1200 RPM. Top plate stainless steel, supplied with PTFE coated stirring bar.

Cat. No.	Beaker Cap. Ltr.	Pan Size mm	Price/Piece (₹)
1199/1	2 Ltr.	150x150, without Hot Plate	11190.00
1199/2	2 Ltr.	150x150, with Hot Plate & Energy regulator	10950.00
1199/3	5 Ltr.	200x200, without Hot Plate	14480.00
1199/4	5 Ltr.	200x200, with Hot Plate & Energy Regulator	14835.00
1199/8	2 Ltr.	With hotplate 2 litre digital temperature controller & RPM Indicator	32105.00
1199/9	5 Ltr.	With hotplate 5 litre digital temperature controller & RPM Indicator	34055.00

1200. **Water Baths Serological, "JSGW"**, Double Walled, outer Mild Steel Sheet, Epoxy Coated, Inner Chamber of Stainless Steel fitted with immersion heater, indicators, temperature upto 65°C, $\pm 1.0^\circ\text{C}$, is thermostatically controlled, supplied with Pyramidal lid and cord, but without racks.

Cat. No.	Inner Chamber mm	Capacity Ltr.	Price/Piece (₹)
1200/1	300 x 175 x 175	12	12200.00
1200/2	300 x 250 x 175	14	13860.00
1200/3	375 x 300 x 175	18	20180.00
1200/4	450 x 300 x 175	25	25240.00
1200/5	600 x 300 x 175	32	28825.00

- 1200D **Water Baths Serological, "JSGW"**, Double walled, outer Mild Steel Sheet, Epoxy Coated, Inner Chamber of Stainless Steel with immersion heater, indicators, temperature upto 65°C, $\pm 1.0^\circ\text{C}$, is controlled by **Digital temperature controller** cum indicator supplied with Pyramidal lid and cord, but without racks.

Cat. No.	Inner Chamber mm	Capacity Ltr.	Price/Piece (₹)
1200D/1	300 x 175 x 175	12	28155.00
1200D/2	300 x 250 x 175	14	29400.00
1200D/3	375 x 300 x 175	18	38160.00
1200D/4	450 x 300 x 175	25	39745.00
1200D/5	600 x 300 x 175	32	42855.00

1201. **Water Baths, "JSGW"**, Double Walled, Outer Mild Steel Sheet, Epoxy coated, Inner Chamber of Stainless Steel, Temp. is thermostatically Controlled $95^\circ\text{C} \pm 1^\circ\text{C}$, fitted with on/off switch, supplied with concentric rings and a cord.

Cat. No.	Inner Chamber mm	No. of Holes	Capacity Ltr.	Price/Piece (₹)
1201/1	300 x 250 x 100	6	8	14690.00
1201/2	400 x 300 x 100	12	15	20205.00

- 1201D **Water Baths, "JSGW"**, Double Walled, Outer Mild Steel Sheet, Epoxy coated, Inner Chamber of Stainless Steel, Temp. is Controlled by **Digital temp. controller** cum indicator $95^\circ\text{C} \pm 1^\circ\text{C}$. fitted with on/off switch, supplied with concentric rings and a cord.

Cat. No.	Inner Chamber mm	No. of Holes	Capacity Ltr.	Price/Piece (₹)
1201D/1	300 x 250 x 100	6	8	33445.00
1201D/2	400 x 300 x 100	12	15	39170.00

- 1201A **Precision Water Baths, "JSGW"**, Double Walled, outer Mild Steel Sheet, Epoxy Coated, Inner Chamber of Stainless Steel, fitted with immersion heater, Stirrer with speed regulator, Glass Window, Indicators and PID temperature controller. Temperature range 5°C above ambient to $100^\circ\text{C} \pm 0.1^\circ\text{C}$. Supplied with cord.

Cat. No.	Inner Chamber mm.	Price/Piece (₹)
1201A/1PID	425 x 250 x 225	65690.00
1201A/3PID	450 x 375 x 375	73505.00
1201A/5PID	600 x 450 x 450	87585.00

- 1201B. **Water Bath Incubator Shaker, "JSGW"**, Double Walled, Outer Mild Steel Sheet, Epoxy coated, Inner Chamber Stainless Steel, S.S. pyramidal lid. The bath has an oscillating tray on rollers, oscillated through geared variable speed motor, Oscillation, Speed range is between 40 to 140 cycles per minutes. The shaking tray can either hold test tubes or conical flasks of 25 to 1000 ml. cap. (Cap to be specified by the user, while ordering). Temperature is controlled by the PID temperature controller, range $\pm 5^\circ$ above ambient to $100^\circ\text{C} \pm 0.5^\circ\text{C}$. Provided with a cord and plug to work on 220 / 230 V AC supply.

Cat. No.	Shaking Tray (W x D x H)	Capacity Ltr.	Price/Piece (₹)
1201B/1PID	275 x 275 x 150 mm	12	98060.00
1201B/3PID	405 x 300 x 150 mm	18	113540.00

- 1203 **Water Bath Universal, "JSGW"**, Temp. Controlled, Double Walled, stainless steel chamber, one Pyramidal lid and the other rectangular with holes covered with concentric rings, provided with water over flow arrangement, immersion heater, pilot lamp and on/off switch.

Cat. No.	Inner Chamber mm	Capacity Ltr.	Price/Piece (₹)
1203/1	300 x 225 x 175	14	18895.00
1203/2	450 x 300 x 175	25	25930.00



1200 D



1201



1201A



1201B




1203



1203D



1204



1205



1206



1206A

- 1203D **Water Bath Universal, "JSGW"**, Double walled, outer M.S. sheet, epoxy coated, inner chamber of stainless steel, one Pyramidal lid and the other rectangular with holes covered with concentric rings, provided with water over flow arrangement, immersion heater, Temperature is controlled by **Digital temperature controller** cum indicator $95^{\circ}\text{C} \pm 1^{\circ}\text{C}$, pilot lamp and on/off switch.

Cat. No.	Inner Chamber mm	Capacity Ltr.	Price/Piece (₹)
1203D/1	300 x 225 x 175	14	34110.00
1203D/2	450 x 300 x 175	25	39880.00

- 1204 **Water Bath Rectangular, "JSGW"**, Single Walled Stainless Steel Chamber, Stainless steel top with holes and concentric rings, water over flow arrangement, rests on an angle iron frame. It is fitted with an immersion heater which is self ejecting on getting dry.

Cat. No.	Inner Chamber mm	No. of Holes	Price/Piece (₹)
1204/1	300 x 250 x 100	6	8190.00
1204/2	350 x 400 x 100	12	11450.00

1205. **Cylindrical Oil Bath, Double Walled**, inner chamber of stainless steel, duly epoxy powder coated. The gap between two walls is filled with high grade glass wool to minimize thermal loss. Temp. range 50° to 300°C , temperature controlled by thermostat. Supplied complete with plug and cord to work on 220/230 volts AC supply.

Cat. No.	Flask Cap.	Watts	Price/Piece (₹)
1205/1	1 Litre	500	17795.00
1205/2	2 Litre	1000	18410.00
1205/3	3 Litre	1500	24410.00
1205/4	5 Litre	1500	25120.00
1205/5	10 Litre	2000	30270.00

- 1205D. **Cylindrical Oil Bath, Double Walled**, inner chamber of stainless steel, duly epoxy powder coated. The gap between two walls is filled with high grade glass wool to minimize thermal loss. Temp. range 50° to 300°C , temp. controlled by **Digital temp. controller** cum indicator. Supplied complete with plug and cord to work on 220/230 volts AC supply

Cat. No.	Flask Cap.	Watts	Price/Piece (₹)
1205D/1	1 Litre	500	34205.00
1205D/2	2 Litre	1000	34890.00
1205D/3	3 Litre	1500	41655.00
1205D/4	5 Litre	1500	42205.00
1205D/5	10 Litre	2000	47310.00

1206. **Melting Point Apparatus, "JSGW"** A metallic heating block heated with superior quality element. A focusable lens, shadowless lamp, regulator to control the heat. Unit is housed in a cast metal, pannel fitted with neon light, on/off switch & regulator, knob & a thermometer holding rod. (₹) 6705.00

- 1206/A **Digital melting point Apparatus**, Designed for accurate determination of melting points of solid samples. Apparatus comprises of Cylindrical Silicon oil bath, built in magnetic stirrer with speed controller, electronic heat controller, Digital Temp. display with PT 100 sensor, Glare free background light with adjustable light intensity, provision for holding the melting point display.

Cat. No.	Description	Price/Piece (₹)
1206A/1	Temp. range 2° above RT- $250^{\circ}\text{C} \pm 1.0^{\circ}\text{C}$, $3\frac{1}{2}$ digit LED	44340.00
1206A/2	Temp. range 2° above RT- $250^{\circ}\text{C} \pm 0.1^{\circ}\text{C}$, $4\frac{1}{2}$ digit LED	53090.00

- 1207 **Automatic Pipette Washer, "JSGW"** 63 cm. high, 15 cm dia. approx. Stainless Steel. Cylindrical Jar with symphon system, water inlet and outlet and a pipettes holding device. 13420.00
- 1209 **Water Stills, Manesty Type, "JSGW"**, Complete S.S. body, electrically operated, easily replaceable immersion type heaters and wall mounting arrangement. Output 3-4 ltr./hr. 16895.00
- 1209A **Spare Heater of Water Stills, ISI Marked.** 1445.00
- 1210 **Oven Universal "JSGW"** outer body made of thick Mild Steel Sheet duly Powder coated. Double walled construction with 2½" gap filled with best quality glass wool. Inner chamber made of Stainless Steel. Heating element are provide at bottom and two sides. Temp. Range from +5°Ambient to 250°C ± 2°C fitted with thermostat controller. Fitted with main switch pilot lamp, temp controller knob, perforated shelves and workable on 220 Volts 50 Hz AC mains. Rubber feet are fitted at bottom from corners for (Smaller Sizes).

Cat. No.	Inner Chamber	Capacity Liters	Chamber Size (mm)	Price/Piece (₹)
1210/2	S.S	28	300 x 300 x 300	22935.00
1210/4	S.S	45	350 x 350 x 350	24580.00
1210/6	S.S	95	450 x 450 x 450	35500.00
1210/8	S.S	125	600 x 450 x 450	53515.00
1210/10	S.S	224	600 x 600 x 600	63635.00
1210/12	S.S.	252	900 x 600 x 450	91760.00
1210/14	S.S.	336	900 x 600 x 600	110595.00
1210/15	S.S.	720	900 x 900 x 900	179860.00

Note : Air circulating fan can be fitted in each size if required at an extra cost of ₹ 4800.00 and for ovens of 300°C, 25% will be charged extra.

- 1210D **Oven Universal "JSGW"**, outer body made of thick Mild Steel Sheet duly Powder coated. Double walled construction with 2½" gap filled with best quality glass wool. Inner chamber made of Stainless Steel. Heating element are provide at bottom and two sides. Temp. Range from +5° Ambient to 250°C ± 1°C fitted with Microprocessor based PID electronic digital Temp. controller cum Indicator. Fitted with Air circulating fan, temp controller knob, perforated shelves and workable on 220 Volts 50 Hz AC mains. Rubber feet are fitted at bottom from corners for (Smaller Sizes).

Cat. No.	Inner Chamber	Capacity Liters	Chamber Size (mm)	Price/Piece (₹)
1210D/2	S.S	28	300 x 300 x 300	49150.00
1210D/4	S.S	45	350 x 350 x 350	50790.00
1210D/6	S.S	95	450 x 450 x 450	61785.00
1210D/8	S.S	125	600 x 450 x 450	79785.00
1210D/10	S.S	224	600 x 600 x 600	89925.00
1210D/11	S.S.	252	900 x 600 x 450	117920.00
1210D/12	S.S.	336	900 x 600 x 600	136815.00
1210D/13	S.S.	720	900 x 900 x 900	203840.00

Note : Air circulating fan can be fitted in each size if required at an extra cost of ₹ 4800.00 and for ovens of 300°C, 25% will be charged extra.



1207

1209



1210



1210D



1224

1224. Incubator Universal (Memmert Type) "JSGW" outer body made of thick Mild Steel Sheet duly Powder coated. Double walled construction with "2½ gap filled with best quality glass wool. Inner chamber made of Stainless Steel. Heating element are provide at bottom and two sides. Temp. Range from +5° Ambient to 80°C ± 2°C fitted with thermostat controller. Fitted with main switch pilot lamp, temp controller knob, perforated shelves and workable on 220 Volts 50 Hz AC mains. Rubber feet are fitted at bottom from corners for (Smaller Sizes).

Cat. No.	Inner Chamber	Capacity Liters	Chamber Size (mm)	Price/Piece (₹)
1224/2	S.S	28	300 x 300 x 300	23580.00
1224/4	S.S	45	350 x 350 x 350	25100.00
1224/6	S.S	95	450 x 450 x 450	36140.00
1224/8	S.S	125	600 x 450 x 450	54060.00
1224/10	S.S	224	600 x 600 x 600	64200.00
1224/11	S.S	252	900 x 600 x 450	92265.00
1224/12	S.S	336	900 x 600 x 600	107915.00

Note : Air circulating fan can be fitted in each size at an extra cost of ₹4500.00.



1224D

- 1224D. Incubator Universal (Memmert Type) "JSGW" outer body made of thick Mild Steel Sheet duly Powder coated. Double walled construction with "2½ gap filled with best quality glass wool. Inner chamber made of Stainless Steel. Heating element are provide at bottom and two sides. Temp. Range from +5° Ambient to 80°C ± 1°C fitted with Microprocessor based PID electronic digital Temp. controller cum Indicator. Fitted with Air circulating fan, temp controller knob, perforated shelves and workable on 220 Volts 50 Hz AC mains. Rubber feet are fitted at bottom from corners for (Smaller Sizes).

Cat. No.	Inner Chamber	Capacity Liters	Chamber Size (mm)	Price/Piece (₹)
1224D/2	S.S	28	300 x 300 x 300	49720.00
1224D/4	S.S	45	350 x 350 x 350	51305.00
1224D/6	S.S	95	450 x 450 x 450	62200.00
1224D/8	S.S	125	600 x 450 x 450	80270.00
1224D/10	S.S	224	600 x 600 x 600	90335.00
1224D/11	S.S	252	900 x 600 x 450	120115.00
1224D/12	S.S	336	900 x 600 x 600	145135.00



1225

1225. B.O.D. Incubator (Biochemical Oxygen Demand) "JSGW" Low temperature Incubator. Outer body made of Mild steel duly powder coated and inner chamber made of Stainless Steel Grade 304. Fitted with 2 Air circulation fans. Inner viewing lamp is provided. Double door with inner door made of acrylic for full view of the chamber and outer metal door with magnetic gasket. Hermetically sealed compressor (CFC Free) & CFC free refrigerant gas with a fan cooled condensing coil. Indicators for Main, heating and cooling process. Temperature range 5°C to 60°C ± 1°C, Controlled by digital temperature controller (PID).

Cat. No.	Inner Chamber	Capacity Liters	Inside Chamber Size mm	Vol.	Price/Piece (₹)
1225/1	S.S	112	455 x 410 x 610	4 Cu. Ft.	151710.00
1225/2	S.S	171	505 x 415 x 830	6.1 Cu.Ft.	168915.00
1225/3	S.S	280	570 x 550 x 875	10 Cu. Ft.	187680.00
1225/4	S.S	340	650 x 580 x 900	12 Cu. Ft.	215830.00
1225/5	S.S	420	700 x 650 x 900	15 Cu. Ft.	243980.00

- 1226 **Laboratory Autoclave Vertical, "JSGW"** Electrically operated, double walled, inner & outer body made of **Stainless Steel. S .S.** Lid, having radial locking system. Working pressure 5 p.s.i. to 15 p.s.i. safety valve; Complete with water level indicator, water inlet & outlet system with vacuum breaker control box fitted with automatic pressure control switch, pressure gauge, with PI temperature indicator cum controller, low auto water cut-off system, steam release valve; pilot lamp, on / off switch for operation on 220 volts A/C main. Complete with Stainless Steel Basket.

Cat. No.	Cap. ltr.	Boiler (DepthxDia) mm	Price/Piece (₹)
1226/1	22	450 x 250	116540.00
1226/2	40	500 x 300	130745.00
1226/3	50	550 x 350	142125.00
1226/4	98	600 x 450	167430.00
1226/5	152	750 x 550	234390.00



1226

1228. **Vortex Shaker, "JSGW"**, Vibration type, variable speed, neoprene cup impart vigorous agitation to tubes, with touch on/off switch. 9310.00



1228

1229. **V.D.R.L. Shaker, "JSGW"**, It is useful for V.D.R.L Typing grouping as well as another agglutination test, also for mixing of solution in small flask, beaker, bottle. A timer is corporate in electrical circuit is being cut off automatically as soon as the setting is over, Platform 300x300 mm, variable speed, supplied with cord & plug to work on 220/300 volts AC 14480.00



1229

1230. **C.O.D. Digestion Apparatus**, Aluminium Dry heating Block with 15 nos. cavities to accomodate 40 mm. dia tubes, heaters are placed below the block, ensures uniform heating, in a sheet metal housing, epoxy coated, temperature upto 200°C is controlled by digital temperature controller cum indicator, unit is fitted with timer, supplied with fifteen sets of glass reaction vessels and air condensers with standard joint fitting. 85775.00



1230

- 1230/1 **Spare : Glass Part for C.O.D. Digestion Apparatus 1 Set** 865.00

- 1231D **Rotary Shaker, "JSGW"**, Base assembly made from heavy mild steel section, Compact counter which helps balanced drive mechanism ensures high stability, Universal platform to accommodate interchangeable clamps of assorted sizes for holding different capacity of Glass. Speed range up to 300 RPM, timer Option with **DC drive** Supplied with cord and Plug to work on 220V single phase A/C.

Cat. No.	Platform Size	Price/Piece (₹)
1231/D1	18" X 18 " (with Digital RPM and Timer)	64595.00
1231/D2	24" X 24 " (with Digital RPM and Timer)	85865.00



1231D



1236



1240D



1241 D



1245-1



1245/2, 3, 4

1236. **Ultrasonic Cleaner(Sonicator)** : Micro Controller based digital timer, with latest MOSEFT base technology. Automatic frequency tuning for maximum output. Low transducer losses permit maximum cleaning action. Rugged & easy to clean SS housing. Extensively protected electronic circuit for longer & safe operation. Ultrasonic frequency 40 KHz, input voltage range 170 AC-270AC. 50hz with inbuilt digital timer, auto degassing, SS tank fitted with drain valve, supplied with basket, with water heater and Digital Temperature Controller.

Cat.No	Tank Size L x W x H	Cap. Ltr. (Approx)	Water Heater	Price/Piece (₹)
1236/1	150x135x110	1.5	✗	34255.00
1236/2	225x140x100	2.5	✓	42540.00
1236/3	300x150x100	4	✓	66470.00
1236/4	300x150x150	6	✓	93840.00
1236/5	300x240x150	10	✓	108780.00
1236/6	300x150x150	5	✓	86020.00

- 1240D. **Rectangular Muffle Furnace "JSGW"**, (Laboratory Model) Light Weight, Outer casing made of thick PCRC sheet, duly powder coated, heating elements made of kanthal. A-1 wire are wound on the ceramic muffle, ceramic fibre insulation is provided on all sides. Temperature controlled by **Digital temp. controller cum indicator**, fitted on the front with two pilot lamps, one pyrometer, thermocouple, silver thermal fuse, main lead with power plug to work on 220/230 volts or 400/440 volts A.C. Max. Temperature is 1000°C, working temperature 900°C.

Cat. No.	Muffle Size (W x H xD)	Price/Piece (₹)
1240D/1	100x100x225mm	51235.00
1240D/3	125x125x300mm	66200.00
1240D/5	150x150x300mm	68530.00
1240D/7	200x200x300mm	91990.00

1241. **Vacuum Oven** : Double walled with Outer M.S. sheet duly epoxy coated and inner made up of heavy gauge S.S. sheet. Gap between the two is filled with high grade glasswool to avoid thermal loss. Temp. range 50° to 150°C ± 1°C, fitted with digital controller cum indicator. Unit is capable of withstanding high vacuum. Provided with vacuum gauge, see through transparent window of toughened glass and one shelf. Works on 220 / 230 volts AC (**Supplied without Vacuum Pump.**)

Cat. No.	Dia & Depth	Price/Piece (₹)
1241/3	300x300mm	91025.00

- 1241D. **Vacuum Oven** : Double walled with Outer and inner body made up of heavy gauge S.S. sheet. Gap between the two is filled with high grade glasswool to avoid thermal loss. Temp. range 50° to 150°C ± 1°C, **fitted with PID controller**. Unit is capable of withstanding high vacuum. Provided with vacuum gauge, see through transparent window of toughened glass and one shelf. Works on 220/230 volts A.C. Supplied without Vacuum Pump.

Cat. No.	Dia & Depth	Price/Piece (₹)
1241D/3	300x300mm	131370.00

- 1245/1 **Centrifuge Machine** (Doctor Model) (superior quality), 3500 RPM 7040.00
 1245/2 **Centrifuge Machine** (Dom Type) four tube 7040.00
 1245/3 **Centrifuge Machine** (Dom type) Six tube 7195.00
 1245/4 **Centrifuge Machine** (Dom Type) Eight Tube 7510.00

LABORATORY CLAMPS AND STANDS

1249. Laboratory Jack Box Type

Cat. No.	Ht.	Plate Size	M.S (₹) / each	S.S (₹) / each
1249/1	8"	6"x6"	2865.00	6375.00
1249/2	14"	8"x8"	3445.00	8785.00
1249/3	17"	10"x10"	4775.00	11845.00
1249/4	21"	12"x12"	6495.00	15280.00

1251. Burette Clamps, "JSGW", Made of thick Mild Steel sheet. All die-pressed-symmetrical, non-breakable, one holds the burette rests and other presses it due to spring force. Boss head can accomodate upto 18 mm. dia rod.

Cat. No.	Description	Price/Piece (₹)
1251/1	Single-For one Burette	155.00
1251/2	Double-For two Burettes	290.00
1251/3	Double-For two Burettes, Al. Casted, Spring Loaded	1050.00

1252. Universal Clamps, "JSGW", Sheet metal, Die-Pressed, cork lined jaws, can hold upto 12 to 50 mm dia.

Cat. No.	Description	Price/Piece (₹)
1252/1	M.S. Epoxy Coated	190.00
1252/2	Brass Chrome Plated	330.00

1253. Universal Clamps, "JSGW" (Condenser Clamp), Made of casted alloy, Cork lined jaws, can hold 75 mm dia articles, with chrome plated 8 mm. dia 175 mm long mild steel rod for holding in the boss head.

Cat. No.	Description	Price/Piece (₹)
1253/1	Aluminium, Epoxy coated	295.00
1253/2	Brass, Chrome Plated.	690.00


1254. Finger Clamps (Condenser), "JSGW", Made of casted alloy, prongs cross over one another, with chrome plated 8 mm. dia, 175 mm long mild steel rod for holding in the boss head.

Cat. No.	Description	Price/Piece (₹)
1254/1	3 Finger clamps—hold up to 75 mm. dia., Aluminium epoxy coated.	325.00
1254/2	— do — Brass, Chrome Plated	720.00
1254/3	4 Finger Clamps—hold up to 75 mm. dia., Aluminium epoxy coated.	325.00
1254/4	— do — Brass, Chrome Plated	720.00

1255. Condenser Clamps, "JUMBO".

Cat. No.	Description	Price/Piece (₹)
1255/1	4 Fingers covered with Silicon Sleeves, Jaws do not cross over, can hold upto 125 mm. dia. with 300 x 10 mm., C.P. rod. Brass casted, Chrome Plated.	1960.00
1255/2	— do — Aluminium casted, epoxy coated	940.00





1256. **Condenser Clamp**, 3 Fingers covered with Silicon Sleeves, two keys independently operated, Chrome Plated Mild Steel Rod 300 x 10 mm.

Cat. No.	Description	Price/Piece (₹)
1256/1	Aluminium alloy, epoxy coated	690.00
1256/2	Brass casted, Chrome Plated	1430.00

1257. **Condenser Clamp**, "JSGW", Co-axial, 3 fingers covered with Silicon sleeves, can hold from 18 mm to 75 mm dia, with 300 x 10 mm. C.P. rod.

Cat. No.	Description	Price/Piece (₹)
1257/1	Brass sheet, Chrome Plated	1300.00
1257/2	M.S. sheet, epoxy coated	700.00

1258. **Retort Clamps**, "JSGW", Cork lined cylindrical jaws, can hold up to 50 mm., with 175 x 8 mm Chrome plate M.S. Rod.

Cat. No.	Description	Price/Piece (₹)
1258/1	Aluminium casted, epoxy coated	320.00
1258/2	Brass casted, Chrome Plated	690.00

1260. **Boss Head**, Cast iron, Black painted, with C.P. Screws.

		Price/Piece (₹)
1260/1	To hold upto 12 mm. dia rod	170.00
1260/2	To hold upto 16 mm. dia. Rod.	275.00
1260/3	To hold upto 25 mm. dia. Rod.	335.00

1261. **Boss Head**, Die-pressed, Chrome Plated, or epoxy coated made of thick mild steel strip, screws with plastic moulded hand grip, can accomodate up to 16 mm. dia rod. 110.00

1262. **Boss Head**, with chrome plated screws, to hold upto 16 mm. dia rod.

Cat. No.	Description	Price/Piece (₹)
1262/1	Aluminium casted , epoxy coated	130.00
1262/2	Brass casted, Chrome plated	640.00

1264. **Stand** : Rectangular Cast Iron Painted Base with mild steel Chrome Plated or powdered coated rod.

Cat. No.	Base	Rod	Price/Piece (₹)
1264/1	6" x 4"	18" x 3/8"	590.00
1264/3	8" x 5"	24" x 3/8"	760.00
1264/4	8" x 5"	24" x 1/2"	890.00
1264/5	9" x 6"	30" x 1/2"	1315.00
1264/6	10" x 6"	24" x 1/2"	1700.00
1264/7	10" x 8"	30" x 1/2"	2110.00
1264/8	12" x 7"	36" x 1/2"	2290.00

1265. **Stand** : Tripod cast iron, hammerton painted base, with mild steel chrome plated rod.

Cat. No.	Base dia.	Rod	Price/Piece (₹)
1265/2	9"	24" x 1/2"	2335.00
1265/3	15"	36" x 3/4"	3500.00

1266. **Stand** : A shape cast iron hammerton painted base 6.5" side, with 24" x ½" mild steel chrome plated rod. 1825.00

1267 **Tripod Stand** : Cast iron black painted top, three balanced chrome plated screwed legs.

Cat. No.	Top	Height	Price/Piece (₹)
1267/1	Triangular 10cm	15cm	170.00
1267/2	Triangular 10cm	20cm	185.00
1267/3	Triangular 12cm	20cm	232.00
1267/4	Round, dia 12 cm	15cm	232.00
1267/6	Round, dia 12cm	20cm	280.00

1268. **Retort Ring**, made of iron, with fixed boss head to take upto 12 mm. dia. rod.

Cat. No.	Dia.	Price/Piece (₹)
1268/1	2"	170.00
1268/2	3"	180.00
1268/3	4"	195.00
1268/4	5"	232.00
1268/5	6"	260.00

1269. **Crucible Tongs**

Cat. No.	Length	Material	Price/Piece (₹)
1269/3	6"	Stainless Steel	130.00
1269/6	8"	Stainless Steel	160.00
1269/8	12"	Stainless Steel	400.00
1269/9	18"	Stainless Steel	685.00
1269/10	24"	Stainless Steel	1280.00

1270. **Tongs for holding flask**, 12" long, Stainless Steel 422.00

1271. **Tongs for holding beaker**, 12" long, Stainless Steel 422.00

1272. **Burner Bunsen**, made of thick brass pipe 12 mm dia., chrome plated, screw type air regulator. Painted heavy base, 150 mm. height Approx. 417.00

1272/1 – do – with stopcock 500.00

1272/2 **Bunsen Burner, Needle Valve**, base made of cast iron, powder coated, Needle valve, regulator to adjust flame with 12 mm tube dia 655.00


1272/3 **Electric Bunsen Burner**, 15385.00


1273. **Mecker Burner**, made of chrome plated brass tube, painted cast iron base, height 180 mm. approx. top dia 25 mm. with mesh 1085.00

1273/1 – do – with stopcock 1220.00

1274. **Teclu Burner**, made of chrome plated brass tube with regulating cone, give a powerful flame and higher temperature, painted cast iron base, height 160 mm. Approx. with Stopcock. 1475.00

Note : Please mention the gas to be used, while placing order for Cat. No. 1272 to 1274





1276. Cork Borers, All brass, Chrome Plated.

Cat. No.	Set of	Minimum Qty/Pack	Price/Piece (₹)
1276/1	3, Heavy Pattern	2	1260.00
1276/3	6, Heavy Pattern	2	1860.00
1276/5	12, Heavy Pattern	2	3605.00

1277. Hoffman's Screw Clip, Brass Chrome Plated.

Cat. No.	Size mm.	Minimum Qty/Pack	Price/Piece (₹)
1277/1	12	5	170.00
1277/2	18	5	190.00
1277/3	25	5	232.00

1278. Test Tube Holder, chrome plated. 44.00

1279. Spatula, Stainless Steel, one end flat, one end spoon.

Cat. No.	Size Inches	Minimum Qty/Pack	Price/Piece (₹)
1279/1	4	10	40.00
1279/2	6	10	44.00
1279/3	8	10	60.00
1279/4	10	10	112.00
1279/5	12	10	150.00

1279A. Spatula, Stainless Steel, wire type.

Cat. No.	Size Inches	Minimum Qty/Pack	Price/Piece (₹)
1279A/1	6	10	64.00
1279A/2	8	10	76.00
1279A/3	10	10	96.00
1279A/4	12	10	130.00

1279F Forceps, SS, Fine Point, Straight, 316 Grade.

Cat. No.	Size mm.	Minimum Qty/Pack	Price/Piece (₹)
1279F/1	100	10	130.00
1279F/2	125	10	150.00
1279F/3	150	10	170.00
1279F/4	200	10	202.00
1279F/5	250	10	275.00
1279F/6	300	10	360.00

1280 Swan Neck Tap, Brass Chrome Plated.

Cat. No.	Type	Price/Piece (₹)
1280/1	One way	2970.00
1280/2	Two way	4085.00
1280/3	Three way	5195.00

1281. **Gas tap**, Brass moulded, Copper Oxidised / Chrome Plated.


Cat. No.	Type	Price/Piece (₹)
1281/1	One way	1000.00
1281/2	Two way	1200.00
1281/3	Three way	1430.00
1281/4	Four way	1680.00



1281

1282. **Test tube Stands**, made of Aluminium Anodised sheet .

Cat. No.	No. of Holes	Dia. of Hole mm.	Minimum Qty/Pack	Price/Piece (₹)
1282/1	12	12	2	360.00
1282/2	12	18	2	407.00
1282/3	12	25	2	545.00
1282/4	24	12	2	417.00
1282/5	24	18	2	560.00
1282/6	24	25	2	850.00
1282/7	36	12	2	550.00
1282/8	36	18	2	735.00
1282/9	36	25	2	1070.00
1282/10	48	12	2	660.00
1282/11	48	18	2	900.00
1282/12	48	25	2	1280.00
1282/13	72	12	2	850.00
1282/14	72	18	2	1515.00
1282/15	72	25	2	2100.00
1282/16	12	38	2	930.00



1282

1282 SS **Test tube Stands**, made of Stainless Steel.

Cat. No.	No. of Holes	Dia. of Hole mm.	Minimum Qty/Pack	Price/Piece (₹)
1282 SS/1	12	12	2	360.00
1282 SS/2	12	18	2	550.00
1282 SS/3	12	25	2	640.00
1282 SS/4	24	12	2	470.00
1282 SS/5	24	18	2	640.00
1282 SS/6	24	25	2	830.00
1282 SS/7	36	12	2	550.00
1282 SS/8	36	18	2	850.00
1282 SS/9	12	38	2	1540.00



1282 SS

1282 W **Wire Rack**, made from complete stainless steel. Grade 304, Thickness 3 mm.

Cat. No.	No. of Holes	Dia. of Hole mm.	Minimum Qty/Pack	Price/Piece (₹)
1282 W/1	96	16	2	2970.00
1282 W/2	50	20	2	2600.00
1282 W/3	48	26	2	2970.00
1282 W/4	20	40	2	2970.00



1282 W

1283A. **Nessler Cylinder Stand**, for 50 ml. made of Aluminium Anodised , 12 holes. 900.00

1283B. **Nessler Cylinder Stand**, for 100 ml. made of Aluminium Anodised , 12 holes. 1220.00



1284



1286



1290



1292

1284. Pipette can made from, Aluminium Anodised Sheet

Cat. No.	Dia.	Height	Price/Piece (₹)
1284/3	3"	18"	1295.00
1284/4	4"	18"	1455.00

1285. Pipette can, Stainless Steel

Cat. No.	Dia.	Height	Price/Piece (₹)
1285/3	3"	18"	1530.00
1285/4	4"	18"	2015.00

1286. Petri Dish Box, SS, to hold Ten 100 mm. dia dishes, with rack.

2970.00

1287. Storage Box for Vials made of 4 mm Perpex sheet, Air tight, with individual numbering.

Cat. No.	No. of Holes	Capacity ml.	Price/Piece (₹)
1287/1	50	5 ml vial	5150.00
1287/2	50	10 ml vial	6170.00

WEIGHT BOXES

1290. Analytical Weight Boxes : All Brass, Chromium Plated weights with ivory tipped forceps, fitted in beautifully polished box with fractional weights set.

Cat. No.	Grade	Range	Price/Piece (₹)
1290/1	Class A	1mg to 50 gm	3140.00
1290/2	Class A	1mg to 100 gm	3570.00
1290/3	Class A	1mg to 200 gm	4155.00
1290/4	Class B	1mg to 50 gm	2465.00
1290/5	Class B	1mg to 100 gm	2860.00
1290/6	Class B	1mg to 200 gm	3240.00
1290/7	Class A	with NABL Certificate, S.S. 100gm	17205.00
1290/8	Class A	with NABL Certificate, S.S. 200gm	21115.00

1292. Physical Weight Boxes, All weights chromium plated brass, supplied with forceps and fractional weight set fitted in polished box.

Cat. No.	Range	Price/Piece (₹)
1292/1	1 mg. to 100 gm	2460.00
1292/2	1 mg. to 200 gm	3055.00
1292/3	1 mg. to 500 gm	6195.00
1292/4	1 mg. to 1000 gm	10970.00
1292/5	1 mg. to 2000 gm	19585.00

1294. Analytical Fractional Weights, All weights rust proof nickel alloy, aluminium metal, in box. Capacity 1 mg to 500 mg.

Cat. No.	Grade	Price/Piece (₹)
1294/1	B	285.00
1294/2	A	1490.00

ELECTROPHORESIS APPARATUS

1301. **Paper Electrophoresis Apparatus, "JSGW"** (Dom type) migration chamber made of clear transparent insert material fitted with platinum electrodes, with coverlid of special pyramid type design so as to seal the central chamber to maintain high humidity and at the same time vent the electrodes chamber, with plug and socket without power pack. 24205.00
1302. **Immuno Electrophoresis Apparatus, "JSGW"**, Specially designed according to SHADON' comprising walled migration cell, made of white perspex outer chamber provided with inlets & outlets for circulation of cold water, inner chamber is the buffer chamber fitted with electrodes, with a clear transparent top lid fitted with a handle, a special perspex carrier is supplied as micro immunological accessory which permits simultaneous studies on upto eight 3" x 1" standard Agar coated micro slides, complete with plugs, terminals & leads. without powerpack, Size : 30 x 30 x 8 cms. 24705.00
1303. **Research Polyacrylamide Gel. (Disc) Electrophoresis App, "JSGW"**, Latest circular model designed according to 'SHADON', fabricated from clear transparent perspex, with separate detachable lower and upper chambers fitted with cylindrical Gel tubes of standard size, complete with electrodes, plug, leads, without power pack. 24170.00
1304. **Vertical Slab Gel Electrophoresis Apparatus, "JSGW"**, Complete with electrodes, sliding rods, for adjusting the height, Glass plates, Clamps to hold Glass plates, spacers, comb but without power pack. 24205.00
1305. **Digital Power Supply for above Electrophoresis**, Constant Current, Constant Voltage, with short circuit and overload protection, 0-300 Volts, 0 100mA. 14900.00
1306. **Paper Electrophoresis, Vertical**, with 3 paper hanging rods
- | Cat.No. | For No. of paper strips | Buffer required | Price/Piece (₹) |
|---------|-------------------------|-----------------|-----------------|
| 1306/1 | 3 | 200ml | 21510.00 |
| 1306/2 | 6 | 300ml | 23200.00 |
1307. **Submarine Gel Electrophoresis, "JSGW"** with buffer chamber, safety lid with cables and following standard accessories. 25445.00
- Comb 9 Wells - 10 Teeth (Set of 2Pcs.)
 - Comb 11 Wells - 12 Teeth (Set of 2Pcs.)
 - Comb 13 Wells - 14 Teeth (Set of 5Pcs.)
 - Casting Tray, Size 10x7cm (Set of 2Pcs.)
 - Casting Tray, Size 7x7cm (Set of 2Pcs.)
 - Electrode Set (Set of 2Pcs.)
- 1310 **UV Trans illuminator for molecular Biology applications in college, Universities and research Institutes.** 47715.00
- Wave Length 365 NM fixed
 - No. of UV tubes 8 Imported
 - Wattage 8 Watts
 - Detection Limit 200 Ng
 - Blue Print Area 185 x 185 Nm
 - UV Protection Shield Yes
 - Body Ms Powder Coated



1303



1304



1307

LABORATORY RUBBER TUBING

1320. **Laboratory Rubber Tubing**, Extra Soft quality. Temp.range -20°C to 70°C.

Cat. No.	Approx.Bore mm.	Wall Thickness mm.	Price/10 mtr. (₹)
1320/1	4	1.0	375.00
1320/2	5	1.5	475.00
1320/3	6	1.5	605.00
1320/4	7	1.5	695.00
1320/5	8	1.5	800.00
1320/6	9	2.0	965.00
1320/7	10	2.0	1175.00
1320/8	12	2.0	1330.00



1320

1322. **High Pressure Rubber Tubing**, Superior quality.Temp.range -20°C to 70°C.

Cat. No.	Approx.Bore mm.	Wall Thickness mm.	Price/10 Mtr. (₹)
1322/1	3.0	5	1075.00
1322/2	4.5	5	1270.00
1322/3	6.0	5	1480.00
1322/4	8.0	5	1820.00
1322/5	9.0	5	2010.00
1322/6	12.5	6	3255.00



1322

1323. **Ordinary Pressure Rubber Tubing**, Superior quality.Temp.range -20°C to 70°C.

Cat. No.	Approx.Bore mm.	Wall Thickness mm.	Price/10 Mtr. (₹)
1323/1	3.0	3	685.00
1323/2	5.0	3	820.00
1323/3	6.0	3	1010.00
1323/4	8.0	3	1215.00
1323/5	9.0	3	1350.00
1323/6	12.5	4	2840.00

1324 V **Tube Vacuum**, made of pure Natural Rubber. Used for high pressure application. Available in per meter. Wall does not collapse at high pressure application. (Vacuum tube available in 1mtr. length only)

Cat. No.	I.D. mm.	O.D. mm.	Minimum Qty/Pack	Price/Piece (₹)
1324V/1	6	19	2	1365.00
1324V/2	8	22	2	1555.00

1324. **Silicon Rubber Tubing**. Temp.range -50°C to 250°C. Shore hardness 45A.

Cat. No.	O.D. mm.	I.D. mm.	Wall Thickness mm.	Price/Mtr. (₹)
1324/1	4	2	1	90.00
1324/2	5	3	1	141.00
1324/3	6	4	1	192.00
1324/4	7	5	1	237.00
1324/5	7	4	1.5	237.00
1324/6	8	6	1	320.00
1324/7	8	5	1.5	320.00
1324/8	8	4	2	380.00



1324

Contd. on next page

Cat. No.	O.D. mm.	I.D. mm.	Wall Thickness mm.	Price/Mtr. (₹)
1324/9	9	6	1.5	380.00
1324/10	10	7	1.5	440.00
1324/11	10	6	2	440.00
1324/12	11	8	1.5	510.00
1324/13	11	7	2	510.00
1324/14	12	8	2	525.00
1324/15	12	6	3	915.00
1324/16	14	10	2	995.00
1324/17	14	8	3	1090.00
1324/18	16	12	2	1100.00
1324/19	16	10	3	1260.00
1324/20	19	12	3.5	1730.00
1324/21	23	15	4	2415.00

1325. **Silicon Rubber Cork**

Cat. No.	Bottom Dia mm.	Top Dia. mm.	Height mm.	Price/Piece (₹)
1325/1	9	11.5	20	27.00
1325/2	11	14	24	43.00
1325/3	13	16	24	46.00
1325/4	15	18	24	61.00
1325/5	17	20	26	79.00
1325/6	18	21	26	89.00
1325/7	19	22.5	28	102.00
1325/8	23	25.5	28	150.00
1325/9	25	28.5	28	176.00
1325/10	27	31	32	210.00
1325/11	29	33	32	265.00
1325/12	31	36	35	342.00
1325/13	33	38.5	38.5	465.00

1326. **Septa, Turnover flange with serration.**

Cat. No.	Rubber Type	For Test Tube mm.	Price/10 Piece (₹)
1326/1	Natural	12	335.00
1326/2	Natural	15	390.00
1326/3	Natural	18	540.00
1326/4	Natural	25	660.00
1326/5	Silicon	12	625.00
1326/6	Silicon	15	785.00
1326/7	Silicon	18	1095.00
1326/8	Silicon	25	1335.00

1326A **Septa, Turnover flange with serration.**

Cat. No.	Rubber Type	For Socket mm.	Price/10 Piece (₹)
1326A/1	Natural	B14	535.00
1326A/2	Natural	B19	720.00
1326A/3	Natural	B24	850.00
1326A/4	Natural	B29	1065.00
1326A/5	Silicon	B14	1020.00
1326A/6	Silicon	B19	1595.00
1326A/7	Silicon	B24	1880.00
1326A/8	Silicon	B29	2895.00



1324



1325



1326
Natural



1326
Silicon



1327



1328



1329

1327. Septa, Turnover flange with Non-serration.

Cat. No.	Rubber Type	For Test Tube mm.	Price/10 Piece (₹)
1327/1	Natural	12	335.00
1327/2	Natural	15	390.00
1327/3	Natural	18	540.00
1327/4	Natural	25	660.00
1327/5	Silicon	12	625.00
1327/6	Silicon	15	785.00
1327/7	Silicon	18	1095.00
1327/8	Silicon	25	1335.00

1327A Septa, Turnover flange with Non-serration.

Cat. No.	Rubber Type	For Socket mm.	Price/10 Piece (₹)
1327A/1	Natural	B14	535.00
1327A/2	Natural	B19	720.00
1327A/3	Natural	B24	850.00
1327A/4	Natural	B29	1065.00
1327A/5	Silicon	B14	1020.00
1327A/6	Silicon	B19	1595.00
1327A/7	Silicon	B24	1880.00
1327A/8	Silicon	B29	2895.00

1328. Rubber Cone for Filtration Flask. To avoid glass to glass contact.

Cat. No.	Suitable for Filter Flask ml.	Price/Piece (₹)
1328/1	250	127.00
1328/2	500	127.00
1328/3	1000	205.00
1328/4	2000	205.00
1328/5	5000	275.00
1328/6	10000	510.00

1329. Rubber Cork extra soft quality. Shore hardness is 45-50A.

Cat. No.	Top Dia mm.	Bottom Dia. mm.	Height Mm.	No.	Price/10 Pcs (₹)
1329/1	13	9	15.5	0	39.00
1329/2	14	11	18.5	1	47.00
1329/3	16.5	13	20	2	58.00
1329/4	19	14	21	3	70.00
1329/5	21	15	22	4	78.00
1329/6	22.5	17.5	23	5	87.00
1329/7	24.5	20	24	6	120.00
1329/8	26	20	27.5	7	135.00
1329/9	26.5	21	27.5	8	155.00
1329/10	28	21.5	31	9	200.00
1329/11	30	26	32	10	242.00
1329/12	33.5	30	33.5	11	275.00
1329/13	34.5	30	34.5	12	310.00
1329/14	38.5	31	37	13	435.00
1329/15	41.5	32	42.5	14	480.00
1329/16	43.5	34	40.5	15	610.00
1329/17	45	35.5	36.5	16	645.00
1329/18	49.5	40	40.5	17	750.00

Note : For one hole Rs. 3.00 & Two hole 4.00 extra charge.

1330. **Police Man Silicon Rubber 5 mm Hole for Insert** 130.00

1335. **Pipette Bulb**

Cat. No.	Size	Price/Pc (₹)
1335/1	Small	30.00
1335/2	Medium	34.00
1335/3	Large	45.00
1335/4	Extra Large	47.00

1336. **Chloroform Bellow with cotton net** 510.00

1337. **Automizer Bulb** 175.00

1338. **Rubber Teat for dropper** 9.00

1339. **Propiptor (Pipette Filler)** 181.00

1340. **Silicon Propiptor (Auto Pipette Filler)** 575.00

1341. **Crucible Selve (Set of seven)** 485.00

1342. **Silicon Spreader, It has 5mm bore for rod.** 115.00

1343. **Silicon, Flask Stand, For Round Bottom Flasks.**

Cat. No.	Flask Size ml	Minimum Qty./Pack	Price/Piece (₹)
1343/1	50	2	232.00
1343/2	100	2	332.00
1343/3	250	2	490.00
1343/4	500	2	920.00
1343/5	1000	2	1915.00
1343/6	2000	1	4095.00
1343/7	25	2	205.00

1344. **Silicon Pipette filler, Pipette bulb**

Cat. No.	Size mm	Suction Cap. (Approx.)	Minimum Qty./Pack	Price/Piece (₹)
1344/1	Small	5 ml	5	73.00
1344/2	Medium	10 ml	5	91.00
1344/3	Large	15 ml	5	115.00
1344/4	X-Large	20 ml	5	135.00
1344/5	Oval Shape	25 ml	5	216.00
1344/6	XX-Large	50 ml	5	417.00
1344/7	XXX-Large	100 ml	5	565.00

1345. **Rubber Sheets, used to avoid direct surface contact of Glassware product on the solid surface.**

Cat. No.	Size	Rubber Type	Minimum Qty./Pack	Price/Piece (₹)
1345/1	9.5"x9.5"x2.7mm	Silicon	2	2550.00
1345/2	9.5"x9.5"x2.7mm	Natural	4	255.00

1346. **Silicon Rubber Cork for "JSGW" Filter Flask.**

Cat. No.	Capacity Filter Flask	Minimum Qty./Pack	Price/Piece (₹)
1346/1	50ml	5	75.00
1346/2	100ml	5	85.00
1346/3	250ml	5	205.00
1346/4	500ml	5	395.00
1346/5	1000ml	5	395.00
1346/6	2000ml	5	600.00
1346/7	5000ml	5	860.00



1330




1335/1



1338




1340




1341



1343



1344



1345



1346

LIQUID HANDLING EQUIPMENT MICRO PIPETTES

1401. **Single Channel Variable Volume Micropipette**, Fully Autoclaveable, calibration as per ISO 8655 standards.

Features:

- Fully Autoclaveable
- CE Marked
- Ergonomic design ensuring light weight & soft plunger movement.
- High accuracy & precision guaranteed.
- Calibration report with each pipette.
- Built in stream lined tip ejector facilities easy tip ejection & access to narrow necked both tubes & bottles.
- Constructed of high quality plastic, combined with SS piston for many years of dependable service.

Cat. No.	Volume (Range)	Inc. μ l	Vol. μ l	Acc. μ l	CV μ l	Price/Piece (₹)
1401/1	0.2-2.0 μ l	0.01	0.2	12.0	6.0	4615.00
			1.0	2.5	1.5	
			2.0	1.5	0.7	
1401/2	0.5-10 μ l	0.1	0.5	5.0	2.8	4615.00
			5.0	1.5	0.8	
			10.0	1.0	0.4	
1401/3	2-20 μ l	0.1	2.0	5.0	1.5	4615.00
			10.0	1.0	0.6	
			20.0	1.0	0.3	
1401/4	5-50 μ l	1.0	5.0	2.5	6.0	4615.00
			25.0	0.7	1.5	
			50.0	0.7	0.7	
1401/5	10-100 μ l	1.0	10.0	2.5	2.8	4615.00
			50.0	0.8	0.8	
			100.0	0.8	0.4	
1401/6	20-200 μ l	1.0	20.0	2.5	1.5	4615.00
			100.0	1.0	0.6	
			200.0	0.6	0.3	
1401/7	100-1000 μ l	10.0	100.0	1.6	0.3	4615.00
			500.0	0.6	0.2	
			1000.0	0.5	0.2	
1401/8	500-5000 μ l	100.0	500.0	1.5	0.3	4615.00
			2500.0	0.6	0.2	
			5000.0	0.6	0.2	
1401/9	1000-10000 μ l	100.0	1000.0	1.5	0.3	4615.00
			5000.0	0.6	0.2	
			10000.0	0.6	0.2	

1401

1401 N

1401N **Single Channel Variable Volume Micropipette**, Fully Autoclaveable, calibration as per ISO 8655 standards, with **NABL** Certificate.

Features: As per Cat. 1401

Cat. No.	Volume (Range)	Inc. μ l	Vol. μ l	Acc. μ l	CV μ l	Price/Piece (₹)
1401N/7	100-1000 μ l	10.0	100.0	1.6	0.3	6175.00
			500.0	0.6	0.2	
			1000.0	0.5	0.2	
1401N/8	500-5000 μ l	100.0	500.0	1.5	0.3	6175.00
			2500.0	0.6	0.2	
			5000.0	0.6	0.2	
1401N/9	1000-10000 μ l	100.0	1000.0	1.5	0.3	6175.00
			5000.0	0.6	0.2	
			10000.0	0.6	0.2	

1402. **Quickpip Fixed Volume Micropipette**, with fully Autoclavable, Calibration, Accuracy as per ISO 8655, Digital Display. Stream lined tip ejector. Two step operation.

Cat. No.	Volume μl	Acc. $\pm\%$	CV	Price/Piece (₹)
1402/1	1.0	2.5	1.8	2335.00
1402/2	2.0	2.5	1.2	2335.00
1402/3	5.0	1.5	0.8	2335.00
1402/4	10.0	1.0	0.5	2335.00
1402/5	20.0	0.5	0.3	2335.00
1402/6	25.0	0.5	0.3	2335.00
1402/7	50.0	0.3	0.3	2335.00
1402/8	100.0	0.3	0.2	2335.00
1402/9	200.0	0.3	0.2	2335.00
1402/10	250.0	0.3	0.2	2335.00
1402/11	500.0	0.3	0.2	2335.00
1402/12	1000.0	0.3	0.2	2335.00
1402/13	2000.0	0.3	0.2	2740.00
1402/14	5000.0	0.3	0.2	2740.00
1402/15	10000.0	0.3	0.2	2740.00



1402

1403. **Quickpip Multichannel (8) Micropipette**, with Digital Display, streamlined tip ejector, two step operation, easy adjustment of volume by turning the plunger.

Cat. No.	Capacity Range	Price/Piece (₹)
1403/1	5 to 50 μl	23580.00
1403/2	40 to 200 μl	23580.00



1403

1404. **Tips for Micropipette.**

Cat. No.	Capacity	Pack Size	Price (₹)
1404/1	Yellow upto 200 μl	1000 pcs/pk	810.00
1404/2	Blue upto 1000 μl	500 pcs/pk	810.00



1404

1405. **Stand only for 6 Micropipettes.** 1750.00



1405



1411

1411. Bottle Top Dispensers : All wetted parts which comes in contact with reagents are made of PTFE, FEP and Borosilicate Glass, so can ben used for all Laboratory Reagents dispensing needs except HF High accuracy and precision is ensured through several stages of strict quality checks during manufacturing. Each Dispenser is calibrated in accordance with ISO 8655 Standard and supplied with certificate.

Product Information :

Description

Piston
Cylinder
Valve Housing
Valve Assembly
Volume adjustment
Delivery Tube
Inlet Tube
Discharge Assembly
Compatibility

Premium Model

Models

PTFE
Glass
PTFE
Glass Ball & Seat
Screw Type
FEP
FEP
PTFE
Excellent with all reagents except HF.

Each dispenser is supplied with 1 standard adapter of 30 mm thread and 5 adapters of 28, 32, 36, 40 & 45 mm. to fit in most of the reagent bottles in Laboratories.

Note : Instrument is fully autoclavable at 121°C, 15psi.

Model	Vol.	Increment ml.	Accuracy		CV		Price (₹)
	Range ml.		± %	± ml.	±%	± ml.	
JBTD-1	0.25 - 2.5	0.05	0.6	0.015	0.2	0.005	19375.00
JBTD-2	0.5 - 5	0.1	0.6	0.030	0.2	0.010	19375.00
JBTD-3	1 - 10	0.2	0.6	0.060	0.2	0.020	19375.00
JBTD-4	2.5 - 30	0.5	0.6	0.180	0.2	0.060	20910.00
JBTD-5	5 - 60	0.5	0.6	0.360	0.2	0.120	20910.00
JBTD-6	10 - 100	2.0	0.5	0.500	0.1	0.100	34400.00

Index

A

Absorption Bulb	118
Absorption Pipette	121
Absorption Vessel	131
Adapters	62-64, 146
Air Condenser	41
Air Leak Tube	68
Albuminometer	113
Alkoxy & Alkylimino Group Determination App.	84
Ammonia Distillation	81
Ampule Freeze Drying	117
Anaerobic Culture Jar	144
Anderson Pipette	123
Artificial Insemination Pipette	17
Arsenic Apparatus	131
Aspirator Bottles	112
Assemblies Distillation	81-84
Autoclaves	157
Automizer Bulb	169

B

Basin Silica	143
Beakers	106, 145
Beckman's Depression of Freezing Point App.	122
Beckman's App. for determination of Molecular Weight	122
Blood Sugar Tube	113
Blood Test Capillaries	114
Bottle Various	107-113, 146
Bottle Gas Washing	120
Boiling Tube, Flasks	138
Boss Head	160
Buchhi Flash Evaporator	148
Boiling Point Apparatus	122
Buchner Flasks	53
Buchner Funnels	78
Burettes Various	1-9
Burners	161
Bunte Gas Burette	118
Butyrometers	132
B.O.D. Bottles	113
Brushes	28

C

Calcium Chloride Tube	118
Calcium Chloride Tower	118
Calomel Electrodes	122
Capillaries Micro Blood	114
Carbaryl Content Determination Apparatus	84
Carbon Burette	131

Carbon Sulphur Glassware Glass Parts	131
Cassia Flask	29
Cavett Blood Test Apparatus	83
Centrifuge Tube	38, 146
Centrifuge Machine	158
Charle's Law Apparatus	130
Chromatography Cabinet	147
Chromatography Columns & Assemblies	93-97
Chromatography Sprayer	128
Chromatography Vials	98-99
Chiller Refrigerated Circulator	148
Clamps	159-160
Clasien Head Stopping	65
Clinical Laboratory Glassware	113
Clevenger Apparatus	101
Co-Agulation Tube (Melting Point Tube)	114
Columns Fractionating	76
Cones	36
Crystallizing Dishes	123
Condensers	41-43
Conical Flasks	55-57
Connection Tube	128
Conway Diffusion Unit	117
Cottrel Crown	122
Cork Boring Machine	162
Cork Borers	162
Counting Chamber	115
Combustion Boat	142
Crude Fibre App.	150
Crow Receiver	35-36
Crucible Silica	143
Crimping Tools for Vials	99
Crucible Sintered	77
Crucible Tongs	161
Cylinders	31-36
Cylinder Rain Measure	35
Culture Flask	117
Culture Tubes	37
Crucible Sleeve	171
Cuvette	141
C.O.D. Digestion	157
Cyanide Distillation Apparatus (New)	84

D

Dairy and Milk Testing App.	132
Dean and Stark Glassware	99-100
Decrimping Tools for Vials	99
Dessicators	128-129
Dessicator Cabinet	147

Index

Deware Flask	127
Dialtometer	126
Dissoultion Bowl	123
Dirt Correction Glassware	123
Digestion Tube	129
Distillations, Assemblies	81-84
Distillation Apparatus	84-91
Distillaiton Flasks	54
Dishes Petri	115
Dishes Crystallising	123
Dishes Evaporating	123
Dispensers	172
Dreyer's Agglutination Tube	113
Dropping Bottles	111-112
Droppers	138
Dropping Funnels	74-75
Drying Tube	67
Durham Tube	114
Dispensers Bottles	172

E

E.S.R. Tube	113
Electrode	122
Electrophoresis App.	165
Essential Oil Determination	101
Extractors	92
Extraction App. Electrical	150
Evaporating Dishes	123

F

Filter Apparatus	77-80
Filter Pump	126
Filter Holder SS	79
Filter Flask	54
Filtering Funnel	127
Filter Tube	128,138
Flasks Evaporator	52
Flasks Volumetric Various	18-30,141
Flasks	44-58
Flasks Erlenmeyer	56
Flask Haffkine	58
Fluoride Distillation	84
Forceps	162
Fractionating Columns	76
Fractionating Assembly	83
Funnels Powder	127
Furnace Muffle	158
Freezing Point App.	123

G

Gas Absorption Pipette Semi Micro	138
-----------------------------------	-----

Gas Tap	163
Gas Collecting Tube	119-120
Gas Desorber	117
Gas Washing Bottles	120
Gas Jar	120
Glass Beeds	76
Glass Jar	120
Glass Spreader	116
Ground Joints	59-60
Guides and Glands	69
Graduated Test Tubes	39-40

H

Haemometer	116
Haemocytometer	115
Hample's Gas Burettes	118
Heating Mantle	151
Haffkine Flask	58
Hoffman's Voltmeter	122
Hoffman's Screw	162
Hot Plates	152
Homogenisers	116
Hydrometers	136-137
HPLC Vials	99

I

Imhoff Cones	36
Impingers	117-118
Iodine Flask	55
Incubators	156
Interchangeable Ground Glass Assemblies	81-84

J

Jacks	159
Jar - Bell	130
Jars Rectangular	130
Jar - Specimen	129

K

Kahn's Antigen Dilution Tube	113
Kahn's Test Tube	113
Kemmerer, Hallet Apparatus	102
Kipp's Apparatus	120
Kjeldahl Digestion / Distillation Unit	149-150
Kjeldahl Digestion Tubes	129
Kjeldahl Bulbs	123
Kjeldahl Distillation	81
Kjeldahl Distillation Electrical	149-150
Kjeldahl Apparatus	102,149-150
Kjeldahl Flasks	53,56
Kozelka and Hine Blood Test Apparatus	83
Kohlraush Flasks	29
Kettles - Resin	131

Index

L

Lactometer	137
Land Berger's Apparatus	122
Lechatelier Flask	29
Leighton Tubes	37
Laboratory Jacks	159
Laboratory Stirrers	152
Laboratory Stand & Clamps	159-162
Laboratory Instruments	147-158
Laboratory Rubber Products	166-169
Liquid Handling Equipment	170-172

M

Mac Cartney Bottle	113
Macro Kjeldahl Distillation	100
Magnetic Needle	145
Magnetic Stirrer	152
Magnetic Retrifer	146
Manometers	122
Markham Semi Micro Distillation	102
Measuring Cylinders	31-36
Measuring Flask, Weight Rings, Safety Riders	30
Membrane Filter Holder	78-79
McCoy's Apparatus	122
Mechanical Pipette	16
Melting Point Tube Thiel's	124
Melting Point Capillaries	113
Melting Point Apparatus	154
Mercury Distillation Assembly	83
Mercury Seal & Glands Guide	69
Milk Testing Apparatus	132
Molecular Weight App.	122
Micro Acetyl Group Determinaiton Apparatus (Wiesen Berger)	83
Micro Kjeldahl Distillation & Nitrogen Determination	102
Micro Pipettes	170-171
Mojjonier Flask	132
Molecular Weight Determination Apparatus	122
Moisture Determination Apparatus	99-100
Mancozels Content Apparatus	84
Microscope Slides	115
Mortar Pestle Semi Micro	139
Mud Flask	29
Muf e Furnace	158
Micro Capillaries	114
Museum Jars	130

N

Nessler Cylinders	35
Nessler Cylinders Stand	163
Nitrometers Schiff's	119
Nitrogen Determination Assemblies	102
Neubauer Counting Chamber	115

O

Oil Centrifuge	39
Oil Free Portable Vaccum Pump	80
Oil Bath	154
Orsat Gas Analysis App.	121
Ovens	155
Oxygen Determination Assembly	120
Oxygen Combustion Flask	123
Ostwald Viscometer	124

P

Parnas and Wagner Assemblies	102
Packing for Columns	76
Packing Support	76
Particle Size Determination App.	123
Pasteur Pipette	17
Perkin Triangle	64
Petri Dish	116
Petri Dishes Box	164
Pipe Line Filter	79
Pipette Bulbs	169
Pipettes Can	164
Pipettes Various, Silicon Pipette Filler	10-17
Pipette Washer	155
Plant Pysiological App.	144
Platinum Wirefused	138
Polarimeter Tubes	127
Polenske's Apparatus	132
Police Man (Magnetic Retriever)	145
Power Supply	165
Pressure Equalising Funnels	74-75
Psychrometer	135
Pyknometer	108-109
PTFE Laboratory Ware	145-146
PTFE Stopcock	104
pH Electrode	122
Porcelain Ware	139-140

Index

Q

Quartz Distillation	88-91
Quartz (Transparent) Laboratory Ware	140-142
Quartz Cell	140
QR Coded Glasware	12, 19-25, 31

R

R.B.C. Pipette	115
Rain Measure Cylinder	35
Reaction Assemblies	80
Reaction Flask	44
Reagent Bottles	109-111
Recovery Assemblies	80-83
Recovery Head Stopping	65
Rectangular Jar	130
Re ux Assemblies	80
Reichert Wollney's Apparatus	132
R.M. Value Apparatus	132
Retorts	126
Retort Ring	161
Rotary Flash Evaporator	148
Rotary Shaker	157
Rubber Tube	166
Rubber Cone for Filtration Flasks	168
Rubber Cork	168
Rubber Bellow	169
Rubber Bulbs / Teats	169
Roux Bottle	113
Retriver	146

S

Sampling Tube	56
Saybolt Viscosity Flask	29
Sedimentation Pipette	123
Sedimentation Cylinder	35
Semi Micro Analysis Apparatus	138-139
Separating Funnels	70-72
Scraper PTFE	146
Screw Clip	162
Silica Laboratory Ware	143
Silicon Flask Holder	169
Silicon Rubber Tubing & Corks	166-167
Sintered Glassware	77-79
Slides Micro	115
Sockets	59-60
Solvent Recovery Assembly	83

Soxhlet Extraction App.	92,150
Soil Moisture Gauge	100
Spatula Ended Spoon	129, 162
Spatula S.S.	162
Specific Gravity Bottles	108
Specimen Jar	129
Spherical Joints	60
Splash Heads	65-66
Spot Plate	138
Sprayers	128
Standard Joints, PP Clamps, Stoppers	59-62
Stalcanometer	126
Stand and Clamps	159-161
Steam Distillations Assemblies	81
Steam Distillation Heads	66
Stirrers	68-69
Stirrer Guides	69
Stirrer Rod	68
Still Heads	65
Stoppers	60-62
Stopcocks	103-104
Stuffing Box Glands	69
Suba Seals	167
Schoinger Micro Combustion Flask	123
Sugar Flasks	29
Sulphur Burette	131
Sulphonation Flasks	29
Syphon	126
Stainless Steel Clips	44
Swan Neck Tap	162

T

Teflon Labware	145-146
Teflon Gaskets	44
Test Tube Stoppered	39
Test Tube	39-40
Test Tube Holder	138,162
Test Tube Brush	138
Test Tube Stand	163
Tilt Measure	16
Tips	171
Thin Layer Chromatography Kit	147
Thermometer Pocket	68
Thermometers	133-135
Thiel's Melting Point Tube	124
Thistle Funnel	127

Index

Tissue Homogeniser's	116
Tongs for Flasks & Beakers	161
Tripod Stand	161
Transport Number App.	122
Trypsinising Flask	117
Tubes	35-40
Tutwiler Gas Burette	118
Transillumator U.V.	165

U

U Tubes	67
Ultra Violet Chromatrography Inspection Cabinet	147
Ultrasonic Cleaner (Sonicator)	158
Ureometers	113
Utility Sets	84

V

VDRL Shaker	157
VDRL Slides	115
Vacuum Distillation Assembly	81
Vacuum Drying Pistol	82
Vacuum Oven	158
Vacuum Pump	79
Vacuum Stopcocks	104
Vacuum Sublimation Assembly	81
Vacustat Gauge	122
Vapour Density Apparatus	122
View Bulb	131
Victor Mayer Apparatus	122
Viscometer	124-125
Vials	98-99
Volumetric Flasks	18-29
Voltameter Hoffman's	122
Voltatile Oil Determination App.	99
Vortex Shaker	157

W

W.B.C. Pipette	115
Wasserman Tube	113
Wash Bottles	120,123
Watch Glass	139
Water Baths	152-154
Water Distillation	83-90
Water Softner	91
Water Stills	84-91
Weighing Bottles	107
Wire Racks	163
Witts Filtering Apparatus	77
Widal Tube	114
Weighing Scoop	129
Weight Boxes	164
Weight Thermometer	126
Wintrobe Tube	113
Woulf Bottle	113

LABORATORY GLASSWARE SAFETY TIPS

Inspection

- Always inspect glass for scratches, abrasions, cracks or chips before using or cleaning.
- Safely dispose of any damage glass.
- Inspect glass routinely for strain with a polariscope.

Heating Glass

- Standard temp. limit for borosilicate glass is 240°C.
- Avoid direct flame as much as possible.
- Always heat with Mantles, Heat Tapes, Hot Plates & Immersion Heaters.

Temperature Borosilicate Glass

- Standard use limit -240°C.
- Maximum short-term use -490°C.
- Avoid rapid temp. change or rapid thermal shock.

Washing/ Cleaning Glass

- Always inspect glass for chips and fractures prior to cleaning, specially any solvent or acid cleaning.
- Avoid HF, Strong Alkalies or abrasive cleaners.
- Distilled water rinse.

Storage

- Store glass in a manner to avoid vessels bumping each other.

Manufacturers :

JAIN SCIENTIFIC GLASS WORKS

14, HSIIDC, Industrial Estate, Jagadhari Road,
Ambala Cantt. - 133 001 (INDIA)

Tele : 91-171-2698184, 2698185 ; Fax : 91-171-2698390
E-Mail : info@jsgw.com ; Web : www.jsgw.com