

# PRICE LIST

Effective from 01<sup>st</sup> April 2024



**REMI**

- Laboratory Stirrers
- Magnetic Stirrers
- Vortex Mixers & Shakers
- Neya Centrifuge
- Medico Centrifuge
- Micro Centrifuges
- Gerber Centrifuge
- Laboratory / Research Centrifuges
- Compact Cooling Centrifuges
- Refrigerated Centrifuges
- Heavy Duty Centrifuges
- Rotary Shakers
- Orbital Shaking Incubators
- Cooling Incubators
- Ovens / Incubators
- Vacuum Oven
- Laboratory Refrigerators
- Refrigerator Cum Freezer
- Cold Cabinets
- Humidity / Stability Chambers
- Deep Freezer (-24°C)
- Deep Freezer (-20°C & -40°C)
- -86°C ULT Freezers
- Walk-in Chambers / Cold Rooms

CODE	CAT NO.	DESCRIPTION	PRICE ₹
<b>LABORATORY STIRRERS (H.S. CODE - 84798200)</b>			
C	RQ-5 Plus	<b>Mini Stirrer</b> with Brushless DC Motor, LCD display of speed (5 litres capacity)	16500.00
C	RQ-20 Plus	<b>Direct Drive Stirrer</b> with brushless Motor,LCD Display of Speed & Torque (20 Ltr Capacity)	64000.00
C	RQ-40 Plus	<b>Direct Drive Stirrer</b> with brushless Motor,LCD Display of Speed & Torque (40 Ltr Capacity)	76000.00
C	RQ-100 Plus	<b>Heavy Duty Direct drive Stirrer</b> with brushless induction motor, frequency drive, chuck, digital speed indicator having facility of presetting of speed (100 litres Capacity)	40000.00
C	RQ-121/D	<b>Mini stirrer</b> with PMDC Motor having Stirring shaft & propeller in SS 316, Digital Speed indicator & speed regulator.	11200.00
C	RQG-121/D	<b>Mini Geared stirrer</b> with PMDC Motor having Stirring shaft & propeller in SS 316, Digital Speed indicator & speed regulator.	14500.00
C	RQM-122/R	<b>Mount on All Purpose stirrer</b> with 1/20 HP Motor,chuck & rheostat speed regulator	9000.00
C	RQ-122/D	<b>All Purpose stirrer</b> with 1/20 HP Motor, chuck & transformer speed regulator	11000.00
C	RQ-124A/D	<b>Medium duty stirrer</b> with 1/8 HP Motor ,chuck & transformer speed regulator	13500.00
C	RQT-124A/D	<b>Medium duty stirrer</b> with 1/8 HP Motor, digital speed meter ,chuck & transformer speed regulator	18500.00
C	RQ-126/D	<b>Medium duty stirrer</b> with PMDC Motor having Stirring shaft & propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	16800.00
C	RQG-126/D	<b>Medium duty Geared stirrer</b> with PMDC Motor suitable for viscous material, with hollow shaft and propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	20000.00
C	RQ-127/D	<b>Medium duty high speed Emulsifier</b> with 1/8 Motor & transformer speed regulator	15800.00
C	RQT-127/D	<b>Medium duty high speed Emulsifier</b> with 1/8 Motor, digital speed indicator & transformer speed regulator	20000.00
C	RQ-127A/D	<b>High speed homogenizer</b> with 1/8 HP Motor & transformer speed regulator	15500.00
C	RQT-127A/D	<b>High speed homogenizer</b> with 1/8 HP Motor, digital speed indicator & transformer speed regulator	19500.00
		SPARE HOMOGENISING CUP WITH ROD (H.S. CODE - 84799090)	
		5 ml. or 10 ml. capacity	1500.00
		15 ml. or 25 ml. capacity	1600.00
		50 ml. or 100 ml. capacity	1900.00
C	RQ-128/D	<b>Low speed geared stirrer</b> with 1/20 HP Motor, chuck & transformer speed regulator	19500.00
C	RQG-128A/D	<b>Low speed AC geared stirrer</b> with Brushless Motor, hollow shaft and propeller of SS 316, chuck & transformer speed regulator	18500.00
C	RQG-128C/D	<b>Heavy duty Low speed AC geared stirrer</b> with Brushless Motor & hollow shaft and propeller of SS 316, chuck & transformer speed regulator	19500.00
C	RQ-128B/D	<b>Low speed geared stirrer</b> with 1/8 HP Motor, chuck & transformer speed regulator	18500.00
C	RQ-128D/D	<b>Low speed geared stirrer</b> with 1/2 HP Motor, chuck & transformer speed regulator	27000.00
C	RQ-129/D	<b>Heavy Duty stirrer</b> with PMDC Motor having Stirring Shaft & propeller in SS 316, chuck Digital speed indicator & speed regulator.	18500.00
C	RQG-129/D	<b>Heavy Duty Geared stirrer</b> with PMDC Motor suitable for viscous material, with hollow shaft & propeller in SS 316, Chuck, Digital speed indicator & speed regulator.	22800.00
C	RQ-130/D	<b>High speed emulsifier</b> with 1/4 HP Motor & transformer speed regulator	28000.00
C	RQT-130/D	<b>High speed emulsifier</b> with 1/4 HP Motor, Digital Speed Indicator & transformer speed regulator	32000.00
C	RQ-130B/D	<b>High speed emulsifier</b> with 2/3 HP Motor & transformer speed regulator	33500.00
C	RQT-130B/D	<b>High speed emulsifier</b> with 2/3 HP Motor, Digital Speed Indicator & transformer speed regulator	37500.00
C	RQ-134S/D	<b>Heavy duty direct drive stirrer</b> with 1/4 HP Motor, chuck & transformer speed regulator	21000.00
C	RQ-134L/D	<b>Heavy duty direct drive stirrer</b> with 1/2 HP Motor, chuck & transformer speed regulator	22500.00
C	RQ-134H/D	<b>Heavy duty direct drive stirrer</b> with 2/3 HP Motor, chuck & transformer speed regulator	25500.00
C	RQT-134H/D	<b>Heavy duty direct drive stirrer</b> with 2/3 HP Motor, digital speed meter, chuck & transformer speed regulator	33500.00
C	RQ-140/D	<b>Continuous Heavy duty A/C stirrer</b> with 1/4 HP Brushless, High Torque Variable Speed Motor with Hollow Shaft & propeller of SS 316, chuck having facility of presetting & indication of speed.	58000.00
C	RQ-140/D FP	<b>Continuous Heavy duty A/C stirrer</b> with 1/4 HP Brushless, Flame Proof High Torque Variable Speed Motor with propeller of SS 316, chuck having facility of presetting & indication of speed.	90000.00

CODE	CAT NO.	DESCRIPTION	PRICE ₹
C	RQ-140/DE	<b>Continuous Heavy duty A/C emulsifier</b> with 1/4 HP Brushless, High Torque variable speed Motor with Hollow Shaft & propeller of SS 316, chuck having facility of Presetting & indication of speed	67000.00
		<b>REMOTE CONTROLLED SPEED REGULATORS SUITABLE FOR ABOVE STIRRERS (H.S. CODE - 84799090)</b>	
	122/D	Transformer suitable for RQ-122/D & RQ-128/D Stirrers	4800.00
	125S/D	Transformer suitable for RQ-124A/D,RQ-127/D,RQ-127A/D,RQ-125S/D, RQ-125L/D,RQ-128D/D, RQ-130/D,RQ-134S/D & RQ-134L/D stirrers	6400.00
	125H/D	Transformer suitable for RQ-125H/D, RQ-130B/D & RQ-134H/D stirrers	8500.00
		<b>MAGNETIC STIRRERS WITH OUT HOT PLATE (H.S. CODE - 84798200)</b>	
C	MS-500	<b>Micro Magnetic stirrer 500 ml.</b> capacity	3800.00
C	1ML	<b>Magnetic Stirrer 1 liter</b> capacity with Digital Speed Indicator	7300.00
C	2ML	<b>Magnetic Stirrer 2 liter</b> capacity with Digital Speed Indicator	7500.00
C	3ML Plus	<b>Magnetic Stirrer</b> with Ceramic Coated Top Plate, LCD display, capacity 3 litres 	17000.00
C	5ML	<b>Magnetic Stirrer 5 liter</b> capacity with Digital Speed Indicator	9600.00
C	6ML Plus	<b>Magnetic Stirrer</b> with Ceramic Coated Top Plate, LCD display, capacity 6 litres 	26500.00
C	20ML Plus	<b>Magnetic Stirrer</b> with Stainless Steel Top Plate, LCD display, capacity 20 litres	34000.00
		<b>MAGNETIC STIRRERS WITH HOT PLATE (H.S. CODE - 84798200)</b>	
C	1MLH	<b>Magnetic Stirrer 1 liter</b> capacity with hot plate and Digital Speed Indicator	9000.00
C	2MLH	<b>Magnetic Stirrer 2 liter</b> capacity with hot plate and Digital Speed Indicator	9800.00
C	3MLH Plus	<b>Magnetic Stirrer</b> Ceramic Coated Hot Plate (Max. temp. 300°C), LCD display of speed & temp external PT-1000 probe & stand (Optional) 	20000.00
C	5MLH	<b>Magnetic Stirrer 5 liter</b> capacity with hot plate and Digital Speed Indicator	12500.00
C	5 MLH Plus	<b>Magnetic Stirrer</b> with Stainless Steel Hot Plate (Max. temp. 340°C), LCD display of speed & temp External PT-1000 probe & stand (Optional)	28000.00
C	6MLH Plus	<b>Magnetic Stirrer</b> Ceramic Coated Hot Plate (Max. temp. 350°C), LCD display of speed & temp external PT-1000 probe & stand (Optional) 	29500.00
C	10 MLH Plus	<b>Magnetic Stirrer</b> with Glass Ceramic Hot Plate (Max. temp. 550°C), LCD display of speed & temp External PT-1000 probe & stand (Optional)	53000.00
		<b>OPTIONAL ACCESSORIES</b>	
C	Ext. Probe	External PT-1000 probe with stand (Suitable for 3MLH plus, 5MLH plus, 6MLH plus, 10MLH plus)	7000.00
		<b>ELECTRO MAGNETIC STIRRERS (H.S. CODE - 84798200)</b>	
C	MS 800 Plus	<b>Motorless magnetic stirrer</b> , maximum speed 1500 rpm, capacity 800ml	11200.00
		<b>ROTAMANTLES (H.S. CODE - 84798200)</b>	
C	1RML	<b>Rotamantle</b> with 1 litre capacity	9000.00
C	2RML	<b>Rotamantle</b> with 2 litres capacity	11000.00
C	3RML	<b>Rotamantle</b> with 3 litres capacity	13400.00
		<b>STIRRING PADDLES FOR MAGNETIC STIRRERS AND ROTAMANTLES (H.S. CODE - 84799090)</b>	
	Q-18	PTFE coated magnetised stirring paddle 7 mm dia x 12 mm long	250.00
	Q-18A	PTFE coated magnetised stirring paddle 7 mm dia x 15 mm long	250.00
	Q-19	PTFE coated magnetised stirring paddle 9 mm dia x 25 mm long	350.00
	Q-19A	PTFE coated magnetised stirring paddle 9 mm dia x 35 mm long	350.00
	Q-20	PTFE coated magnetised stirring paddle 13 mm dia x 35 mm long	450.00
	Q-20A	PTFE coated magnetised stirring paddle 13 mm dia x 50 mm long	600.00
		<b>CYCLO MIXER (H.S. CODE - 84798200)</b>	
C	VM-100	<b>Multi Tube Vortexer</b> , max speed 2500 rpm, microprocessor control with LCD display	66000.00
C	CM-101 Plus	<b>Cyclo Mixer</b> with brushless motor & suitable for Interchangeable mixing Heads (Unit Supplied with CM-01, CM-01/01,CM-01/02 & CM-01/03)	10800.00
C	CM-101	<b>Cyclo Mixer</b> suitable for Interchangeable mixing Heads (Unit Supplied with CM-01, CM-01/01,CM-01/02 & CM-01/03)	6800.00

CODE	CAT NO.	DESCRIPTION	PRICE ₹
<b>HOT AIR OVEN (H.S. CODE - 85141000)</b>			
B	RDHO-50	<b>Dry Hot Air Oven</b> (50 liters) with temperature setting from RT+10°C to +300°C	70000.00
B	RDHO-80	<b>Dry Hot Air Oven</b> (80 Liters) with temperature setting from RT+10°C to +300°C	80000.00
B	RDHO-130	<b>Dry Hot Air Oven</b> (130 Liters) with temperature setting from RT+10°C to +300°C	112000.00
B	RDHO-220	<b>Dry Hot Air Oven</b> (220 Liters) with temperature setting from RT+10°C to +300°C	135000.00
<b>GMP version of these models also available. Prices on request.</b>			
<b>HOT AIR INCUBATOR (H.S. CODE - 84198990)</b>			
B	RHI-50	<b>Hot air Incubator</b> (50 Liters) with Temperature setting from RT+5°C to +65°C	57000.00
B	RHI-80	<b>Hot air Incubator</b> (80 Liters ) with Temperature setting from RT+5°C to +65°C	73000.00
B	RHI-160	<b>Hot air Incubator</b> (160 Liters) with Temperature setting from RT+5°C to +65°C	98000.00
B	RHI-270	<b>Hot air Incubator</b> (270 Liters) with Temperature setting from RT+5°C to +65°C	125000.00
<b>GMP version of these models also available. Prices on request.</b>			
<b>Vacuum Oven (H.S. CODE - 84798200)</b>			
B	RVO-50	<b>Vacuum Oven</b> (50 Liters) Temperature range from RT+10°C to +200°C	142000.00
<b>SHAKERS (H.S. CODE - 84798200)</b>			
C	RS-12 Plus	<b>MINI ROTARY SHAKER</b> with digital speed indicator and timer, max. speed 400 rpm, with universal platform of size 12" x 12"	30000.00
C	RS-18 Plus	<b>MINI ROTARY SHAKER</b> with digital speed indicator and timer, max. speed 250 rpm, with universal platform of size 18" x 18"	56000.00
<b>Clamps for holding Conical Flask. (Price is for each clamp) (H.S. CODE - 84798200)</b>			
		Capacity 500 ml.	700.00
		Capacity 250 / 150 ml.	500.00
		Capacity 100 / 50 ml.	400.00
C	RS-12R	<b>MINI ROTARY SHAKER</b> with 0-15 minutes timer and speed regulator max. 180 rpm	14500.00
B	RSB-12	<b>WATERBATH SHAKER</b> with tray for 12 flasks of 100ml. Additional Tray for the above (H.S. CODE - 84799090)	66000.00 7000.00
C	MPS-1	<b>Microplate Shaker</b> with setting of time, speed up to 1800 RPM, for microplate shaking	18500.00
C	SeroRoll-6	<b>Roller Mixer</b> with 6 rollers to make the uniform sample for better results	23000.00
C	RWB 6	<b>Water bath</b> 15 liter capacity with 6 concentric adaptors for warming of various size samples	30000.00
<b>ROTARY SHAKERS (H.S. CODE - 84798200)</b>			
B	RS-24 Plus	<b>Rotary Shaker</b> with Brushless induction motor, frequency drive, speed 20 to 300 rpm with 4" LCD display of speed along with universal platform of size 24" x 24" (without flask holding clamps)	128000.00
B	RS-36 BL	<b>Rotary Shaker</b> with Brushless induction motor, frequency drive, speed 20 to 300 rpm with digital display of speed along with universal platform of size 36" x 36" (without flask holding clamps)	155000.00
<b>Clamps for holding Conical Flask. (Price is for each clamp) (H.S. CODE - 84798200)</b>			
		Capacity 2000 / 1000 / 500 ml.	700.00
		Capacity 250 / 150 ml.	500.00
		Capacity 100 / 50 ml.	400.00
<b>BENCH TOP CENTRIFUGES (H.S. CODE - 84211999)</b>			
C	Medico Plus	<b>Medico centrifuge</b> max. speed 4000 rpm with brushless induction motor, frequency drive, LED display of speed and time, safety lid lock, imbalance detector, dynamic brake supplied without rotors and accessories	26000.00
	SM 8-15	<b>Swing out rotor</b> suitable for 8 tubes of 15ml (supplied with glass tubes)	4800.00
	SM 4-50	<b>Swing out rotor</b> suitable for 4 tubes of 50ml (supplied with glass tubes)	4200.00
	SM 6-15	<b>Swing out rotor</b> suitable for 6 tubes of 15ml (supplied with glass tubes)	4200.00
	AM 36-5	<b>Angle rotor</b> suitable for 36 Vacutainer® tubes of 5ml (12.5mm x 81mm) without tubes	4800.00
	AM 20-5	<b>Angle rotor</b> suitable for 20 Vacutainer® tubes of 5ml (12.5mm x 106mm) without tubes	4400.00
	AM 18-10	<b>Angle rotor</b> suitable for 18 Vacutainer® tubes of 10ml (15.5mm x 106mm) without tubes	4400.00
	AM 12-15	<b>Angle rotor</b> suitable for 12 tubes of 15ml (supplied with glass tubes)	4400.00
	AM 8-15	<b>Angle rotor</b> suitable for 8 tubes of 15ml (supplied with glass tubes)	4200.00
	AM 6-50	<b>Angle rotor</b> suitable for 6 tubes of 50ml (supplied with plastic tubes)	5500.00
C	C-852	<b>MEDICO CENTRIFUGE</b> with 4x15 ml. swing out head & 15 ml. tapered bottom glass tubes	6900.00
C	C-854/4	<b>CLINICAL CENTRIFUGE</b> with 4x15 ml. swing out head & 15 ml. tapered bottom glass tubes	8000.00
C	C-854/6	<b>CLINICAL CENTRIFUGE</b> with 6x15 ml. swing out head & 15 ml. tapered bottom glass tubes	8800.00
C	C-854/8	<b>CLINICAL CENTRIFUGE</b> with 8x15 ml. swing out head & 15 ml tapered bottom glass tubes	11200.00
C	R-303	<b>DOCTOR CENTRIFUGE</b> with 8x15 ml. angle head & 15 ml. tapered bottom glass tubes	9000.00
C	R-304	<b>DOCTOR CENTRIFUGE</b> with 24x5 ml. angle head & 5 ml. RIA polypropelene tubes	13800.00
OPTIONAL: 0-60 minutes built-in countdown timer for any of the above models			
			600.00



CODE	CAT NO.	DESCRIPTION	PRICE ₹
C	R-4C	<b>COMPACT LABORATORY CENTRIFUGE</b> (max. speed 4400 rpm) with speed regulator, safety lid lock, digital speed meter & timer, but without rotor heads and accessories	26000.00
	R-41	<b>8x15 ml. swing out head</b> with graduated glass tubes	4300.00
	R-42	<b>4x50 ml. swing out head</b> with graduated glass tubes	5300.00
	R-43	<b>8x15 ml. angle head</b> with polypropylene tubes	4300.00
	R-44	<b>4x50 ml. angle head</b> with polypropylene tubes	5400.00
C	R-8C Plus	<b>Laboratory Centrifuge</b> (max. speed 6000 rpm) with brushless induction motor, frequency drive, LED display of speed and time, imbalance detector, dynamic brake, safety lid lock and rotor identification, supplied without rotors and accessories	39000.00
C	R-8M Plus	<b>Laboratory Centrifuge</b> (max. speed 6000 rpm) with brushless induction motor, frequency drive, LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, acceleration / deceleration profiles and rotor identification, supplied without rotors and accessories	47000.00
	S 24-15	<b>Swing out rotor</b> suitable for 24 tubes of 15ml (supplied with glass tubes)	13500.00
	S 16-15	<b>Swing out rotor</b> suitable for 16 tubes of 15ml (supplied with glass tubes)	8600.00
	S 8-15	<b>Swing out rotor</b> suitable for 8 tubes of 15ml (supplied with glass tubes)	6800.00
	S 6-50	<b>Swing out rotor</b> suitable for 6 tubes of 50ml (supplied with glass tubes)	8000.00
	S 4-100	<b>Swing out rotor</b> suitable for Metal buckets B 100 and B 9-5	10600.00
	B 100	<b>Set of 4 metal buckets</b> , capacity 100ml (supplied with glass tubes)	12800.00
	B 9-5	<b>Set of 4 metal buckets</b> , each with a capacity of 9 Vacutainer® tubes of 5ml (12.5mm x 106mm) without tubes	13800.00
	A 24-15	<b>Angle rotor</b> suitable for 24 tubes of 15ml (supplied with plastic tubes)	12200.00
	A 12-15	<b>Angle rotor</b> suitable for 12 tubes of 15ml (supplied with plastic tubes)	6200.00
	AR 6-50	<b>Angle rotor</b> suitable for 6 tubes of 50ml (supplied with plastic tubes)	6000.00
	A 4-100	<b>Angle rotor</b> suitable for 4 tubes of 100ml (supplied with plastic tubes)	6400.00
C	R-8C	<b>REVOLUTIONARY GENERAL PURPOSE LABORATORY CENTRIFUGE</b> (max. speed 5250 rpm) with speed regulator, safety lid lock, digital speed meter & timer, but without rotor heads and accessories	31000.00
C	R-8C BL	<b>REVOLUTIONARY MICROPROCESSOR LABORATORY CENTRIFUGE</b> (max. speed 6000 rpm) with & brushless induction motor frequency drive, digital display of speed & time, brake, Imbalance detector and Lid lock but without rotor heads and accessories	72000.00
	R-81	<b>16x15 ml. swing out head</b> with graduated glass tubes	8000.00
	R-81A	<b>12x15 ml. swing out head</b> with graduated glass tubes	7000.00
	R-81B	<b>8x15 ml. swing out head</b> with graduated glass tubes	4300.00
	R-82	<b>6x50 ml. swing out head</b> with graduated glass tubes	7200.00
	R-82A	<b>4x50 ml. swing out head</b> with graduated glass tubes	5300.00
	R-83	<b>16x15 ml. angle head</b> with polypropylene tubes	7000.00
	R-83A	<b>12x15 ml. angle head</b> with polypropylene tubes	5500.00
	R-83B	<b>8x15 ml. angle head</b> with polypropylene tubes	4400.00
	R-84	<b>6x50 ml. angle head</b> with polypropylene tubes	4400.00
	R-84A	<b>4x50 ml. angle head</b> with polypropylene tubes	4400.00
	R-88	<b>4x100 ml. angle head</b> with with polypropylene tubes	10000.00
	R-89	<b>24x15 ml. angle head</b> with polypropylene tubes	10500.00
	R-90	<b>4x100 ml. swing out head</b> with glass tubes & Biosafety cap	21000.00
C	R-8K	<b>SPECIAL PURPOSE CENTRIFUGE</b> without heads & accessories	35000.00
	R-80	<b>8 Place Swing Out Rotor</b> complete with glass tubes suitable for determination of Dust Concentrate in Diesel Fuel filters	8500.00
	R-86	<b>4 Place Swing Out Rotor</b> complete with glass tubes suitable for determination of Solubility Index in infant Milk Foods	7200.00
	R-87	<b>4 Place Swing Out Rotor</b> complete with glass tubes suitable for determination of sulphate content in Chrome plating solution ( <b>Kocour Test</b> )	10600.00
C	Micro - III	<b>Gerber centrifuge</b> with rotor to accommodate 12 butyrometers	96000.00

**REDUCTION ADAPTORS FOR R-4 & R-8 SERIES OF CENTRIFUGES (Price for each piece) (H.S. CODE - 84211999)**

CAT NO.	Capacity	Suitsble Metal bucket	Heads of R-4C				Heads of R-8C, R-8C BL										PRICE ₹			
			R-41	R-42	R-43	R-44	R-81	R-81A	R-81B	R-82	R-82A	R-83	R-83A	R-83B	R-84	R-84A		R-88	R-89	R-90
<b>Suitable for Glass Tubes (supplied with suitable glass tubes)</b>																				
RA-151	1 x wintrob	15ml	✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	X	X	300.00
RA-152	1 x 3ml		✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	✓	X	250.00
RA-153	1 x 5ml		✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	✓	X	300.00
RA-154	1 x 8ml		✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	✓	X	300.00
RA-155	1 x 4ml		✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	✓	X	250.00
RA-156	1 x 6ml		✓	X	✓	X	✓	✓	✓	X	X	✓	✓	✓	X	X	X	✓	X	300.00
RA-157	1 x 50ml	100ml	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	700.00
RA-158	1 x 30ml		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	700.00
RA-160	1 x 15ml		X	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	X	700.00
RA-161	1 x 50ml		X	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	X	700.00
RA-166	3 x 15ml		X	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	✓	700.00
RA-501	1 x 15 ml		50ml	X	✓	X	✓	X	X	X	✓	✓	X	X	X	✓	✓	X	X	X
RA-502	1 x 30ml	X		✓	X	✓	X	X	X	✓	✓	X	X	X	✓	✓	X	X	X	500.00
<b>Suitable for Falcon Tubes (supplied without Falcon tubes)</b>																				
RA-501F	1 x 15ml	50ml	X	✓	X	✓	X	X	X	✓	✓	X	X	X	✓	✓	X	X	X	500.00
RA-160F	1 x 15ml	100ml	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	✓	X	500.00
RA-161F	1 x 50ml		X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	✓	X	500.00
<b>Suitable for Vacutainer Tubes (supplied without Vacutainer tubes)</b>																				
RA-162	1 x upto 5ml (75 mm long)	15ml	✓	X	✓	X	✓	✓	✓	X	X	X	✓	X	X	X	X	X	X	300.00
RA-163	1 x upto 6ml (100 mm long)		✓	X	✓	X	✓	✓	✓	X	X	X	✓	X	X	X	X	X	X	X
RA-164	1 x upto 10 ml (100 mm long)	50ml	X	X	X	✓	X	X	X	✓	✓	X	X	X	✓	✓	X	X	X	300.00
RA-167	4 x upto 6ml (100 mm long)	100ml	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	✓	X	700.00
RA-168	3 x upto 10 ml (100 mm long)		X	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	X	✓	X

**REDUCTION ADAPTORS FOR R-8C PLUS, R-8M PLUS CENTRIFUGES (Price for each piece) (H.S. CODE - 84211999)**

CAT NO.	Capacity	Suitable Metal Bucket	S 4-100	S 8-15	S 6-50	S 24-15	A 4-100	AR 6-50	A 24-15	PRICE ₹	
											<b>Suitable for Glass Tubes (supplied with suitable glass tubes)</b>
RA-152	1 x 3ml	15ml	X	✓	X	✓	X	X	✓	250.00	
RA-153	1 x 5ml		X	✓	X	✓	X	X	✓	300.00	
RA-154	1 x 8ml		X	✓	X	✓	X	X	✓	300.00	
RA-157	1 x 50ml		100ml	✓	X	X	X	X	X	X	700.00
RA-158	1 x 30ml			✓	X	X	X	X	X	X	700.00
RA-160	1 x 15ml			X	X	X	X	X	✓	X	X
RA-161	1 x 50ml	X		X	X	X	X	✓	X	X	700.00
RA-166	3 x 15ml(Plastic)	✓		X	X	X	X	✓	X	X	700.00
RA-501	1 x 15 ml	50ml		X	X	✓	X	X	✓	X	500.00
RA-502	1 x 30ml		X	X	✓	X	X	✓	X	500.00	
<b>Suitable for Falcon Tubes (supplied without Falcon tubes)</b>											
RA-501F	1 x 15ml	50ml	X	X	✓	X	X	✓	X	500.00	
RA-160F	1 x 15ml	100ml	✓	X	X	X	✓	X	X	500.00	
RA-161F	1 x 50ml		✓	X	X	X	✓	X	X	500.00	
<b>Suitable for Vacutainer Tubes (supplied without Vacutainer tubes)</b>											
RA-162	1 x upto 5ml (75 mm long)	15ml	X	✓	X	✓	X	X	✓	300.00	
RA-163	1 x upto 6ml (100 mm long)		X	✓	X	✓	X	X	✓	300.00	
RA-164	1 x upto 10 ml (100 mm long)	50ml	X	X	✓	X	X	✓	X	300.00	
RA-167	4 x upto 6ml (100 mm long)	100ml	✓	X	X	X	✓	X	X	700.00	
RA-168	3 x upto 10 ml (100 mm long)		✓	X	X	X	✓	X	X	700.00	

CODE	CAT NO.	DESCRIPTION				PRICE ₹
<b>NEYA Bench Top Centrifuge (EU designed) (H.S. CODE - 84211999)</b>						
B	NEYA 8	<b>Bench Top Centrifuge</b> , (max. speed 6000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 3 acceleration / deceleration profiles and rotor identification, supplied without rotors and accessories				95000.00
B	NEYA 10	<b>Bench Top Centrifuge</b> , (max. speed 6000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, supplied without rotors and accessories				105000.00
A1	NEYA 10R	<b>Refrigerated Bench Top Centrifuge</b> , (max. speed 6000 rpm) LCD display of speed & time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs & rotor identification, supplied without rotors & accessories				196000.00
B	NEYA 12	<b>Bench Top Centrifuge</b> , (max. speed 16000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, supplied without rotors and accessories				Discontinued
A1	NEYA 16	<b>Bench Top Centrifuge</b> , (max. speed 16000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, supplied without rotors and accessories				125000.00
A1	NEYA 16R	<b>Refrigerated Bench Top Centrifuge</b> , (max. speed 16000 rpm) LCD display of speed and time, imbalance detector, dynamic brake, safety lid lock, 10 acceleration / deceleration profiles, 10 programs and rotor identification, supplied without rotors and accessories				212000.00
	S 4-175	4 place Swing out Rotor				15500.00
	S 6-96 MP	2 place Swing out Rotor for 6 micro plates of 96 wells				33000.00
<b>Metal Buckets for Swing out Rotor Model S 4-175 (H.S. CODE - 84211999)</b>						
			<b>Capacity Per bucket</b>	<b>Total capacity</b>	<b>Tubes supplied</b>	
B 175		Set of 4 metal buckets with Bio-safety Cap (L175) for 175ml plastic bottle	1	4	Yes	14500.00
B 2-50 F		Set of 4 metal buckets for 50ml Falcon® Tubes	2	8	No	18000.00
B 2-50 R		Set of 4 metal buckets for 50ml round bottom Glass Tubes	2	8	No	19000.00
B 7-15 F		Set of 4 metal buckets for 15ml Falcon® Tubes	7	28	No	19500.00
B 7-15 R		Set of 4 metal buckets for 15ml round bottom Glass Tubes	7	28	No	19500.00
B 14-5/7		Set of 4 metal buckets for 5/7ml Vacutainer® (Long) Tubes	14	56	No	20000.00
B 16-5/7		Set of 4 metal buckets for 5/7ml Vacutainer® (Short) Tubes	16	64	No	23000.00
B 12-10		Set of 4 metal buckets for 10ml Vacutainer® Tubes	12	48	No	20000.00
<b>Inserts suitable for metal buckets Model B 175 (H.S. CODE - 84211999)</b>						
			<b>Capacity Per Insert</b>	<b>Total capacity</b>	<b>Tubes supplied</b>	
I 12-2		Set of 4 Inserts for 2ml Micro tubes	12	48	Yes	5600.00
I 7-5/7		Set of 4 Inserts for 5/7ml Vacutainer® tubes	7	28	No	5100.00
I 7-10		Set of 4 Inserts for 10ml Vacutainer® tubes	7	28	No	5100.00
I 4-15F		Set of 4 Inserts for 15ml Falcon® tubes	4	16	No	5100.00
I 4-15R		Set of 4 Inserts for 15ml Glass tubes	4	16	Yes	5100.00
I 1-50SF		Set of 4 Inserts for 50ml Falcon® tubes	1	4	No	4500.00
I 1-50R		Set of 4 Inserts for 50ml Glass tubes	1	4	Yes	4700.00
I 1-100		Set of 4 Inserts for 100ml Round bottom Glass tubes	1	4	Yes	3600.00
<b>Angle Rotors (H.S. CODE - 84211999)</b>						
A 24-2		24 x 2ml Angle Rotor for 2ml Micro Tubes with Reducers RE 2-05 (for 0.5ml) & RE 2-02 (for 0.2ml)				9800.00
A 12-2		Angle rotor suitable for 12 micro tubes of 2ml with suitable inserts				10500.00
A 36-05		36 x 0.5ml Angle rotor for 0.5ml micro tubes with suitable inserts				9000.00
A 12-05		Angle rotor suitable for 12 micro tubes of 5ml with suitable inserts				13400.00
A 32-15N		32 x 15ml Angle Rotor for Round bottom Plastic tubes (with tubes & bottom cushion model C-15R)				21500.00
A 8-50		8 x 50ml Angle Rotor for Round bottom Plastic tubes (with tubes & bottom cushion model C-50R)				13200.00
A 6-50		6 x 50ml Angle rotor for 50ml tubes (supplied with plastic tubes)				14500.00
A 6-100		6 x 100ml Angle rotor for 100ml tubes (supplied with plastic tubes)				15000.00
PCR 4-8		Angle rotor suitable for PCR Strip Tubes - capacity 4 strips of 8 x 0.2 ml				14000.00
HE 24-75		Hematocrit Rotor for 24 Cappillaries 75mm X 1mm				6800.00
RD 24-75		Reading Device for HE 24-75				4200.00
<b>Inserts suitable for Angle Rotor Model A 32-15 (H.S. CODE - 84211999)</b>						
			<b>Capacity Per Insert</b>	<b>Total capacity</b>	<b>Tubes supplied</b>	
C-15F		Set of 32 inserts for 15ml Falcon® Tubes	1	32	No	2300.00
RE 15-5/7L		Set of 32 inserts for 5/7ml Vacutainer® (long) Tubes	1	32	No	9000.00
RE 15-5/7S		Set of 32 inserts for 5/7ml Vacutainer® (short) Tubes	1	32	No	9000.00
<b>Inserts suitable for Angle Rotor Model A 8-50 (H.S. CODE - 84211999)</b>						
			<b>Capacity Per Insert</b>	<b>Total capacity</b>	<b>Tubes supplied</b>	
C-50F		Set of 8 inserts for 50 ml Falcon® Tubes	1	8	No	1500.00
RE 50-10		Set of 8 inserts for 10ml Vacutainer® Tubes	1	8	No	2600.00
RE 50-15F		Set of 8 inserts for 15ml Falcon® Tubes	1	8	No	3600.00
RE 50-15R		Set of 8 inserts for 15ml Plastic Tubes	1	8	No	2800.00
<b>Inserts suitable for Angle Rotor Model A 6-100 (H.S. CODE - 84211999)</b>						
			<b>Capacity Per Insert</b>	<b>Total capacity</b>	<b>Tubes supplied</b>	
RE 100-50F		Set of 6 inserts for 50ml Falcon® Tubes	1	6	No	3700.00
RE 100-50R		Set of 6 inserts for 50ml Plastic Tubes	1	6	No	3600.00
RE 100-15F		Set of 6 inserts for 15ml Falcon® Tubes	1	6	No	4000.00
RE 100-15R		Set of 6 inserts for 15ml Plastic Tubes	1	6	No	4000.00

CODE	CAT NO.	DESCRIPTION	PRICE ₹
<b>COMPACT COOLING CENTRIFUGE (H.S. CODE - 84211999)</b>			
A1	CM-12 Plus	<b>Compact Bench Top Cooling Micro Centrifuges</b> without rotor heads and accessories (Recommended Voltage Stabilizer VS-02)	175000.00
	RM-1214 M	<b>10 x 2 ml Angle Head</b> (with Glass Tubes)	6200.00
	RM-1215 M	<b>24 x 1.5 ml Angle Head</b> (with Micro Tubes)	8400.00
	RM-1216 M	<b>8 x 5 ml Angle Head</b> (with Polycarbonate Tubes)	10500.00
	RM-1217 M	<b>Angle Head suitable for PCR Strip Tubes</b> - Capacity 4 strips of 8 x 0.2 ml	15500.00
A1	CM-8 Plus	<b>Compact Bench Top High Capacity Cooling Centrifuges</b> without rotor heads and accessories (Recommended Voltage Stabilizer VS-02)	165000.00
	R-81 M	<b>16 x 15 ml swing out head</b> with graduated glass tubes	9000.00
	R-81 BM	<b>8 x 15 ml swing out head</b> with graduated glass tubes	6200.00
	R-82 AM	<b>4 x 50 ml swing out head</b> with graduated glass tubes	6500.00
	R-83 BM	<b>8 x 15 ml angle head</b> with polypropylene tubes	5800.00
	R-83 M	<b>16 x 15 ml angle head</b> with polypropylene tubes	8800.00
	R-84 M	<b>6 x 50 ml angle head</b> with polypropylene tubes	5300.00
	R-88 M	<b>4 x 100 ml angle head</b> with polypropylene tubes	11500.00
	R-89 M	<b>24 x 15 ml angle head</b> with polypropylene tubes	12000.00
	R-90 M	<b>4 x 100 ml swing out head</b> with glass tubes& Biosafety cap	21000.00

**REDUCTION ADAPTORS FOR HEADS OF CM8 PLUS CENTRIFUGE (Price for each piece) (H.S. CODE - 84211999)**

CAT NO.	Capacity	Suitable Metal Bucket	R-81M	R-81BM	R-82AM	R-83M	R-84M	R-88M	R-89M	R-90M	PRICE ₹
<b>Suitable for Glass Tubes (supplied with suitable glass tubes)</b>											
RA-151	1 x wintrob	15ml	✓	✓	x	✓	x	x	x	x	300.00
RA-152	1 x 3ml		✓	✓	x	✓	x	x	✓	x	250.00
RA-153	1 x 5ml		✓	✓	x	✓	x	x	✓	x	300.00
RA-154	1 x 8ml		✓	✓	x	✓	x	x	✓	x	300.00
RA-155	1 x 4ml		✓	✓	x	✓	x	x	✓	x	250.00
RA-156	1 x 6ml	100ml	✓	✓	x	✓	x	x	✓	x	300.00
RA-157	1 x 50ml		x	x	x	x	x	x	x	✓	700.00
RA-158	1 x 30ml		x	x	x	x	x	x	x	✓	700.00
RA-160	1 x 15ml		x	x	x	x	x	✓	x	x	700.00
RA-161	1 x 50ml		x	x	x	x	x	✓	x	x	700.00
RA-166	3 x 15ml (Plastic)	50ml	x	x	x	x	x	✓	x	✓	700.00
RA-501	1 x 15 ml		x	x	✓	x	✓	x	x	x	500.00
RA-502	1 x 30ml	x	x	✓	x	✓	x	x	x	500.00	
<b>Suitable for Falcon Tubes (supplied without Falcon tubes)</b>											
RA-501F	1 x 15ml	50ml	x	x	✓	x	✓	x	x	x	500.00
RA-160F	1 x 15ml	100ml	x	x	x	x	x	✓	x	x	500.00
RA-161F	1 x 50ml		x	x	x	x	x	✓	x	x	500.00
<b>Suitable for Vacutainer Tubes (supplied without Vacutainer tubes)</b>											
RA-162	1 x upto 5ml (75 mm long)	15ml	✓	✓	x	✓	x	x	x	x	300.00
RA-163	1 x upto 6ml (100 mm long)		✓	✓	x	✓	x	x	x	x	300.00
RA-164	1 x upto 10 ml (100 mm long)	50ml	x	x	✓	x	✓	x	x	x	300.00
RA-167	4 x upto 6ml (100 mm long)	100ml	x	x	x	x	x	✓	x	✓	700.00
RA-168	3 x upto 10 ml (100 mm long)		x	x	x	x	x	✓	x	✓	700.00



CODE	CAT NO.	DESCRIPTION	PRICE ₹
<b>MINI / MICRO CENTRIFUGES (H.S. CODE - 84211999)</b>			
C	RM-02 Plus	<b>MINI CENTRIFUGE</b> max. speed 6000 RPM, supplied with 8x1.5 ml & PCR Strip Rotor (2x8x0.2ml)	10500.00
C	RM-03 Plus	<b>MICRO CENTRIFUGE</b> max. speed 15000 RPM, LCD Display supplied with 12x1.5 ml/2.0ml. & PCR Strip Rotor (2 x 8 x 0.2ml)	55000.00
C	R-12C Plus	<b>MICRO CENTRIFUGE</b> max. speed 16000 RPM, with brushless induction motor, frequency drive, LED display of speed and time, imbalance detector, dynamic brake, safety lid lock lock and rotor identification, supplied without rotors and accessories	43000.00
	AR 24-75 HE	<b>Micro Hematocrite rotor</b> to accomodate 24 capillaries of 75mm x 1mm	5400.00
	AR 12-75 HE	<b>Micro Hematocrite rotor</b> to accomodate 12 capillaries of QBC-II plus system	4700.00
	AR 8-5	<b>Angle rotor</b> suitable for 8 micro tubes of 5ml with suitable inserts	8600.00
	AR 12-2	<b>Angle rotor</b> suitable for 12 micro tubes of 2ml with suitable inserts	7400.00
	AR 24-2	<b>Angle rotor</b> suitable for 24 micro tubes of 2ml with suitable inserts	9500.00
	P 4-8	<b>Angle rotor</b> suitable for PCR Strip Tubes - capacity 4 strips of 8 x 0.2 ml	14200.00
	RD 24-75	<b>Reading Device</b> for AR 24-75 HE	4200.00
	RM-1212	<b>Heparinised capillary</b> tubes 75 mm long x 1 mm bore (Pack of 100 Nos.)	200.00
C	RM-12C	<b>REVOLUTIONARY MICRO CENTRIFUGE</b> with speed regulator, safety lid lock, digital speed meter & timer, but without heads & accessories	27000.00
	RM-1210	<b>Micro Hematocrite rotor</b> to accomodate 24 capillaries of 75mm x 1mm	4400.00
	RM-1211	<b>Micro Hematocrite rotor</b> to accomodate 12 capillaries of QBC-II plus system	4400.00
	RM-1212	<b>Heparinised capillary</b> tubes 75 mm long x 1 mm bore (Pack of 100 Nos.)	200.00
	RM-1213	<b>Reading Device for RM-1210</b>	4800.00
	RM-1214	<b>10 x 2 ml angle Head</b> (with Glass Tube) with reduction adaptors of 1 ml & 0.5 ml.	4400.00
	RM-1215	<b>24 x 1.5 ml angle Head</b> (with Micro tubes) with reduction adaptors of 1 ml & 0.4 ml.	6500.00
	RM-1216	<b>8 x 5 ml angle Head</b> (with Round bottom polypropylene tubes) with reduction adaptors of 4 ml & 2 ml.	9500.00
	RM-1217	<b>Angle Head</b> suitable for <b>PCR Strip Tubes</b> - Capacity 4 strips of 8 x 0.2 ml	15500.00

**HEAVY DUTY REFRIGERATED CENTRIFUGE (H.S. CODE - 84211999)**

A1	KPR- 70 Plus	<b>HEAVY DUTY MICRO PROCESSOR BASED REFRIGERATED CENTRIFUGE</b> with built in system for storage of centrifugation data, without rotor heads & accessories (Recommended Voltage Stabilizer VS-06)	960000.00
	K - 731	<b>6 Place Wind Shield Swing Out head</b> with set of 6 metal carriers each with a capacity of 1000 ml.	106000.00
	K - 732	<b>4 Place Wind Shield Swing Out head</b> with set of 4 metal carriers each with a capacity of 1000 ml.	90000.00
	K - 905	<b>Angle rotor 6 x 500 ml.</b> with polypropylene bottles	77000.00
	K - 906	<b>Angle rotor 8 x 250 ml.</b> with polypropylene tubes	58000.00
	K - 907	<b>Angle rotor 12 x 100 ml.</b> with polypropylene tubes	56000.00
	K - 908	<b>Angle rotor 16 x 50 ml.</b> with polypropylene tubes	58000.00
	K - 909	<b>Angle rotor 36 x 25 ml.</b> with polypropylene tubes	58000.00
	K - 910	<b>Angle rotor 72 x 15 ml.</b> with polypropylene tubes	60000.00

**RESEARCH CENTRIFUGES (H.S. CODE - 84211999)**

CODE	CAT NO.	Max. Speed	Max. RCF	Temperature	Control	Display	Recommended Stabilizer	PRICE ₹
B	R-23	6900	7350	xx	Manual	LED	xx	69000.00
B	PR-23	7000	7560	xx	Microprocessor	LED	xx	138000.00
B	R-24	17300	27440	xx	Manual	LED	xx	72000.00
B	PR-24	20000	37570	xx	Microprocessor	LED	xx	142000.00

**REFRIGERATED CENTRIFUGES (H.S. CODE - 84211999)**

CODE	CAT NO.	Max. Speed	Max. RCF	Temperature	Control	Display	Recommended Stabilizer	PRICE ₹
A1	C-23 Plus	7000	7400	up to -8°C	Microprocessor	LED	VS-03	265000.00
A1	CPR-23 Plus	7000	7400	up to -8°C	Microprocessor	LCD	VS-03	368000.00
A1	C-24 Plus	20000	37570	up to -8°C	Microprocessor	LED	VS-03	260000.00
A1	CPR-24 Plus	20000	37570	up to -8°C	Microprocessor	LCD	VS-03	364000.00
A1	CPR-24i Plus	20000	37570	up to -10°C	Microprocessor	LCD	VS-03	380000.00
A1	C-30 Plus	20000	37570	up to -8°C	Microprocessor	LED	VS-03	320000.00
A1	CPR-30 Plus	20000	37570	up to -8°C	Microprocessor	LCD	VS-03	390000.00

## Rotor Heads & Accessories for Plus Models of Centrifuges (H.S. CODE - 84211999)

CAT NO.	DESCRIPTION	CAPACITY	C-23 Plus CPR - 23 Plus	C-24 Plus CPR - 24 Plus	CPR - 24i Plus	C-30 Plus CPR-30 Plus	PRICE ₹
<b>Swing out Heads (with graduated glass tubes)</b>							
R-230 M + R-231 M	4 Place Swing out Head with Metal Carriers	4 x 200 ML	✓	✗	✗	✓	31000.00
R-234 M	4 Place Swing out Head complete with metal carriers	4 x 250 ML	✓	✗	✓	✓	33000.00
R-235 M	2 Place Swing out Head complete with metal carrier	8 x Microtitor Trays	✓	✗	✓	✓	30000.00
R-230 BM + R-233 BM	4 place Swing out Head complete with metal carriers	108 x 5ML (RIA)	✓	✗	✗	✓	28000.00
R-246 AM	4 Place Swing Out Head complete with metal carriers	4 x 25 ML	✗	✓	✓	✓	24000.00
<b>Swing Out Heads suitable for Falcon Tubes (without tubes)</b>							
R-240 M (With Biosafety cap)	4 Place Swing out Head with Metal Carriers & Biosafety Cap	16 x 50 ML	✗	✗	✗	✓	36000.00
R-240 AM (With Biosafety cap)	4 Place Swing out Head with Metal Carriers & Biosafety Cap	32 x 15 ML	✗	✗	✗	✓	36000.00
<b>Set of 4 Reduction Adaptors for Swing Out Head Model R-230 M + R-231 M</b>							
RA-2311	Each with capacity of 1 x 100 ML	100 ml	✓	✗	✗	✓	3800.00
RA-2312	Each with capacity of 1 x 50 ML	50 ml	✓	✗	✗	✓	2500.00
RA-2313	Each with capacity of 3 x 30 ML	30 ml	✓	✗	✗	✓	2700.00
RA-2314	Each with capacity of 7 x 15 ML	15 ml	✓	✗	✗	✓	3800.00
RA-2315	Each with capacity of 6 vacutainer Tubes upto 4 ml (100 mm long)	Up to 4 ml (100 mm long) (without tubes)	✓	✗	✗	✓	3200.00
RA-2316	Each with capacity of 5 vacutainer Tubes upto 10 ml (100 mm long)	Up to 10ml (100 mm long) (without tubes)	✓	✗	✗	✓	3200.00
RA-2317	Each with capacity of 6 vacutainer Tubes upto 5 ml (75 mm long)	Up to 5ml (75 mm long) (without tubes)	✓	✗	✗	✓	3200.00
<b>Set of 4 Reduction Adaptors for Swing Out Head Model R-234 M suitable for Glass Tubes (with tubes)</b>							
RA-2341	Each with Capacity of 1 x 50 ML	50 ml	✓	✗	✓	✓	3000.00
RA-2342	Each with Capacity of 3 x 25 ML	25 ml	✓	✗	✓	✓	4800.00
RA-2343	Each with Capacity of 5 x 15 ML	15 ml	✓	✗	✓	✓	5200.00
RA-2344	Each with Capacity of 13 x 5 ML	5 ml	✓	✗	✓	✓	6000.00
<b>Angle Heads (with polypropylene tubes)</b>							
R-236 M	Complete with Polypropylene Tubes	6 x 200 ML	✓	✗	✗	✓	43000.00
R-237 M	Complete with Polypropylene Tubes	8 x 100 ML	✓	✗	✗	✓	32000.00
R-238 M	Complete with Polypropylene Tubes	12 x 50 ML	✓	✗	✗	✓	30000.00
R-239 M	Complete with Polypropylene Tubes	36 x 15 ML	✓	✗	✗	✓	34000.00
R-241 M	Complete with Polypropylene Tubes	4 x 100 ML	✗	✓	✓	✓	30000.00
R-243 M	Complete with Polypropylene Tubes	8 x 25 ML	✗	✓	✓	✓	25000.00
R-244 M	Complete with Polypropylene Tubes	12 x 15 ML	✗	✓	✓	✓	25000.00
R-247 M	Complete with Polypropylene Tubes	8 x 50 ML	✗	✓	✓	✓	30000.00
R-248 M	Complete with Polypropylene Tubes	24 x 1.5 ML	✗	✓	✓	✓	19000.00
R-249 M	Complete with Polypropylene Tubes	6 strips of 8 x 0.2 ml	✗	✓	✓	✓	24000.00
R-250 M	Complete with Polypropylene Tubes	48 x 1.5 ML	✗	✓	✓	✓	24000.00
<b>Angle Heads suitable for Falcon Tubes (without tubes)</b>							
R-238 MF	Suitable for Falcon Tubes	12 x 50 ML	✓	✗	✗	✓	34000.00
R-239 MF	Suitable for Falcon Tubes	24 x 15 ML	✓	✗	✗	✓	34000.00
R-244 MF	Suitable for Falcon Tubes	12 x 15 ML	✗	✓	✓	✓	24000.00
R-247 MF	Suitable for Falcon Tubes	8 x 50 ML	✗	✓	✓	✓	29000.00

CAT NO.	DESCRIPTION	CAPACITY	R-23	PR-23	R-24, PR-24	PRICE ₹
<b>Swing out Heads (with graduated glass tubes)</b>						
R-230 + R-231	4 Place Swing out Head with Metal Carriers	4 x 200 ML	✓	✓	x	28000.00
R-230 A	2 Place Swing out Head complete with metal carrier	2 x Microtiter Trays	x	✓	x	21000.00
R-234	4 Place Swing out Head complete with metal carriers	4 x 250 ML	x	✓	x	31000.00
R-235	2 Place Swing out Head complete with metal carrier	8 x Microtiter Trays	x	✓	x	28000.00
R-230 B + R-233 B	4 place Swing out Head complete with metal carriers	108 x 5ML (RIA)	✓	✓	x	28000.00
R-246 A	4 Place Swing Out Head complete with metal carriers	4 x 25 ML	x	x	✓	23000.00
<b>Set of 4 Reduction Adaptors for Swing Out Head Model R-230 + R-231</b>						
RA-2311	Each with capacity of 1 x 100 ML	100 ml	✓	✓	x	3800.00
RA-2312	Each with capacity of 1 x 50 ML	50 ml	✓	✓	x	2500.00
RA-2313	Each with capacity of 3 x 30 ML	30 ml	✓	✓	x	2700.00
RA-2314	Each with capacity of 7 x 15 ML	15 ml	✓	✓	x	3800.00
RA-2315	Each with capacity of 6 vacutainer Tubes upto 4 ml (100 mm long)	Upto 4 ml (100 mm long) (without tubes)	✓	✓	x	3200.00
RA-2316	Each with capacity of 5 vacutainer Tubes upto 10 ml (100 mm long)	Upto 10ml (100 mm long) (without tubes)	✓	✓	x	3200.00
RA-2317	Each with capacity of 6 vacutainer Tubes upto 5 ml (75 mm long)	Upto 5ml (75 mm long) (without tubes)	✓	✓	x	3200.00
<b>Set of 4 Reduction Adaptors for Swing Out Head Model R-234 suitable for Glass Tubes (with tubes)</b>						
RA-2341	Each with Capacity of 1 x 50 ML	50 ml	x	✓	x	3000.00
RA-2342	Each with Capacity of 3 x 25 ML	25 ml	x	✓	x	4800.00
RA-2343	Each with Capacity of 5 x 15 ML	15 ml	x	✓	x	5200.00
RA-2344	Each with Capacity of 13 x 5 ML	5 ml	x	✓	x	6000.00
RA-2345	Each with Capacity of 8 x 15 ML ( For Plastic Tubes)	15 ml	x	✓	x	5000.00
<b>Angle Heads (with polypropylene tubes)</b>						
R-236	Complete with Polypropylene Tubes	6 x 200 ML	✓	✓	x	42000.00
R-237	Complete with Polypropylene Tubes	8 x 100 ML	✓	✓	x	30000.00
R-238	Complete with Polypropylene Tubes	12 x 50 ML	✓	✓	x	29000.00
R-239	Complete with Polypropylene Tubes	36 x 15 ML	✓	✓	x	33000.00
R-241	Complete with Polypropylene Tubes	4 x 100 ML	x	x	✓	29000.00
R-242	Complete with Polypropylene Tubes	6 x 50 ML	x	x	✓	23000.00
R-243	Complete with Polypropylene Tubes	8 x 25 ML	x	x	✓	23000.00
R-243 A	Complete with Polypropylene Tubes	6 x 25 ML	x	x	✓	23000.00
R-244	Complete with Polypropylene Tubes	12 x 15 ML	x	x	✓	23000.00
R-244 A	Complete with Polypropylene Tubes	8 x 15 ML	x	x	✓	23000.00
R-247	Complete with Polypropylene Tubes	8 x 50 ML	x	x	✓	29000.00
R-248	Complete with Polypropylene Tubes	24 x 1.5 ML	x	x	✓	17000.00
R-249	Complete with Polypropylene Tubes	6 strips of 8 x 0.2 ml	x	x	✓	21000.00
<b>Angle Heads suitable for Falcon Tubes (without tubes)</b>						
R-238 F	Suitable for Falcon Tubes	12 x 50 ML	✓	✓	x	29000.00
R-239 F	Suitable for Falcon Tubes	24 x 15 ML	✓	✓	x	33000.00
R-244 F	Suitable for Falcon Tubes	12 x 15 ML	x	x	✓	21000.00
R-247 F	Suitable for Falcon Tubes	8 x 50 ML	x	x	✓	25000.00

CODE	CAT NO.	Capacity (Liters)	Temperature Range	Humidity Range	Controller	Recommended Stabilizer	LED Version	LCD Version	TFT Version
<b>CO<sub>2</sub> INCUBATORS (H.S. CODE - 84198990)</b>							<b>PRICE - ₹</b>		
A2	RCO-80 Plus	80	RT +5°C to 55°C	xx	Microprocessor	xx	xx	Discontinued	xx
A2	RCO-150 Plus	150	RT +5°C to 55°C	xx	Microprocessor	xx	xx	Discontinued	xx

CODE	CAT NO.	Capacity (Liters)	Temperature Range	Humidity Range	Controller	Recommended Stabilizer	LED Version	LCD Version	TFT Version
<b>COOLING INCUBATORS (H.S. CODE - 84198990)</b>							<b>PRICE - ₹</b>		
A2	CI-6 Plus	200	5°C to 60 °C	xx	Microprocessor	VS-02	178000.00	205000.00	242000.00
A2	CI-10 Plus	280	5°C to 60 °C	xx	Microprocessor	VS-02	186000.00	214000.00	250000.00
A2	CI-12 Plus	370	5°C to 60 °C	xx	Microprocessor	VS-02	196000.00	222000.00	258000.00
A2	CI-16 Plus	450	5°C to 60 °C	xx	Microprocessor	VS-03	222000.00	248000.00	284000.00
A2	CI-19 Plus	540	5°C to 60 °C	xx	Microprocessor	VS-03	236000.00	262000.00	298000.00
A2	CI-28 Plus	800	5°C to 60 °C	xx	Microprocessor	VS-06	362000.00	390000.00	426000.00
A2	CI-35 Plus	1000	5°C to 60 °C	xx	Microprocessor	VS-06	404000.00	430000.00	466000.00
A2	CI-3S	85	5°C to 60 °C	xx	Electronic	VS-01	116000.00	xx	xx
A2	CI-6S	170	5°C to 60 °C	xx	Electronic	VS-02	138000.00	xx	xx
A2	CI-10S	285	5°C to 60 °C	xx	Electronic	VS-02	158000.00	xx	xx

**Note: Extra price for GMP models – CI-6 Plus, CI-10 Plus, CI-12 Plus – Rs. 35000.00, CI-16 Plus, CI-19 Plus – Rs. 40000.00, CI-28 Plus - Rs. 50000.00, CI-35 Plus – Rs. 60000.00**

<b>COLD CABINETS (H.S. CODE - 84184010)</b>									
A2	CC-6 Plus	200	2 °C to 12 °C	xx	Microprocessor	VS-02	175000.00	200000.00	235000.00
A2	CC-10 Plus	280	2 °C to 12 °C	xx	Microprocessor	VS-02	184000.00	208000.00	246000.00
A2	CC-12 Plus	370	2 °C to 12 °C	xx	Microprocessor	VS-02	194000.00	218000.00	254000.00
A2	CC-16 Plus	450	2 °C to 12 °C	xx	Microprocessor	VS-03	218000.00	245000.00	280000.00
A2	CC-19 Plus	540	2 °C to 12 °C	xx	Microprocessor	VS-03	234000.00	260000.00	295000.00
A2	CC-28 Plus	800	2 °C to 12 °C	xx	Microprocessor	VS-06	358000.00	385000.00	415000.00
A2	CC-35 Plus	1000	2 °C to 12 °C	xx	Microprocessor	VS-06	400000.00	425000.00	456000.00

**Note: Extra price for GMP models – CC-6 Plus, CC-10 Plus, CC-12 Plus – Rs. 35000.00, CC-16 Plus, CC-19 Plus – Rs. 40000.00, CC-28 Plus - Rs. 50000.00, CC-35 Plus – Rs. 60000.00**

<b>LABORATORY REFRIGERATORS ( H.S. CODE - 84184010)</b>									
A2	RLR-200	200	1 °C to 10 °C	xx	Electronic	VS-02	63000.00	xx	xx
A2	RLR-300	300	1 °C to 10 °C	xx	Electronic	VS-02	77000.00	xx	xx
A2	RLR-400	400	1 °C to 10 °C	xx	Electronic	VS-02	90000.00	xx	xx
A2	RLR-500	500	1 °C to 10 °C	xx	Electronic	VS-02	102000.00	xx	xx
A2	Serocool-200	200	1 °C to 10 °C	xx	Microprocessor	VS-02	xx	72000.00	xx
A2	Serocool-300	300	1 °C to 10 °C	xx	Microprocessor	VS-02	xx	88000.00	xx
A2	Serocool-400	400	1 °C to 10 °C	xx	Microprocessor	VS-02	xx	105000.00	xx
A2	Serocool-500	500	1 °C to 10 °C	xx	Microprocessor	VS-02	xx	114000.00	xx



CODE	CAT NO.	Capacity (Liters)	Temperature Range	Humidity Range	Controller	Recommended Stabilizer	LED Version	LCD Version	TFT Version
<b>STABILITY CHAMBERS (H.S. CODE - 84198990)</b>									
A2	SC-6 Plus	200	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	312000.00	346000.00
A2	SC-10 Plus	280	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	332000.00	364000.00
A2	SC-12 Plus	370	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	346000.00	380000.00
A2	SC-16 Plus	450	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	390000.00	425000.00
A2	SC-19 Plus	540	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	395000.00	430000.00
A2	SC-28 Plus	800	10 °C to 60 °C	40% to 95%	Microprocessor	VS-07	xx	555000.00	588000.00
A2	SC-35 Plus	1000	10 °C to 60 °C	40% to 95%	Microprocessor	VS-07	xx	585000.00	620000.00
<b>HUMIDITY CHAMBERS (H.S. CODE - 84198990) PRICE - ₹</b>									
A2	CHM-6 Plus	200	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	250000.00	286000.00
A2	CHM-10 Plus	280	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	258000.00	296000.00
A2	CHM-12 Plus	370	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	270000.00	305000.00
A2	CHM-16 Plus	450	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	300000.00	334000.00
A2	CHM-19 Plus	540	10 °C to 60 °C	40% to 95%	Microprocessor	VS-04	xx	312000.00	345000.00
A2	CHM-28 Plus	800	10 °C to 60 °C	40% to 95%	Microprocessor	VS-07	xx	430000.00	468000.00
A2	CHM-35 Plus	1000	10 °C to 60 °C	40% to 95%	Microprocessor	VS-07	xx	465000.00	505000.00
<b>DEEP FREEZERS (VERTICAL) (H.S. CODE - 84184010)</b>									
A2	RQV-200 Plus	200	up to -20 °C	xx	Microprocessor	VS-02	172000.00	198000.00	232000.00
A2	RQV-300 Plus	300	up to -20 °C	xx	Microprocessor	VS-02	198000.00	222000.00	255000.00
A2	RQV-400 Plus	400	up to -20 °C	xx	Microprocessor	VS-03	208000.00	234000.00	267000.00
A2	RQV-500 Plus	500	up to -20 °C	xx	Microprocessor	VS-03	238000.00	260000.00	294000.00
A2	RQV-600 Plus	600	up to -20 °C	xx	Microprocessor	VS-03	250000.00	272000.00	310000.00
A2	RQVD-200 Plus	200	up to -40 °C	xx	Microprocessor	VS-02	208000.00	234000.00	267000.00
A2	RQVD-300 Plus	300	up to -40 °C	xx	Microprocessor	VS-03	222000.00	250000.00	283000.00
A2	RQVD-400 Plus	400	up to -40 °C	xx	Microprocessor	VS-03	245000.00	268000.00	304000.00
A2	RQFV-170	170	up to -20 °C	xx	Electronic	VS-02	105000.00	xx	xx
A2	RQFV-265	265	up to -20 °C	xx	Electronic	VS-02	142000.00	xx	xx
A2	RFV-245	245	-16 °C to -24 °C	xx	Electronic	VS-02	84000.00	xx	xx
A2	RFV-340	340	-16 °C to -24 °C	xx	Electronic	VS-02	134000.00	xx	xx
<b>Note: GMP version of above models of Deep Freezers are also available – Prices on request.</b>									
<b>ULTRA LOW TEMPERATURE (ULT) FREEZERS - VERTICAL (H.S. CODE - 84184010)</b>									
A2	ULT-90	90	up to -86 °C	xx	Microprocessor	VS-05	xx	426000.00	454000.00
A2	ULT-185	185	up to -86 °C	xx	Microprocessor	VS-06	xx	490000.00	517000.00
A2	ULT-360	360	up to -86 °C	xx	Microprocessor	VS-07	xx	580000.00	614000.00
A2	ULT-390	390	up to -86 °C	xx	Microprocessor	VS-07	xx	xx	Discontinued
A2	ULT-490	490	up to -86 °C	xx	Microprocessor	VS-07	xx	628000.00	650000.00
A2	ULT-650	650	up to -86 °C	xx	Microprocessor	VS-07	xx	722000.00	750000.00
<b>REFRIGERATOR CUM FREEZER (H.S. CODE - 84184010)</b>									
A2	RRF-250	Refrigerator cum Freezer, Temp. 2°C to 12°C (Refrigerator-250 litres), up to <b>-20°C</b> (Freezer-265 litres)				VS-04	252000.00	xx	xx
A2	RRFD-250	Refrigerator cum Freezer, Temp. 2°C to 12°C (Refrigerator-250 litres), up to <b>-40°C</b> (Freezer-265 litres)				VS-04	274000.00	xx	xx

CODE	CAT NO.	Capacity (Liters)	Temperature Range	Humidity Range	Controller	Recommended Stabilizer	LED Version	LCD Version	TFT Version								
<b>ORBITAL SHAKING INCUBATORS (H.S. CODE - 85143090)</b>									<b>PRICE- ₹</b>								
A2	RIS-24 Plus	Upto 18 Liters	5°C above ambient to 60°C	xx	Microprocessor	xx	xx	215000.00	250000.00								
<b>ORBITAL SHAKING INCUBATORS (H.S. CODE - 84198990)</b>									<b>PRICE- ₹</b>								
A2	CIS-24 Plus	Upto 18 Liters	5°C to 60°C	xx	Microprocessor	VS-02	xx	285000.00	310000.00								
A2	CIS-18 Plus	Bench Top Orbital Shaking Incubator, microprocessor controlled with LCD display, temp. range 4°C to 50°C, universal platform of 18" x 18", 20 to 300 rpm, transparent plastic door				VS-02	xx	265000.00	xx								
<p><b>Note: Extra price for GMP models of CIS-24 Plus / RIS-24 Plus - Rs. 40000.00</b></p> <p style="text-align: center;"><b>Clamps for holding Conical Flask. (Price is for each clamp) (H.S. CODE - 84798200)</b></p> <table border="1" style="width: 100%;"> <tr> <td>Capacity 2000 ml.</td> <td style="text-align: right;">700.00</td> </tr> <tr> <td>Capacity 1000 ml. / 500 ml.</td> <td style="text-align: right;">700.00</td> </tr> <tr> <td>Capacity 250 ml. / 150 ml.</td> <td style="text-align: right;">500.00</td> </tr> <tr> <td>Capacity 100/50 ml.</td> <td style="text-align: right;">400.00</td> </tr> </table>										Capacity 2000 ml.	700.00	Capacity 1000 ml. / 500 ml.	700.00	Capacity 250 ml. / 150 ml.	500.00	Capacity 100/50 ml.	400.00
Capacity 2000 ml.	700.00																
Capacity 1000 ml. / 500 ml.	700.00																
Capacity 250 ml. / 150 ml.	500.00																
Capacity 100/50 ml.	400.00																
CODE	CAT NO.								<b>PRICE- ₹</b>								
<b>WALK-IN STABILITY CHAMBERS (designed as per ICH/USFDA guidelines) (H.S. CODE - 84198990)</b>																	
A2	WSC-50	Capacity 5000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.															
A2	WSC-80	Capacity 8000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.															
A2	WSC-100	Capacity 10000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.															
A2	WSC-120	Capacity 12000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.															
A2	WSC-150	Capacity 15000 Liters, Temperature range 20°C to 60°C, Humidity range 40% to 95% RH to undertake the Medium, Long term & Accelerated Stability Studies.															
<b>WALK-IN COLD ROOM (H.S. CODE - 84198990)</b>																	
A2	WCR-50	Capacity 5000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.															
A2	WCR-80	Capacity 8000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.															
A2	WCR-100	Capacity 10000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.															
A2	WCR-120	Capacity 12000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.															
A2	WCR-150	Capacity 15000 Liters, Temp. range 2°C to 8°C, designed for storage of Temp. Sensitive materials & Bio-samples.															
*Sizes other than above also available Please contact us for your requirement, We will first understand your application & then submit our proposal based on your requirements.																	
<b>VOLTAGE STABILIZERS (H.S. CODE - 85044040)</b>																	
	VS-01	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							11500.00								
	VS-02	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							13000.00								
	VS-03	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							15000.00								
	VS-04	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							21000.00								
	VS-05	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							37000.00								
	VS-06	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							56000.00								
	VS-07	Servo controlled Voltage Stabilizer, input 170 volts to 260 volts, output 220 volts to 240volts							65000.00								

**PRICES ON REQUEST**

CODE	CAT NO.	DESCRIPTION	PRICE ₹
<b>OPTIONAL ACCESSORIES FOR ALL TYPES OF CABINETS AND WALK IN CHAMBERS</b>			
1.		Chamber illumination with the help of 2 Nos. fluorescent tubes (For Cooling Incubators & Orbital Shaking Incubators) (H.S. CODE- 84799090)	2500.00
2.		Chamber illumination with 2 Nos. ultra violet lights (For Cooling Incubators & Orbital Shaking Incubators) (H.S. CODE- 84799090)	10000.00
3.		0-24 hours Cyclic Timer for regulating illumination conditions (For Cooling Incubators & Orbital Shaking Incubators) (H.S. CODE- 91070000)	7000.00
4.		Data Logger (Temperature), 8 channels, supplied complete with 8 sensors (H.S. CODE- 90258090)	64000.00
5.		Data Logger (Temp. / Humidity), 8 channels(4 temp. + 4 humidity), supplied complete with sensors (H.S. CODE- 90258090)	124000.00
6.		Data Logger (Temperature/Humidity) 16 Channels (8 Temperature + 8 Humidity). Supplied complete with sensors (H.S. CODE- 90258090)	196000.00
7.		Seven days circular chart recorder (Single Channel) (H.S. CODE- 90258090)	24000.00
8.		PC software, "Remi Datasoft" as per 21 CFR Part 11 requirements (For Plus Models and Walk-In Chambers) (H.S. CODE- 85238020)	34000.00
9.		GSM Mobile Alert (Hardware) (H.S. CODE - 84198990)	25000.00
10.		PLC based control system with multi colour HMI Touch Screen (H.S. CODE- 90321090)	94000.00
11.		Magnetic Door Access Security System (For Walk-in- Chambers Only) (H.S. CODE- 85437099)	33000.00
12.		Validation [mapping ] consist of one cycle for temperature and humidity at any one set point for 24 hours on empty and loaded condition of Cabinet / Walk-in-Chamber (H.S. CODE - 84198990)	32000.00
			<b>800 / 1000 liters</b>
13.		Standby Refrigeration System ( 800 / 1000 liters Chambers) (H.S. CODE- 84198990)	50000.00
14.		Standby Humidity System (H.S. CODE- 84198990)	13000.00
			<b>Walk-in Chambers</b>
			84000.00
			20000.00

## TERMS OF SUPPLY

- All prices and terms are Ex- Factory, Vasai (Dist-Palghar). Packing, forwarding, freight, transit insurance, and delivery charges extra.
- G.S.T will be 18% charged extra or as applicable at the time of delivery
- We reserve the right to change specifications and prices without prior notice. Prices and government levies will be charged as applicable at the time of delivery.
- Price does not include free installation, demonstration and commissioning at buyer's place.
- Free service in guarantee period is available at any of the Service Centers and not at buyer's place unless agreed by us in writing.
- We are not responsible for transit damage and loss. Goods will be despatched without insurance at Buyer's risk.
- Warranty one year from the date of supply against any manufacturing defects. Cost of additional warranty can be provided on request.
- All previous price lists are cancelled.
- All dispute are subject to Mumbai Jurisdiction.

## TERMS OF SERVICE UNDER MANUFACTURING WARRANTY

- Note : 1. For Product Coded 'A1' & 'A2' Installation, Demonstration & Commissioning at site is compulsory for availing manufacturing warranty.
- For Products Coded 'B', Installation, Demonstration & Commissioning at site is not compulsory but recommended and available for availing manufacturing warranty.
  - For Products Coded 'C', Installation, Demonstration & Commissioning at site is neither compulsory nor available.

Charges for Installation, Demonstration, Commissioning and Service under manufacturing warranty at site for products Coded 'A1', 'A2' and 'B' will be extra over and above the price of the instruments. Actual charges are available against specific request, which is not available for products Coded 'C'

# REMI GROUP

## Corporate Marketing Office REMI SALES & ENGINEERING LIMITED.

Remi House, 11, Cama Industrial Estate, Walbhat Road, Goregaon (East), Mumbai - 400 063. INDIA.  
Tel: +91 22 4058 9888 / 26851998 E-mail: sales@remilabworld.com

SCAN ME



REMI HEALTHCARE  
CATALOGUE

### BRANCHES

#### AHMEDABAD

18A/19A, M.R.Estate,  
Near Kanchan Pharma,  
Off.Aslali by-pass, Aslali  
Ahmedabad - 382 427.  
Tel.:+91 02718 297978  
Service Helpline no.: 02718-297978  
E-mail: [instrumentahmd@remigroup.com](mailto:instrumentahmd@remigroup.com)  
Location:

#### GOA

S-4, 2nd Floor, Vergincar Bhawan,  
Opp. Saraswat Co-op. Bank, Margao,  
Goa - 403 601.  
Tel.:+91 932 610 3307  
Service Helpline no.: 9136945161  
E-mail: [goa@remigroup.com](mailto:goa@remigroup.com)  
Location:

#### KANPUR

112/1-C, 1st Floor, Benajhabar Road,  
Swaroop Nagar, Kanpur - 208 002.  
Tel.:+91 512 325 8726  
Service Helpline no.: 8800227331  
E-mail: [kanpur@remigroup.com](mailto:kanpur@remigroup.com)  
Location:

#### VIJAYAWADA

H.No. 1-3-184, Ambedkar Road,  
Kamakoti Nagar, Kwari Centre,  
Vidyadarapuram,  
Vijayawada-500 012, A.P  
Tel.: +91 866-2413211  
Service Helpline no.: 8928950409  
E-mail: [instrumenthyd@remigroup.com](mailto:instrumenthyd@remigroup.com)  
Location:

## Manufacturing Plant REMI ELEKTROTECHNIK LIMITED.

Bldg "B", Survey No 65 / 1,Valiv, Vasai (East),Dist. Palghar - 401208. INDIA.  
Tel.: +91 844 601 3182 to 87

SCAN ME



REMI LABORATORY  
CATALOGUE

#### BENGALURU

2/8/1, 3rd Cross, Shamanna Garden,  
Adugodi Post, Bengaluru – 560 030.  
Tel.:+91 80 2222 4406  
Service Helpline no.: 9372718986  
E-mail: [instrumentbang@remigroup.com](mailto:instrumentbang@remigroup.com)  
Location:

#### INDORE

G-1, Royal Regency, Plot No.377,  
Goyal Nagar, Madhavrao Sindhiya Square,  
Ring Road, Near Bank of Baroda, Opp.  
Anmol Motors, Indore - 452 001, M. P.  
Tel No.: +91 731 2590750, 3299606  
Service Helpline no.: 8928950354  
E-mail: [indore@remilabworld.com](mailto:indore@remilabworld.com)  
Location:

#### KOCHI

48/1103, Puthiyedath Road,  
Vytila P.O, Ernakulam  
Kochi - 682019  
Ph: +91 8921409347  
Service Helpline no.: 04842401361  
E-mail: [kochi@remigroup.com](mailto:kochi@remigroup.com)  
Location:

#### NEW DELHI

B-25, Second Floor, B-Block,  
Community Centre,  
Janakpuri,  
New Delhi - 110 058.  
Tel.:+91 11 49728300, 71859984  
Service Helpline no.: 8800227331  
E-mail: [instrumentdelhi@remigroup.com](mailto:instrumentdelhi@remigroup.com)  
Location:

#### CHENNAI

59, Anna Salai, Post Box No.: 3705,  
(Inside SVS Club Compound),  
Chennai - 600 002.  
Tel.:+91 44 2851 8622, 2854 6356,  
Service Helpline no.: 9092048877  
E-mail: [instrumentchennai@remigroup.com](mailto:instrumentchennai@remigroup.com)  
Location:

#### JAIPUR

Man Business Centre,  
Man Industrial Corporation Ltd,  
Near Loco Shed, Jaipur - 302006  
Tel.: +91 141 2222234  
Service Helpline no.: 0141222234  
E-mail: [jaipursales@remilabworld.com](mailto:jaipursales@remilabworld.com)  
Location:


#### KOLKATA

Bando House, 4th Floor, 29,  
Ganeshchandra Avenue, Kolkata - 700 013  
Tel.: +91 33 2211 6367  
Fax: +91 33 2211 7221  
Service Helpline no.: 8420005736  
E-mail: [instrumentkolkata@remigroup.com](mailto:instrumentkolkata@remigroup.com)  
Location:

#### SECUNDERABAD

Plot No.21 & 22, Old No. 3-1-1 (D),  
Door No. SCB6-04-001 & 6-04-002,  
Meena Arcade, A-2, Moti Valley,  
Goyal Co- Operative Housing Society,  
Tirumalgheery, Secunderabad-500015  
Tel.: +91 40 27846682/83/87  
Service Helpline no.: 8928950409  
E-mail: [instrumenthyd@remigroup.com](mailto:instrumenthyd@remigroup.com)  
Location:

Authorised Dealer



[www.remilabworld.com](http://www.remilabworld.com)



remilabworld



@RemiLabs



remilabworld



Remi Lab World